NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page
58/09	10.05.2022	5	RLAB	DG	RLAB	1 di 14

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: Product name UFI : F_231 BRILLANTANTE AMACASA TUM0-U0VX-X00T-FM2S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer	
Rinse aid	-	✓	~	
Uses Advised Against				
Do not use for uses other than those indicated				
1.3. Details of the supplier of the safety data				
Name	NEW FADOR S.r.I.			
Full address	via Mario Calderara, 31			
District and Country	25018 Montichiari (BS)			
	Italia			
	Tel. +39 030961 243			

e-mail address of the competent person	
responsible for the Safety Data Sheet	info@newfador.it
1.4. Emergency telephone number	

1.4. Emergency	/ telephone number
For urgent inqui	ries refer to

+39 030961 243

(08.30 - 17.30)

NEW FADOR S.r.I.

www.newfador.it

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication: Eye irritation, category 2

H319

Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Hazard statements:

H319

Causes serious eye irritation.

Warning

Precautionary statements:

P101 P102 If medical advice is needed, have product container or label at hand. Keep out of reach of children.

NEW FADOR	MATERI		FETY D to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page
58/09	10.05.2022	5	RLAB	DG	RLAB	2 di 14

P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
P337+P313	rinsing. If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants, non-ionic surfactants

perfumes

Preservation agents: GLUTARAL, BENZISOTHIAZOLINONE, 2-BROMO-2-NITROPROPANE-1, 3-DIOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification CITRIC ACID MONOHYDRATE	x = Conc. %	Classification (EC) 1272/2008 (CLP)
CAS 5949-29-1 EC 201-069-1 INDEX - REACH Reg. 01-2119457026-42	7≤x< 8	Eye Irrit. 2 H319
ETHANOL CAS 64-17-5	264625	Elam Lia 2 H225
CAS 64-17-5	2 ≤ x < 2,5	Flam. Liq. 2 H225, Eye Irrit. 2 H319
EC 200-578-6 INDEX 603-002-00-5		Eye Irrit. 2 H319: ≥ 50%
REACH Reg. 01-2119457610-43 UNDECANOL, BRANCHED AND LINEAR, ETHOXYLATED, PROPOXYLATED (>=2.5 MOLES		
EO/PO) CAS -	1≤x< 1,5	Acute Tox. 4 H302,
	1 = X < 1,0	Eye Dam. 1 H318
EC 940-634-3 INDEX -		STA Oral: 500 mg/kg
UNDECANOL, BRANCHED AND LINEAR, ETHOXYLATED, PROPOXYLATED (>=2.5 MOLES EO/PO)		
CAS -	1 ≤ x < 1,5	Eye Dam. 1 H318
EC 940-634-3 INDEX -		
2-BROMO-2-NITROPROPAN-1,3-		
DIOL CAS 52-51-7	0 ≤ x < 0,05	Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Acute 1 H400 M=10, Aquatic Chronic 2 H411

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page
58/09	10.05.2022	5	RLAB	DG	RLAB	3 di 14

STA Oral: 500 mg/kg, STA Dermal: 1100 mg/kg

EC 200-143-0 INDEX 603-085-00-8 REACH Reg. 01-2119980938-15 **MORPHOLINE** CAS 110-91-8

 CAS 110-91-8
 0 ≤ x < 0,05</td>
 Flam. Liq. 3 H226, Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H312, Skin Corr. 1B H314, Eye Dam. 1 H318

 EC 203-815-1
 LD50 Oral: 1050 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l

INDEX 613-028-00-9 REACH Reg. 01-2119496057-30

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with selfcontained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page
58/09	10.05.2022	5	RLAB	DG	RLAB	4 di 14

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Store in a cool and well-ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à

	MATERI				IEET	Board Code S-P4/2-2 Board Date 05/2010
NEW FADOR	(Conforms to Reg. (EU) 878/2020				
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page
58/09	10.05.2022	5	RLAB	DG	RLAB	5 di 14

,

		exposição durante o trabalho a agentes cancerigenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie
		w sprawie najwyższych dopuszczalnych stężeń i nateżeń czynników szkodliwych dla zdrowia w
		środowisku pracy
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády
• · · ·		Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s
		expoziciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
000		
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983;
		Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
		2004/37/EC: Directive 2000/39/EC: Directive 98/24/EC: Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

CITRIC ACID MONOHYDRATE

Predicted no-effect concentration - PNEC		
Normal value in fresh water	0,44	mg/l
Normal value in marine water	0,044	mg/l
Normal value for fresh water sediment	34,6	mg/kg
Normal value for marine water sediment	3,46	mg/kg
Normal value of STP microorganisms	1000	mg/l
Normal value for the terrestrial compartment	33,1	mg/kg

ETHANOL Threshold Limit Value								
Туре	Country	TWA/8h		STEL/15min		Remarks Observat		
		mg/m3	ppm	mg/m3	ppm			
TLV	BGR	1000						
TLV	CZE	1000		3000				
AGW	DEU	960	500	1920	1000			
MAK	DEU	960	500	1920	1000			
TLV	DNK	1900	1000					
VLA	ESP			1910	1000			
VLEP	FRA	1900	1000	9500	5000			
TLV	GRC	1900	1000					
AK	HUN	1900		7600				
GVI/KGVI	HRV	1900	1000					
TGG	NLD	260		1900		SKIN		
NDS/NDSCh	POL	1900						
NPEL	SVK	960	500	1920				
WEL	GBR	1920	1000					
TLV-ACGIH				1884	1000			
Predicted no-effect concent	tration - PNEC							
Normal value in fresh water	r			0,96	mg/l	I		
Normal value in marine wat	ter			0,79	mg/l	I		
Normal value for fresh wate	er sediment			3,6	mg/l	kg		
Normal value for marine wa	ater sediment			2,9	mg/l	kg		
Normal value for water, inte	ermittent release			2,75	mg/l	I		
Normal value of STP micro	organisms			580	mg/l	l		
Normal value for the food c	hain (secondary poisor	ning)		0,38	mg/l	kg		
Normal value for the terrest	trial compartment			0,63	mg/l	kg		
Health - Derived no-eff	fect level - DNEL / Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				87 mg/kg bw/d				
Inhalation				114 mg/m3				950 mg/m3
Skin				206 mg/kg bw/d				343 mg/kg bw/d

2-BROMO-2-NITROPROPAN-1,3-DIOL	
Predicted no-effect concentration - PNEC	Ī

NEW FADOR	MATERI	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1						
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page		
58/09	10.05.2022							

Normal value in fresh water					mg	/I		
Normal value in marine water					mg	mg/l		
Normal value for fresh water sediment					mg	/kg		
Normal value for marine water	sediment			0,003	mg	/kg		
Normal value for water, intermit	ttent release			0,003	mg	/I		
Normal value of STP microorga	anisms			0,43	mg	mg/l		
Normal value for the terrestrial	compartment			0,5	mg	/kg		
Health - Derived no-effect	level - DNEL / DN	NEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,1 mg/kg bw/d		0,35 mg/kg bw/d				
Inhalation	1,3 mg/m3	3,7 mg/m3	1,3 mg/m3	1,2 mg/m3	4,2 mg/m3	12,3 mg/m3	4,2 mg/m3	4,1 mg/m3
Skin	0,008 mg/cm2	4,2 mg/kg bw/d	0,008 mg/cm2	1,4 mg/kg bw/d	0,013 mg/cm2	7 mg/kg bw/d	0,013 mg/cm2	2,3 mg/kg bw/d

MORPHOLINE Threshold Limit Value								
Туре	Country	TWA/8h		STEL/15min		Remarks Observat		
		mg/m3	ppm	mg/m3	ppm			
TLV	BGR	20				SKIN		
TLV	CZE	35		70		SKIN		
AGW	DEU	36	10	72	20	SKIN		
MAK	DEU	36	10	72	20			
TLV	DNK	36	10			SKIN		
VLA	ESP	36	10	72	20			
VLEP	FRA	36	10	72	20			
TLV	GRC	36	10	72	20			
AK	HUN	70		70		SKIN		
GVI/KGVI	HRV	36	10	72	20	SKIN		
VLEP	ITA	36	10	72	20	SKIN		
TGG	NLD	36	10	72	20	SKIN		
VLE	PRT	36	10	72	20			
NDS/NDSCh	POL	36		72				
NPEL	SVK	36	10	72				
WEL	GBR	36	10	72	20	SKIN		
OEL	EU	36	10	72	20			
TLV-ACGIH		71	20			SKIN		
Predicted no-effect concentrati	ion - PNEC							
Normal value in fresh water				0,1	mg	/I		
Normal value in marine water				0,01	mg	/I		
Normal value for fresh water se	ediment			0,01	mg	/kg		
Normal value for marine water	sediment			1,49	mg	/kg		
Normal value for water, intermi	ittent release			0,28	mg	/I		
Normal value of STP microorga	anisms			10	mg	/I		
Normal value for the terrestrial	compartment			0,239	mg	/kg		
Health - Derived no-effec	t level - DNEL / Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		38 mg/kg bw/d		6,3 mg/kg bw/d				
Inhalation	18 mg/m3		3,2 mg/m3	45 mg/m3			36 mg/m3	91 mg/m3
Skin				0,52 mg/kg bw/d				1,04 mg/kg bw/d

Legend: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; $\label{eq:MED} \text{MED} = \text{medium hazard} \quad ; \quad \text{HIGH} = \text{high hazard}.$

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1	
Document n°	Revision date	Revision date Rev. N° Edited by Approved by Filed by					
58/09	10.05.2022	5	RLAB	DG	RLAB	7 di 14	

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value liquid	Information
	•	
Colour	blue	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not applicable	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
рН	2.5 ± 0.4	
Kinematic viscosity	not available	
Dynamic viscosity	50 ± 20 mPa*s	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

NEW FADOR	MATERIA	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1				
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page
58/09	10.05.2022	5	RLAB	DG	RLAB	8 di 14

Information not available

9.2.2. Other safety characteristics

Explosive properties

not classified as explosive, contains no explosive substances according to CLP Art. (14 (2)) No oxidizing properties

Oxidising properties

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BROMO-2-NITROPROPAN-1,3-DIOL Decomposes on contact with: water, metals, strong bases.

MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

ETHANOL

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide, perchlorates, perchloric acid, perchloronitrile, mercury nitrate, nitric acid, silver, silver nitrate, ammonia, silver oxide, ammonia, strong oxidising agents, nitrogen dioxide. May react dangerously with: bromoacetylene, chlorine acetylene, bromine trifluoride, chromium trioxide, chromyl chloride, fluorine, potassium tert-butoxide, lithium hydride, phosphorus trioxide, black platinum, zirconium (IV) chloride, zirconium (IV) iodide. Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

ETHANOL Avoid exposure to: sources of heat, naked flames.

2-BROMO-2-NITROPROPAN-1,3-DIOL Avoid exposure to: light, UV rays, moisture.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

2-BROMO-2-NITROPROPAN-1,3-DIOL May develop: nitric oxide, carbon oxides, hydrobromic acid.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

NEW FADOR	MATERI	-	FETY [to Reg. (EU) 8	_	IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. N°	Edited by	Approved by	Filed by	Page
58/09	10.05.2022	5	RLAB	DG	RLAB	9 di 14

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other info	ormation
Information not available	
Information on likely routes of exposure Information not available	
Delayed and immediate effects as well as chronic effects from	short and long-term exposure
Information not available	
Interactive effects	
Information not available	
ACUTE TOXICITY ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Initialition) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no significant component)
CITRIC ACID MONOHYDRATE	
LD50 (Dermal):	> 2000 mg/kg Rat
LD50 (Oral):	5400 mg/kg Mouse
ETHANOL	
LD50 (Oral):	> 5000 mg/kg Rat
LC50 (Inhalation vapours):	120 mg/l/4h Pimephales promelas
UNDECANOL, BRANCHED AND LINEAR, ETHOXYLATED, I	PROPOXYLATED (>=2.5 MOLES EO/PO)
LD50 (Oral):	> 2000 mg/kg
UNDECANOL, BRANCHED AND LINEAR, ETHOXYLATED, I	
LD50 (Oral): STA (Oral):	> 2000 mg/kg 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP
STA (Oldi).	(figure used for calculation of the acute toxicity estimate of the mixture)
	(
2-BROMO-2-NITROPROPAN-1,3-DIOL	
LD50 (Dermal):	64 mg/kg rat
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
	(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	254 mg/kg rat
LC50 (Inhalation mists/powders):	0,588 mg/l/4h rat
MORPHOLINE LD50 (Dermal):	500 mg/kg Rabbit
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
	(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	1050 mg/kg Rat
LC50 (Inhalation vapours):	35,1 mg/l/1h Rat
SKIN CORROSION / IRRITATION	
Does not meet the classification criteria for this hazard class	
SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation	
RESPIRATORY OR SKIN SENSITISATION	
Does not meet the classification criteria for this hazard class	
Respiratory sensitization	
Information not available	
Skin sensitization Information not available	
GERM CELL MUTAGENICITY	
Does not meet the classification criteria for this hazard class	
CARCINOGENICITY	
Does not meet the classification criteria for this hazard class	
<u>REPRODUCTIVE TOXICITY</u> Does not meet the classification criteria for this hazard class	
Adverse effects on sexual function and fertility	
Information not available	
Adverse effects on development of the offspring	
Information not available	
Effects on or via lactation	
Information not available	
<u>STOT - SINGLE EXPOSURE</u> Does not meet the classification criteria for this hazard class	
Does not meet the diassification driteria for this hazard Class	

NEW FADOR	MATERI	-	FETY D to Reg. (EU) 8	_	IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1			
Document n°	Revision date	Revision date Rev. N° Edited by Approved by Filed by							
58/09	10.05.2022	5	RLAB	DG	RLAB	10 di 14			

 Target organs

 Information not available

 Route of exposure

 Information not available

 STOT - REPEATED EXPOSURE

 Does not meet the classification criteria for this hazard class

 Target organs

 Information not available

 Route of exposure

 Information not available

 Aspiration not available

 ASPIRATION HAZARD

 Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

MORPHOLINE	
LC50 - for Fish	179 mg/l/96h
EC50 - for Crustacea	45 mg/l/48h
EC50 - for Algae / Aquatic Plants	51 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	31 mg/l 72h
ů i	C C
2-BROMO-2-NITROPROPAN-1,3-DIOL	
LC50 - for Fish	20 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	1,6 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0,25 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	0,08 mg/l
CITRIC ACID MONOHYDRATE	
LC50 - for Fish	> 100 mg/l/96h
EC50 - for Crustacea	> 50 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	425 mg/l
FTUANO	
ETHANOL	11000 (1/00)
LC50 - for Fish	14200 mg/l/96h
EC50 - for Crustacea	454 mg/l/48h
EC50 - for Algae / Aquatic Plants	275 mg/l/72h
Chronic NOEC for Fish	250 mg/l
Chronic NOEC for Crustacea	96 mg/l
Chronic NOEC for Algae / Aquatic Plants	11,5 mg/l
UNDECANOL, BRANCHED AND LINEAR,	
ETHOXYLATED, PROPOXYLATED (>=2.5	
MOLES EO/PO)	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	> 1 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 1 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	1,7 mg/l
UNDECANOL, BRANCHED AND LINEAR,	
ETHOXYLATED, PROPOXYLATED (>=2.5 MOLES EO/PO)	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	> 1 mg/l/48h
	ő

							Board Code S-P4/2-2
		MATERI	AL SA	FETY [DATA SH	IEET	Board Date 05/2010
				to Reg. (EU) 8			
	Document n°	Revision date	Board Rev. 1 Page				
	58/09	10.05.2022	Rev. N° 5	Edited by RLAB	Approved by DG	Filed by RLAB	11 di 14
	30/03	10.00.2022	5	NLAD		NLAD	TTUTT
	- for Algae / Aquat hic NOEC for Algae			> 1 mg/l/72h 1,7 mg/l			
Onion				1,7 mg/i			
12.2. P	ersistence and de	egradability					
MORI	PHOLINE						
	ility in water			1000 - 10000 m	g/l		
Rapic	lly degradable						
2-BR	OMO-2-NITROPRO	OPAN-1,3-DIOL					
	ility in water			286000 mg/l			
Rapic	lly degradable						
CITRI	C ACID MONOHY	DRATE					
Rapic	lly degradable						
ETHA	NOI						
	ility in water			1000 - 10000 m	a/l		
	lly degradable				9.1		
		HED AND LINEAR,					
ETHO	XYLATED, PROPO	OXYLATED (>=2.5					
	S EO/PO) Ily degradable						
		HED AND LINEAR,					
	XYLATED, PROP(S EO/PO)	OXYLATED (>=2.5					
	lly degradable						
12.3. B	ioaccumulative p	otential					
MORI	PHOLINE						
Partiti	on coefficient: n-oo	ctanol/water		-2,55			
BCF				< 2,8			
2-BR	OMO-2-NITROPRO	OPAN-1,3-DIOL					
	on coefficient: n-oo			0,22			
BCF				3,16			
CITRI	C ACID MONOHY	DRATE					
BCF				3,2			
ETHA Partiti	NOL on coefficient: n-oc	ctanol/water		-0,35			
				0,00			
12.4. M	obility in soil						
MORI	PHOLINE						
Partiti	on coefficient: soil/	/water		-0,6196			
12.5. R	esults of PBT and	d vPvB assessment					

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

NEW FADOR	MATERI	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1				
Document n°	Revision date Rev. N° Edited by Approved by Filed by					Page
58/09	10.05.2022	5	RLAB	DG	RLAB	12 di 14

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point	3 - 40
Contained substance Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

NEW FADOR	MATERI	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1				
Document n°	Revision date Rev. N° Edited by Approved by Filed by					Page
58/09	10.05.2022	5	RLAB	DG	RLAB	13 di 14

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004 Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2	Flammable liquid, category 2
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

NEW FADOR	MATERIAL SAFETY DATA SHEET Conforms to Reg. (EU) 878/2020					
Document n°	Revision date	Page				
58/09	10.05.2022	5	RLAB	DG	RLAB	14 di 14

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 09 / 10 / 11 / 12 / 15 / 16.