

Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

1 of 14

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **F_260**

Product name HAND WASHING
UFI: 7AQ0-H0WF-U005-NGYN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Industrial Professional Consumer Laundry detergent -

Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name NEW FADOR S.r.I.
Full address via Mario Calderara, 31
District and Country 25018 Montichiari (BS)

Italia

Tel. +39 030961 243

www.newfador.it

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to **NEW FADOR S.r.I.**

+39 030961 243

(08.30 - 17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

Ranked on the basis of the results of the ICE-PH-15/0339 study

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

2 of 14

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102

Wear protective gloves/ protective clothing / eye protection / face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337+P313 If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% soap

5% or over but less than anionic surfactants

15%

perfumes

Preservation agents: 2-BROMO-2-NITROPROPANE-1,3-DIOL, GLUTARAL, BENZISOTHIAZOLINONE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification Classification (EC) 1272/2008 (CLP) x = Conc. %

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM

SALTS

CAS 68411-30-3 $3,5 \le x < 4$ Acute Tox. 4 H302,

Eye Dam. 1 H318,



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

3 of 14

Skin Irrit. 2 H315, Aquatic Chronic 3 H412 LD50 Oral: 1080 mg/kg

INDEX -

EC 270-115-0

REACH Reg. 01-2119489428-22

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES,

SODIUM SALTS

CAS 68891-38-3 $2.5 \le x < 3$

EC 500-234-8

INDEX -

REACH Reg. 01-2119488639-16 2-BROMO-2-NITROPROPAN-1,3-

DIOL

CAS 52-51-7 $0 \le x < 0.05$ Acute Tox. 4 H302. Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335.

Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

Aquatic Acute 1 H400 M=10. Aquatic Chronic 2 H411

STA Oral: 500 mg/kg, STA Dermal: 1100 mg/kg

Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 5%

EC 200-143-0

INDEX 603-085-00-8

REACH Reg. 01-2119980938-15

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018
Revision n° 2

Rev. Date 10/06/2018

Page 4 of 14

UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)



Conforms to Reg. (EU) 878/2020

Revision n° 2

Rev. Date 10/06/2018

Page

5 of 14

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

		L DERIVS., SODI	OW CALIC					
Predicted no-effect concentration	on - PNEC							
Normal value in fresh water				0,268	mg,	/I		
Normal value in marine water				0,027	mg,	/I		
Normal value for fresh water se	ediment			8,1	mg/kg			
Normal value for marine water	sediment			6,8	mg/kg			
Normal value for water, intermit	ttent release			0,017	mg/l			
Normal value of STP microorga	nisms			3,43	mg/l			
Normal value for the terrestrial compartment				35	mg/kg			
Health - Derived no-effect	Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,425 mg/kg bw/d		Systemic		Systemic
Inhalation			1,5	1,5 mg/m3			6	6 mg/m3
Skin				42,5 mg/kg bw/d				85 mg/kg bw/d
ALCOHOLS, C12-14, ETH Predicted no-effect concentration		LFATES, SODIUI	M SALTS					
Normal value in fresh water				0,24	mg,	/I		
				0,24	mg,			
Normal value in marine water						/I		
Normal value in marine water Normal value for fresh water se	ediment			0,024	mg	/l /kg		
Normal value in marine water Normal value for fresh water se Normal value for marine water	ediment sediment			0,024	mg,	/l /kg /kg		
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit	ediment sediment ttent release			0,024 0,917 0,092	mg, mg,	/l /kg /kg		
Normal value in fresh water Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial	ediment sediment ttent release			0,024 0,917 0,092 0,071	mg, mg, mg,	/I /kg /kg		
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga	ediment sediment ttent release anisms compartment t level - DNEL / D Effects on	DMEL		0,024 0,917 0,092 0,071	mg. mg. g/l mg.	/I /kg /kg		
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure	ediment sediment ttent release anisms compartment t level - DNEL / D	DMEL Acute systemic	Chronic local	0,024 0,917 0,092 0,071 10 7,5 Chronic systemic	mg, mg, g/l mg,	/I /kg /kg	Chronic local	Chronic systemic
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect	ediment sediment ttent release anisms compartment tielevel - DNEL / E Effects on consumers		Chronic local	0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg	mg, mg, g/l mg, Effects on workers	// //kg //kg // //kg // //kg Acute	Chronic local	
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure	ediment sediment ttent release anisms compartment tielevel - DNEL / E Effects on consumers		Chronic local	0,024 0,917 0,092 0,071 10 7,5 Chronic systemic	mg, mg, g/l mg, Effects on workers	// //kg //kg // //kg // //kg Acute	Chronic local	
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral	ediment sediment ttent release anisms compartment tielevel - DNEL / E Effects on consumers		Chronic local	0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d	mg, mg, g/l mg, Effects on workers	// //kg //kg // //kg // //kg Acute	Chronic local	systemic
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral Inhalation Skin 2-BROMO-2-NITROPROP	ediment sediment ttent release anisms compartment televel - DNEL / Effects on consumers Acute local		Chronic local	0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	mg, mg, g/l mg, Effects on workers	// //kg //kg // //kg // //kg Acute	Chronic local	175 mg/m3 2750 mg/kg
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral Inhalation Skin 2-BROMO-2-NITROPROP	ediment sediment ttent release anisms compartment televel - DNEL / Effects on consumers Acute local		Chronic local	0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	mg, mg, g/l mg, Effects on workers	// //kg //kg // //kg // //kg Acute	Chronic local	175 mg/m3 2750 mg/kg
Normal value in marine water Normal value for fresh water se Normal value for marine water: Normal value for water, intermit Normal value of STP microorga Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral Inhalation	ediment sediment ttent release anisms compartment televel - DNEL / Effects on consumers Acute local		Chronic local	0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	mg, mg, g/l mg, Effects on workers	/kg /kg //kg //kg //kg //kg //kg //kg /	Chronic local	175 mg/m3 2750 mg/kg



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018
Revision n° 2
Rev. Date 10/06/2018
Page
6 of 14

Normal value for fresh water sediment	0,041	mg/kg	
Normal value for marine water sediment	0,003	mg/kg	
Normal value for water, intermittent release	0,003	mg/l	
Normal value of STP microorganisms	0,43	mg/l	
Normal value for the terrestrial compartment	0,5	mg/kg	

Health - Derived no-ef	fect level - DNEL / DI	MEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,1 mg/kg bw/d		0,35 mg/kg bw/d				
Inhalation	1,3 mg/m3	3,7 mg/m3	1,3 mg/m3	1,2 mg/m3	4,2 mg/m3	12,3 mg/m3	4,2 mg/m3	4,1 mg/m3
Skin	0,008 mg/cm2	4,2 mg/kg bw/d	0,008 mg/cm2	1,4 mg/kg bw/d	0,013 mg/cm2	7 mg/kg bw/d	0,013 mg/cm2	2,3 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties



Conforms to Reg. (EU) 878/2020

Information

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

7 of 14

Properties Value Appearance liquid Colour light blue Odour characteristic Melting point / freezing point not available Initial boiling point not available Flammability not available not available Lower explosive limit Upper explosive limit not available Flash point not available Auto-ignition temperature not available not available Decomposition temperature 8.5 ± 0.5 Kinematic viscosity not available Dynamic viscosity $300 \pm 50 \text{ mPa*s}$ Solubility soluble in water

Density and/or relative density

Partition coefficient: n-octanol/water

Relative vapour density not available
Particle characteristics not applicable

9.2. Other information

Vapour pressure

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not classified as explosive,

contains no explosive

substances according to CLP

Art. (14 (2))

not available

not available 1,02

Oxidising properties the product is not an oxidizing

substance

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Decomposes on contact with: water, metals, strong bases.

10.2. Chemical stability



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

8 of 14

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-BROMO-2-NITROPROPAN-1,3-DIOL Avoid exposure to: light, UV rays, moisture.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

2-BROMO-2-NITROPROPAN-1,3-DIOL

May develop: nitric oxide, carbon oxides, hydrobromic acid.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LD50 (Dermal): > 2000 mg/kg rat LD50 (Oral): 1080 mg/kg rat

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LD50 (Dermal): > 2000 mg/kg rat LD50 (Oral): > 2000 mg/kg rat

2-BROMO-2-NITROPROPAN-1,3-DIOL

LD50 (Dermal): 64 mg/kg rat

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): 254 mg/kg rat LC50 (Inhalation mists/powders): 0,588 mg/l/4h rat



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

9 of 14

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY ÓR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

2-BROMO-2-NITROPROPAN-1,3-DIOL

LC50 - for Fish 20 mg/l/96h Oncorhynchus mykiss

1,6 mg/l/48h Daphnia magna EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants 0,25 mg/l/72h Chronic NOEC for Algae / Aquatic Plants 0,08 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL

DERIVS., SODIUM SALTS

LC50 - for Fish 1,67 mg/l/96h EC50 - for Crustacea 2,9 mg/l/48h



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

10 of 14

EC50 - for Algae / Aquatic Plants 0,91 mg/l/72h
Chronic NOEC for Fish 0,23 mg/l 72d
Chronic NOEC for Crustacea 0,5 mg/l 7d
Chronic NOEC for Algae / Aquatic Plants 0,5 mg/l 96h

ALCOHOLS, C12-14, ETHOXYLATED,

SULFATES, SODIUM SALTS

LC50 - for Fish > 1 mg/l/96h Danio rerio
EC50 - for Crustacea 7,2 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 27 mg/l/72h Desmodesmus subspicatus
Chronic NOEC for Fish 0,14 mg/l 28d Oncorhynchus mykiss
Chronic NOEC for Crustacea 0,18 mg/l 21d Daphnia magna

Chronic NOEC for Algae / Aquatic Plants 0,93 mg/l Desmodesmus subspicatus

12.2. Persistence and degradability

2-BROMO-2-NITROPROPAN-1,3-DIOL

Solubility in water 286000 mg/l

Rapidly degradable

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS Rapidly degradable

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS Rapidly degradable

12.3. Bioaccumulative potential

2-BROMO-2-NITROPROPAN-1,3-DIOL

Partition coefficient: n-octanol/water 0,22 BCF 3,16

BENZENESULFONIC ACID, C10-13-ALKYL

DERIVS., SODIUM SALTS

BCF 159

12.4. Mobility in soil

ALCOHOLS, C12-14, ETHOXYLATED,

SULFATES, SODIUM SALTS
Partition coefficient: soil/water 0,34

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018
Revision n° 2

Rev. Date 10/06/2018

Page

11 of 14

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

12 of 14

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

GLUTARALDEIDE

REACH Reg.: 01-2119455549-26

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4

Eye Dam. 1 Serious eye damage, category 1

Eye irritation, category 2



Conforms to Rea. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

13 of 14

Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1 **Aquatic Chronic 2** Hazardous to the aquatic environment, chronic toxicity, category 2

H302 Harmful if swallowed

H312 Harmful in contact with skin. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament

- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)



Conforms to Reg. (EU) 878/2020

Issued on 27/11/2018

Revision n° 2

Rev. Date 10/06/2018

Page

14 of 14

- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
 Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.