

Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

1 of 16

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **F_176**

Product name White Musk LAUNDRY DETERGENT

UFI: **\$4G0-00X4-300K-3U17**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Industrial Professional Consumer laundry detergent - Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name
NEW FADOR S.r.I.
Full address
via Mario Calderara, 31
District and Country
25018 Montichiari (BS)

Italia

Tel. +39 030961 243

www.newfador.it

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to **NEW FADOR S.r.I.**

+39 030961 243

(08.30 - 17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

Classified according to the study results: ICE PH-15/0339

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

2 of 16

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants, non-ionic surfactants, soap

perfumes, Benzyl Salicylate, Linalool

Preservation agents: Glutaral, Benzisothiazolinone, 2-Bromo-2-Nitropropane-1,3-Diol

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration >= 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

CAS 68411-30-3

 $6 \le x < 7$ Acute Tox. 4 H302,

Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412



Conforms to Reg. (EU) 878/2020

LD50 Oral: 1080 mg/kg

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

3 of 16

EC 270-115-0

INDEX -

REACH Reg. 01-2119489428-22

ALCOHOLS, C12-13, BRANCHED

AND LINEAR, ETHOXYLATED CAS 160901-19-9 $4.5 \le x < 5$ Acute Tox. 4 H302,

Eye Dam. 1 H318, Aquatic Chronic 3 H412

EC 931-954-4 Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 1%

INDEX -LD50 Oral: >300 mg/kg

REACH Reg. 01-2119490233-42

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES,

SODIUM SALTS

CAS 68891-38-3 $1 \le x < 1.5$ Eye Dam. 1 H318, Skin Irrit. 2 H315,

Aquatic Chronic 3 H412 EC 500-234-8 · Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 5%

INDEX -

REACH Reg. 01-2119488639-16 2-BROMO-2-NITROPROPAN-1,3-

DIOL

CAS 52-51-7 $0 \le x < 0.05$ Acute Tox. 4 H302,

Acute Tox. 4 H312, Eve Dam. 1 H318, Skin Irrit. 2 H315. STOT SE 3 H335,

Aquatic Acute 1 H400 M=10, Aquatic Chronic 2 H411

FC 200-143-0 STA Oral: 500 mg/kg, STA Dermal: 1100 mg/kg

INDEX 603-085-00-8

REACH Reg. 01-2119980938-15

MORPHOLINE

CAS 110-91-8 $0 \le x < 0.05$ Flam. Liq. 3 H226,

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318

EC 203-815-1 LD50 Oral: 1050 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours:

11 mg/l

INDEX 613-028-00-9

REACH Reg. 01-2119496057-30

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

4 of 16

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022 Page

5 of 16

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe. Mitteilung 56
DNK ESP FRA GRC	Danmark España France Ελλάδα	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019 Límites de exposición profesional para agentes químicos en España 2021 Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία` »
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA NLD	Italia Nederland	Decreto Legislativo 9 Aprile 2008, n.81 Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste
PRT	Portugal	lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
GBR EU	United Kingdom OEL EU	EH40/2005 Workplace exposure limits (Fourth Edition 2020) Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2020



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018
Revision n° 3
Rev. Date 24/01/2022
Page
6 of 16

Predicted no-effect concentration	n - PNEC							
Normal value in fresh water				0,268	mg	/I		
Normal value in marine water				0,027	mg	/I		
Normal value for fresh water sec	diment			8,1	mg	/kg		
Normal value for marine water se	ediment			6,8	mg	/kg		
Normal value for water, intermitte	ent release			0,017	mg	/I		
Normal value of STP microorgar	nisms			3,43	mg	/I		
Normal value for the terrestrial c	compartment			35	mg	/kg		
Health - Derived no-effect	level - DNEL / D Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral				systemic 0,425 mg/kg		systemic		systemic
nhalation			1,5	bw/d 1,5 mg/m3			6	6 mg/m3
Skin			.,0	42,5 mg/kg				85 mg/kg
7.111				bw/d				bw/d
LI COUOL C C42 44 ETUC	OVVI ATED CIT	LEATER CODILI	MCALTO					
ALCOHOLS, C12-14, ETHO Predicted no-effect concentration		LFATES, SODIO	VISALIS					
lormal value in fresh water				0,24	mg	/I		
Normal value in marine water				0,024	mg	/I		
Normal value for fresh water sec	diment			0,917	mg	/kg		
Normal value for marine water s	ediment			0,092	mg	/kg		
Tomac value for mainine trater e						n		
	ent release			0,071	mg	/I		
Normal value for water, intermitted				0,071	mg g/l	/I		
Normal value for water, intermitted value of STP microorgar	nisms							
Normal value for water, intermitt Normal value of STP microorgar Normal value for the terrestrial c	compartment level - DNEL / D Effects on	DMEL		10	g/l mg			
Normal value for water, intermitted wormal value of STP microorgar wormal value for the terrestrial content of the terrestrial co	nisms compartment	DMEL Acute systemic	Chronic local	10 7,5 Chronic	g/l mg	/kg Acute	Chronic local	Chronic
Normal value for water, intermitted lormal value of STP microorgar was also also also also also also also al	compartment level - DNEL / D Effects on consumers		Chronic local	7,5 Chronic systemic 15 mg/kg	g/l mg Effects on workers	/kg	Chronic local	Chronic systemic
Normal value for water, intermitted ormal value of STP microorgar Normal value for the terrestrial challenge of the terrestrial chal	compartment level - DNEL / D Effects on consumers		Chronic local	7,5 Chronic systemic 15 mg/kg bw/d	g/l mg Effects on workers	/kg Acute	Chronic local	systemic
Normal value for water, intermitted formal value of STP microorgar value value for the terrestrial chealth - Derived no-effect Route of exposure	compartment level - DNEL / D Effects on consumers		Chronic local	Chronic systemic 15 mg/kg bw/d 52 mg/m3	g/l mg Effects on workers	/kg Acute	Chronic local	systemic 175 mg/m3
Normal value for water, intermitted variation value of STP microorgar value for the terrestrial chealth - Derived no-effect Route of exposure	compartment level - DNEL / D Effects on consumers		Chronic local	7,5 Chronic systemic 15 mg/kg bw/d	g/l mg Effects on workers	/kg Acute	Chronic local	systemic 175 mg/m3
Normal value for water, intermitted variation value of STP microorgar variation value for the terrestrial content of the terrestrial content of exposure of exposu	nisms compartment level - DNEL / E Effects on consumers Acute local		Chronic local	Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	g/l mg Effects on workers	/kg Acute	Chronic local	175 mg/m3 2750 mg/kg
Normal value for water, intermitted variation value of STP microorgar variation value for the terrestrial content of the terrestrial content of the variation value of exposure of the variation value of the value of	nisms compartment level - DNEL / E Effects on consumers Acute local		Chronic local	Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	g/l mg Effects on workers	Acute systemic	Chronic local	175 mg/m3 2750 mg/kg
Normal value for water, intermitted variation value of STP microorgar variation value for the terrestrial content of the terrestrial content of exposure value of exposure value of exposure value in fresh water value in fresh water	nisms compartment level - DNEL / E Effects on consumers Acute local		Chronic local	Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d	g/l mg Effects on workers Acute local	Acute systemic	Chronic local	175 mg/m3 2750 mg/kg
Normal value for water, intermitted Normal value of STP microorgar Normal value for the terrestrial of the t	nisms compartment level - DNEL / E Effects on consumers Acute local AN-1,3-DIOL n - PNEC		Chronic local	Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d	g/l mg Effects on workers Acute local	Acute systemic	Chronic local	175 mg/m3 2750 mg/kg
Normal value for water, intermitted formal value of STP microorgar Normal value for the terrestrial of Health - Derived no-effect Route of exposure Dral Inhalation Skin P-BROMO-2-NITROPROPA Predicted no-effect concentration Normal value in fresh water Normal value for fresh water sections of the section of the sect	nisms compartment level - DNEL / E Effects on consumers Acute local AN-1,3-DIOL n - PNEC		Chronic local	10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d 0,01 0,001	g/l mg Effects on workers Acute local	Acute systemic // // // // // //kg	Chronic local	systemic 175 mg/m3 2750 mg/kg
Normal value for water, intermitted Normal value of STP microorgar Normal value for the terrestrial of Health - Derived no-effect Route of exposure Drail Inhalation Skin 2-BROMO-2-NITROPROPA Predicted no-effect concentration Normal value in fresh water Normal value for fresh water sector water wat	AN-1,3-DIOL n - PNEC		Chronic local	10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d 0,01 0,001 0,001	g/l mg Effects on workers Acute local mg	Acute systemic // // /// /// //kg	Chronic local	systemic 175 mg/m3 2750 mg/kg
Normal value for water, intermitted Normal value of STP microorgar Normal value for the terrestrial of Health - Derived no-effect Route of exposure Oral Inhalation Skin 2-BROMO-2-NITROPROPA Predicted no-effect concentration Normal value in fresh water Normal value for fresh water section and value for marine water sections. Normal value for marine water sections are sections of the water sections of the water sections are sections. Normal value for water, intermitted the water sections are sections of the water sections are sections.	AN-1,3-DIOL on - PNEC		Chronic local	10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d 0,01 0,001 0,001 0,001	g/l mg Effects on workers Acute local mg mg mg	Acute systemic // // /// /// /// //kg	Chronic local	175 mg/m3 2750 mg/kg



Conforms to Reg. (EU) 878/2020

Revision n° 3
Rev. Date 24/01/2022
Page

7 of 16

	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,1 mg/kg bw/d		0,35 mg/kg bw/d				
Inhalation	1,3 mg/m3	3,7 mg/m3	1,3 mg/m3	1,2 mg/m3	4,2 mg/m3	12,3 mg/m3	4,2 mg/m3	4,1 mg/m3
Skin	0,008 mg/cm2	4,2 mg/kg bw/d	0,008 mg/cm2	1,4 mg/kg bw/d	0,013 mg/cm2	7 mg/kg bw/d	0,013 mg/cm2	2,3 mg/kg bw/d

Threshold Limit Valu							
Гуре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	20				SKIN	
TLV	CZE	35		70		SKIN	
AGW	DEU	36	10	72	20	SKIN	
MAK	DEU	36	10	72	20		
TLV	DNK	36	10			SKIN	
VLA	ESP	36	10	72	20		
VLEP	FRA	36	10	72	20		
TLV	GRC	36	10	72	20		
AK	HUN	70		70		SKIN	
GVI/KGVI	HRV	36	10	72	20	SKIN	
VLEP	ITA	36	10	72	20	SKIN	
TGG	NLD	36	10	72	20	SKIN	
VLE	PRT	36	10	72	20		
NDS/NDSCh	POL	36		72			
NPEL	SVK	36	10	72			
WEL	GBR	36	10	72	20	SKIN	
OEL	EU	36	10	72	20		
TLV-ACGIH		71	20			SKIN	
Predicted no-effect conce	entration - PNEC						
Normal value in fresh wa	ter			0,1	m	ng/l	
Normal value in marine v	vater			0,01	m	ng/l	
Normal value for fresh wa	ater sediment			0,01	m	ng/kg	
Normal value for marine	water sediment			1,49	m	ng/kg	
Normal value for water, in	ntermittent release			0,28	m	ng/l	
Normal value of STP mid	roorganisms			10	m	ng/l	
Normal value for the terrestrial compartment				0,239	m	ng/kg	

Normal value for the terres	anar comparament			0,200	""	g/Ng		
Health - Derived no-ef	fect level - DNEL / I	DMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral		38 mg/kg bw/d		6,3 mg/kg	•	•		•
				bw/d				
Inhalation	18 mg/m3	•	3,2 mg/m3	45 mg/m3	•	•	36 mg/m3	91 mg/m3
Skin				0,52 mg/kg				1,04 mg/kg
				hw/d				hw/d



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Rev. Date 24/01/2022

Revision n° 3

Page

8 of 16

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value liquid	Information
Colour	white	
Odour	characteristic	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Flammability	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Flash point	Not available	
Auto-ignition temperature	Not available	



Partition coefficient: n-octanol/water

MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

9 of 16

Decomposition temperature Not available pH 9.0 ± 0.5 Kinematic viscosity Not available

Dynamic viscosity 250 ± 50 mPa. Sec (rotore2;

25°C; velocità 30) soluble in water Not available Not available 1,01 ± 0.01

Density and/or relative density $1,01 \pm 0.01$ Relative vapour density Not available Particle characteristics Not applicable

9.2. Other information

Solubility

Vapour pressure

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not classified as explosive,

contains no explosive

substances according to CLP

Art. (14 (2))

Oxidising properties the product is not an oxidizing

substance

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Decomposes on contact with: water, metals, strong bases.

MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Avoid exposure to: light, UV rays, moisture.



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

10 of 16

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

2-BROMO-2-NITROPROPAN-1.3-DIOL

May develop: nitric oxide, carbon oxides, hydrobromic acid.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Oral): > 300 mg/kg rat LD50 (Dermal): > 2000 mg/kg rabbit

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LD50 (Oral): 1080 mg/kg rat LD50 (Dermal): > 2000 mg/kg rat

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

 $\begin{array}{ll} \text{LD50 (Oral):} & > 2000 \text{ mg/kg rat} \\ \text{LD50 (Dermal):} & > 2000 \text{ mg/kg rat} \\ \end{array}$

2-BROMO-2-NITROPROPAN-1,3-DIOL

LD50 (Oral): 254 mg/kg rat

STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Dermal): 64 mg/kg ra

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders): 0,588 mg/l/4h rat

MORPHOLINE

 LD50 (Oral):
 1050 mg/kg Rat

 LD50 (Dermal):
 500 mg/kg Rabbit

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation vapours): 35,1 mg/l/1h Rat

STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

11 of 16

(figure used for calculation of the acute toxicity estimate of the mixture)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class CARCINOGENICITY

Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

MORPHOLINE

LC50 - for Fish 179 mg/l/96h EC50 - for Crustacea 45 mg/l/48h 51 mg/l/72h EC50 - for Algae / Aquatic Plants Chronic NOEC for Algae / Aquatic Plants 31 mg/l 72h

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h Desmodesmus subspicatus

EC10 for Crustacea > 0,1 mg/l Daphnia magna

2-BROMO-2-NITROPROPAN-1,3-DIOL

LC50 - for Fish 20 mg/l/96h Oncorhynchus mykiss 1,6 mg/l/48h Daphnia magna EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants 0,25 mg/l/72h Chronic NOEC for Algae / Aquatic Plants 0,08 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL

DERIVS., SODIUM SALTS

1,67 mg/l/96h LC50 - for Fish EC50 - for Crustacea 2,9 mg/l/48h EC50 - for Algae / Aquatic Plants 0,91 mg/l/72h



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

12 of 16

Chronic NOEC for Fish 0,23 mg/l 72d
Chronic NOEC for Crustacea 0,5 mg/l 7d
Chronic NOEC for Algae / Aquatic Plants 0,5 mg/l 96h

ALCOHOLS, C12-14, ETHOXYLATED,

SULFATES, SODIUM SALTS

LC50 - for Fish > 1 mg/l/96h Danio rerio
EC50 - for Crustacea 7,2 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 27 mg/l/72h Desmodesmus subspicatus
Chronic NOEC for Fish 0,14 mg/l 28d Oncorhynchus mykiss
Chronic NOEC for Crustacea 0,18 mg/l 21d Daphnia magna

Chronic NOEC for Algae / Aquatic Plants 0,93 mg/l Desmodesmus subspicatus

12.2. Persistence and degradability

MORPHOLINE

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED Rapidly degradable

2-BROMO-2-NITROPROPAN-1,3-DIOL

Solubility in water 286000 mg/l

Rapidly degradable

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS Rapidly degradable

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS Rapidly degradable

12.3. Bioaccumulative potential

MORPHOLINE

Partition coefficient: n-octanol/water -2,55
BCF <2,8

2-BROMO-2-NITROPROPAN-1,3-DIOL

Partition coefficient: n-octanol/water 0,22 BCF 3,16

BENZENESULFONIC ACID, C10-13-ALKYL

DERIVS., SODIUM SALTS

BCF 159

12.4. Mobility in soil



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

13 of 16

MORPHOLINE

Partition coefficient: soil/water -0,6196

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Partition coefficient: soil/water 0,34

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page 14 of 16

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004



Conforms to Reg. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

15 of 16

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

Hazardous to the aquatic environment, chronic toxicity, category 3

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

LEGEND:

Aquatic Chronic 3

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%



Conforms to Rea. (EU) 878/2020

Issued on 31/10/2018

Revision n° 3

Rev. Date 24/01/2022

Page

16 of 16

- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP) 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 09 / 12 / 15.