

Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Dodia Date 05/2010

Board Rev. 1

103/09

Revision date 4.12.2018

Rev. n°

Revision date RLAB

Rev. n°

Revision date RLAB

Rev. n° 1 di 10

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Code: F\_84 - 036\_100

Product name PIATTI L'Originale Menta e Bicarbonato AMACASA

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

| Identified Uses       | Industrial | Professional | Consumer |  |  |  |  |  |  |
|-----------------------|------------|--------------|----------|--|--|--|--|--|--|
| dishwashing detergent | -          | ✓            | ✓        |  |  |  |  |  |  |
| Uses Advised Against  |            |              |          |  |  |  |  |  |  |

Do not use for uses other than those indicated

### 1.3. Details of the supplier of the safety data sheet

 Name
 NEW FADOR S.r.I.

 Full address
 Via M. Calderara 31

 District and Country
 25018 Montichiari (BS)

 Tel. +39 030 961243
 Fax +39 030 962500

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

#### 1.4. Emergency telephone number

For urgent inquiries refer to tel. +39 030 961243 (office hours)

# **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

Skin irritation, category 2 H315 Causes skin irritation.

# Classified according to ICE-PH-15/0338 report

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.
H315 Causes skin irritation.

#### Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.



Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

| Document n° | Revision date | Rev. n° | Revision date | Rev. n° | Revision date | Rev. n° |
|-------------|---------------|---------|---------------|---------|---------------|---------|
| 103/09      | 4.12.2018     | 5       | RLAB          | DG      | RLAB          | 2 di 10 |

P337+P313 If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% amphoteric surfactants 5% or over but less than anionic surfactants

15%

perfumes, Limonene

Preservation agents: 2-BROMO-2-NITROPROPANE-1,3-DIOL, GLUTARAL, BENZISOTHIAZOLINONE

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

| x = Conc. %  | Classification 1272/2008 (CLP)   |
|--------------|--|
| 8 ≤ x < 9    | Acute Tox. 4 H302,<br>Eye Dam. 1 H318,<br>Skin Irrit. 2 H315,<br>Aquatic Chronic 3 H412  |
|              | Aquatio official of 1412   |
|              |  |
|              |  |
|              |  |
| 2,5 ≤ x < 3  | Eye Dam. 1 H318,<br>Skin Irrit. 2 H315,<br>Aquatic Chronic 3 H412  |
|              | 7.4444.0 00 0 1.1.12   |
|              |  |
|              |  |
|              |  |
| 0 ≤ x < 0,05 | Acute Tox. 4 H302,<br>Acute Tox. 4 H312,<br>Eye Dam. 1 H318,<br>Skin Irrit. 2 H315,<br>STOT SE 3 H335,<br>Aquatic Acute 1 H400 M=10,<br>Aquatic Chronic 2 H411 |
|              | 8 ≤ x < 9  2,5 ≤ x < 3   |

EC 200-143-0 INDEX 603-085-00-8 Reg. no. 01-2119980938-15

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

# 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.



Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

| Document n° | Revision date | Rev. n° | Revision date | Rev. n° | Revision date | Rev. n° |
|-------------|---------------|---------|---------------|---------|---------------|---------|
| 103/09      | 4.12.2018     | 5       | RLAB          | DG      | RLAB          | 3 di 10 |

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

# 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

# SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTER'S

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6. Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

# 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

# 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.



# Material Safety Data Sheet Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

Revision date Rev. n° Revision date Rev. n° Revision date Rev. n° 4 di 10 4.12.2018 5 **RLAB** DG **RLAB** 

# 7.3. Specific end use(s)

Information not available

# **SECTION 8. Exposure controls/personal protection**

consumers

Acute local

Acute systemic Chronic local

Route of exposure

### 8.1. Control parameters

| Normal value in fresh water  | on - PNEC   |                |               |  |  |   |               |                         |
|--|---|----------------|---------------|--|--|---|---------------|-------------------------|
| Normal value in hesh water   |   |                |               | 0,268  | mg   | /I  |               |                         |
| Normal value in marine water   |   |                | 0,027         | mg   | /I   |   |               |                         |
| Normal value for fresh water se  | ediment   |                |               | 8,1  | mg   | /kg   |               |                         |
| Normal value for marine water s  | sediment  |                |               | 6,8  | mg   | /kg   |               |                         |
| Normal value for water, intermit   | ttent release   |                |               | 0,017  | mg   | /I  |               |                         |
| Normal value of STP microorga  | anisms  |                |               | 3,43   | mg   | /I  |               |                         |
| Normal value for the terrestrial of  | compartment   |                |               | 35   | mg   | /kg   |               |                         |
| Health - Derived no-effect   | Effects on  | DMEL           |               |  | Effects on   |   |               |                         |
| Route of exposure  | Acute local   | Acute systemic | Chronic local | Chronic systemic   | workers Acute local  | Acute systemic                                  | Chronic local | Chronic systemic        |
| Oral   |   |                |               | 0,425 mg/kg<br>bw/d  |  |   |               |                         |
| Inhalation   |   |                | 1,5           | 1,5 mg/m3  |  |   | 6             | 6 mg/m3                 |
| Skin   |   |                |               | 42,5 mg/kg<br>bw/d   |  |   |               | 85 mg/kg<br>bw/d        |
| ALCOHOLS, C12-14, ETH  | OXYLATED, SU  | LFATES, SODIUI | /I SALTS      |  |  |   |               |                         |
| Predicted no-effect concentration  |   |                |               |  |  |   |               |                         |
| Normal value in fresh water  |   |                |               | 0,24   | mg   | /I  |               |                         |
| Normal value in marine water   |   |                |               | 0,024  | mg   | /I  |               |                         |
| Normal value for fresh water se  | ediment   |                |               | 0,917  | mg   | /kg   |               |                         |
| Normal value for marine water sediment   |   | 0,092          | mg            | /kg  |  |   |               |                         |
| Normal value for water, intermit   | ttent release   |                |               | 0,071  | mg   | /I  |               |                         |
| Normal value of STP microorga  | anisms  |                |               | 10   | g/l  |   |               |                         |
| Normal value for the terrestrial of  | compartment   |                |               | 7,5  | mg   | /kg   |               |                         |
| Health - Derived no-effect   | t level - DNEL / [<br>Effects on                              | OMEL           |               |  | Effects on workers   |   |               |                         |
|  |   |                |               |  |  |   |               |                         |
| Route of exposure  | consumers<br>Acute local                                      | Acute systemic | Chronic local | Chronic<br>systemic  | Acute local  | Acute<br>systemic                               | Chronic local | Chronic<br>systemic     |
| Route of exposure Oral   | consumers   | Acute systemic | Chronic local | Chronic<br>systemic<br>15 mg/kg<br>bw/d                                      |  | Acute<br>systemic                               | Chronic local | Chronic<br>systemic     |
|  | consumers   | Acute systemic | Chronic local | systemic<br>15 mg/kg   |  |   | Chronic local | systemic<br>175 mg/m3   |
| Oral   | consumers   | Acute systemic | Chronic local | systemic<br>15 mg/kg<br>bw/d   |  |   | Chronic local | systemic<br>175 mg/m3   |
| Oral<br>Inhalation<br>Skin   | consumers<br>Acute local                                      | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg                                   |  |   | Chronic local | 175 mg/m3<br>2750 mg/kg |
| Oral<br>Inhalation   | consumers Acute local  AN-1,3-DIOL                            | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg                                   |  |   | Chronic local | 175 mg/m3<br>2750 mg/k  |
| Oral Inhalation Skin 2-BROMO-2-NITROPROPA  | consumers Acute local  AN-1,3-DIOL                            | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg                                   |  | systemic  | Chronic local | 175 mg/m3<br>2750 mg/k  |
| Oral Inhalation Skin  2-BROMO-2-NITROPROP Predicted no-effect concentration  | consumers Acute local  AN-1,3-DIOL                            | Acute systemic | Chronic local | systemic<br>15 mg/kg<br>bw/d<br>52 mg/m3<br>1650 mg/kg<br>bw/d               | Acute local  | systemic  | Chronic local | 175 mg/m3<br>2750 mg/k  |
| Oral Inhalation Skin  2-BROMO-2-NITROPROP Predicted no-effect concentration Normal value in fresh water  | AN-1,3-DIOL on - PNEC   | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d 0,01                         | Acute local  | systemic  //                                    | Chronic local | 175 mg/m3<br>2750 mg/k  |
| Oral Inhalation Skin  2-BROMO-2-NITROPROP Predicted no-effect concentration Normal value in fresh water Normal value in marine water   | AN-1,3-DIOL on - PNEC   | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d 0,01 0,001                   | Acute local  mg  | systemic  // // // // //kg                      | Chronic local | 175 mg/m3<br>2750 mg/k  |
| Oral Inhalation Skin  2-BROMO-2-NITROPROP Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see  | AN-1,3-DIOL on - PNEC   | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d  0,01 0,001 0,041            | Acute local  mg mg   | systemic // // // // // // // // // // // // // | Chronic local | 175 mg/m3<br>2750 mg/k  |
| Oral Inhalation Skin  2-BROMO-2-NITROPROP Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water see Normal value for marine water see  | AN-1,3-DIOL on - PNEC   | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d 0,01 0,001 0,0041 0,003      | Acute local  mg mg mg  | systemic  // // // // // // // // // // // // / | Chronic local | 175 mg/m3<br>2750 mg/k  |
| Oral  Inhalation  Skin  2-BROMO-2-NITROPROP  Predicted no-effect concentration  Normal value in fresh water  Normal value in marine water  Normal value for fresh water see  Normal value for marine water see  Normal value for water, intermit | AN-1,3-DIOL on - PNEC  addiment sediment ttent release anisms | Acute systemic | Chronic local | systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d 0,01 0,001 0,001 0,003 0,003 | Management of the second of th | systemic  // // // // // // // // // // // // / | Chronic local | 175 mg/m3<br>2750 mg/k  |

workers

Acute local

Acute

systemic

Chronic local

Chronic

Chronic

systemic



Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

Document n° Revision date Rev. n° Rev. n

| Oral       |              | 1,1 mg/kg bw/d |              | 0,35 mg/kg<br>bw/d |              |              |              |           |
|------------|--------------|----------------|--------------|--------------------|--------------|--------------|--------------|-----------|
| Inhalation | 1,3 mg/m3    | 3,7 mg/m3      | 1,3 mg/m3    | 1,2 mg/m3          | 4,2 mg/m3    | 12,3 mg/m3   | 4,2 mg/m3    | 4,1 mg/m3 |
| Skin       | 0,008 mg/cm2 | 4,2 mg/kg bw/d | 0,008 mg/cm2 | 1,4 mg/kg          | 0,013 mg/cm2 | 7 mg/kg bw/d | 0,013 mg/cm2 | 2,3 mg/kg |
|            |              |                |              | hw/d               |              |              |              | hw/d      |

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### **FYF PROTECTION**

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance liquid Colour green characteristic Odour Odour threshold Not available 5,50 Melting point / freezing point Not available Not available Initial boiling point Boiling range Not available Flash point Not available Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density 1,017 g/ml Solubility soluble in water Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity 500 mPa

Explosive properties not classified as explosive, contains no explosive substances according to CLP Art. (14 (2))



Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

| Document n° | Revision date | Rev. n° | Revision date | Rev. n° | Revision date | Rev. n° |
|-------------|---------------|---------|---------------|---------|---------------|---------|
| 103/09      | 4.12.2018     | 5       | RLAB          | DG      | RLAB          | 6 di 10 |

Oxidising properties

the product is not an oxidizing substance

#### 9.2. Other information

Information not available

# **SECTION 10. Stability and reactivity**

# 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Decomposes on contact with: water, metals, strong bases.

# 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Avoid exposure to: light, UV rays, moisture.

# 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

2-BROMO-2-NITROPROPAN-1,3-DIOL

May develop: nitric oxide, carbon oxides, hydrobromic acid.

# **SECTION 11. Toxicological information**

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

# **ACUTE TOXICITY**

LC50 (Inhalation) of the mixture:

Not classified (no significant component)

LD50 (Oral) of the mixture:

>2000 mg/kg

LD50 (Dermal) of the mixture:

Not classified (no significant component)

2-BROMO-2-NITROPROPAN-1,3-DIOL

LD50 (Oral) 254 mg/kg rat

LD50 (Dermal) 64 mg/kg rat

LC50 (Inhalation) 0,588 mg/l/4h rat

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS



Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

| Document n° | Revision date | Rev. n° | Revision date | Rev. n° | Revision date | Rev. n° |
|-------------|---------------|---------|---------------|---------|---------------|---------|
| 103/09      | 4.12.2018     | 5       | RLAB          | DG      | RLAB          | 7 di 10 |

LD50 (Oral) 1080 mg/kg rat LD50 (Dermal) > 2000 mg/kg rat

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LD50 (Oral) > 2000 mg/kg rat LD50 (Dermal) > 2000 mg/kg rat

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

**GERM CELL MUTAGENICITY** 

Does not meet the classification criteria for this hazard class

**CARCINOGENICITY** 

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

**STOT - SINGLE EXPOSURE** 

Does not meet the classification criteria for this hazard class

**STOT - REPEATED EXPOSURE** 

Does not meet the classification criteria for this hazard class

**ASPIRATION HAZARD** 

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

#### 12.1. Toxicity

2-BROMO-2-NITROPROPAN-1,3-DIOL

LC50 - for Fish 20 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 1,6 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,25 mg/l/72h Chronic NOEC for Algae / Aquatic Plants 0,08 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

1,67 mg/l/96h LC50 - for Fish 2,9 mg/l/48h EC50 - for Crustacea 0,91 mg/l/72h EC50 - for Algae / Aquatic Plants

Chronic NOEC for Fish 0,23 mg/l 72d 0,5 mg/l 7d Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants 0,5 mg/l 96h

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LC50 - for Fish > 1 mg/l/96h Danio rerio EC50 - for Crustacea 7,2 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 27 mg/l/72h Desmodesmus subspicatus Chronic NOEC for Fish 0,14 mg/l 28d Oncorhynchus mykiss Chronic NOEC for Crustacea 0,18 mg/l 21d Daphnia magna

Chronic NOEC for Algae / Aquatic Plants 0,93 mg/l Desmodesmus subspicatus

#### 12.2. Persistence and degradability

2-BROMO-2-NITROPROPAN-1,3-DIOL

Solubility in water Rapidly degradable 286000 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Rapidly degradable

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Rapidly degradable



Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

| Document n° | Revision date | Rev. n° | Revision date | Rev. n° | Revision date | Rev. n° |
|-------------|---------------|---------|---------------|---------|---------------|---------|
| 103/09      | 4.12.2018     | 5       | RLAB          | DG      | RLAB          | 8 di 10 |

#### 12.3. Bioaccumulative potential

2-BROMO-2-NITROPROPAN-1,3-DIOL

Partition coefficient: n-octanol/water 0,22 BCF 3,16

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

BCF 159

12.4. Mobility in soil

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Partition coefficient: soil/water 0,34

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number

Not applicable

# 14.2. UN proper shipping name

Not applicable

# 14.3. Transport hazard class(es)

Not applicable

# 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code



Revision date

Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

Revision date Rev. n°

103/09

Revision date 4.12.2018

5 RLAB

Rev. n°

RLAB

9 di 10

Information not relevant

# **SECTION 15. Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Rev. n°

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

# Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

# Substances subject to authorisation (Annex XIV REACH)

None

### Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

3

None

### Substances subject to the Rotterdam Convention:

None

## Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

# Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### German regulation on the classification of substances hazardous to water (VwVwS 2005)

WGK 2: Hazard to waters

# 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2

Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H315 Causes skin irritation.



Conforms to Reg. (EU) 830/2015

Board Code S-P4/2-2 Board Date 05/2010

Board Rev. 1

| Document n° | Revision date | Rev. n° | Revision date | Rev. n° | Revision date | Rev. n°  |
|-------------|---------------|---------|---------------|---------|---------------|----------|
| 103/09      | 4.12.2018     | 5       | RLAB          | DG      | RLAB          | 10 di 10 |

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

# GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.