

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Code: Product name UFI :

TERZI24 LAVATRICE Standard Kg 10 A3J1-C8PV-C00U-D0SJ

1.2. Relevant identified uses of the substance or m	nixture and uses advised again	nst	
Identified Uses	Industrial	Professional	Consumer
Powder detergent for manual and machine washing of cotton and polyester fabrics Uses Advised Against	•	~	~
Do not use for uses other than those indicated			
Do not use for uses other than those indicated			
1.3. Details of the supplier of the safety data sheet Name Full address District and Country	NEW FADOR S.r.I. via Mario Calderara, 31 25018 Montichiari (BS) Italia Tel. +39 030961 243 www.newfador.it		
	www.newrador.it		
e-mail address of the competent person responsible for the Safety Data Sheet	info@newfador.it		
1.4. Emergency telephone number For urgent inquiries refer to	NEW FADOR S.r.I. +39 030961 243		
	(08.30 - 17.30)		
SECTION 2. Hazards identification			

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

The classification of this mixture, with regard to the Irritation / Corrosion properties on eyes and skin, has been derived by applying the bridging principles (such as dilution, interpolation within a category of toxicity or substantially similar mixtures, with or without the www.aise.eu expert judgment) with reference to the provisions of Article 9 (3) and Article 9 (4) of Regulation (EC) No. 1272/2008. DetNet registration number 354.

Hazard classification and indication:		
Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements:

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1		
Document n°	Revision date	Revision date Rev. n° Edited by Approved by Filed by						
83/09	11.04.2022	6	RLAB	DG	RLAB	2 di 12		

H319	Causes serious eye irritation.
H315	Causes skin irritation.

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P302+P352	IF ON SKIN: Wash with plenty of water /
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
	rinsing.
P310	Immediately call a POISON CENTER.
P332+P313	If skin irritation occurs: Get medical advice / attention.
P501	Dispose of contents/container in accordance to current regulation.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5%	anionic surfactants, non-ionic surfactants, soap
5% or over but less than	oxygen-based bleaching agents, zeolites
15%	

optical brighteners

perfumes

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
SODIUM CARBONATE		
CAS 497-19-8	17 ≤ x < 20	Eye Irrit. 2 H319
EC 207-838-8		
INDEX 011-005-00-2		
REACH Reg. 01-2119485498-19		
DISODIUM CARBONATE,		
COMPOUND WITH HYDROGEN		
PEROXIDE (2:3)		
CAS 15630-89-4	5≤x< 7	Ox. Sol. 3 H272, Acute Tox. 4 H302, Eve Dam. 1 H318
EC 239-707-6		Eye Dam. 1 H318: ≥ 25%, Eye Irrit. 2 H319: ≥ 7,5%
INDEX -		LD50 Oral: 1034 mg/kg
REACH Reg. 01-2119457268-30		
BENZENESULFONIC ACID, C10-		
13-ALKYL DERIVS., SODIUM		
SALTS		
CAS 68411-30-3	3≤x< 5	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
		•

	NEW FADOR	MATERIA		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
	Document n°	Revision date	Rev. n°	Edited by	Approved by	Filed by	Page
	83/09	11.04.2022	6	RLAB	DG	RLAB	3 di 12
EC 2	70-115-0		LC	050 Oral: 1080 mc	ı/ka		

REACH Reg. 01-2119489428-22 SILICIC ACID, SODIUM SALT		
CAS 1344-09-8	3≤x< 5	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335
EC 215-687-4		
INDEX -		
REACH Reg. 01-2119448725-31		
Alcohols, C12-15, branched and		
linear, ethoxylated		
CAS 106232-83-1	1≤x< 3	Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412
EC 500-294-5		LD50 Oral: >300 mg/kg

EC 500-294-5 INDEX -

INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with selfcontained open circuit positive pressure compressed air breathing apparatus (BS EN 137).



SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			10 mg/m3				10 mg/m3	

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3)
Predicted no-effect concentration - PNEC

Predicted no-effect concent	tration - PNEC							
Normal value in fresh water	r			0,035	mg/	/		
Normal value in marine wat	ter			0,035	mg/	/I		
Normal value for water, inte	ermittent release			0,035	mg/	/I		
Normal value of STP microorganisms			16,24	mg/	/I	· · · · ·		
Health - Derived no-ef	fect level - DNEL / D Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation	-			·			5 mg/m3	·

NEW FADOR	MATERIAL SAFETY DATA SHEET Conforms to Reg. (EU) 878/2020					Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°	Edited by	Approved by	Filed by	Page
83/09	11.04.2022	6	RLAB	DG	RLAB	5 di 12

Skin	6,4 mg/cm2		6,4 mg/cm2		12,8 mg/cm2		12,8 mg/cm2	
SILICIC ACID, SODIUM								
Predicted no-effect concen								
Normal value in fresh wate	r			7,5	mg	ı/I		
Normal value in marine water			1	mg	ı/I			
Normal value of STP micro	organisms			348	mg	ı/I		
Health - Derived no-ef	fect level - DNEL / Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,8 mg/kg bw/d				
Inhalation								5,61 mg/m
Skin				0,8 mg/kg bw/d				1,59 mg/kg bw/d
BENZENESULFONIC		L DERIVS., SODI	UM SALTS					
Normal value in fresh wate	r			0,268	mg	ı/I		
Normal value in marine wa	ter			0,027	mg			
Normal value for fresh wate	er sediment			8,1	mg	/kg		
Normal value for marine wa	ater sediment			6,8	mg	/kg		
Normal value for water, inte	ermittent release			0,017	mg	/I		
Normal value of STP micro	organisms			3,43	mg	I/I		
Normal value for the terres	trial compartment			35	mg	/kg		
Health - Derived no-ef	fect level - DNEL / E Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,425 mg/kg bw/d				

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

1,5

8.2. Exposure controls

Inhalation

Skin

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

1,5 mg/m3

42,5 mg/kg

bw/d

6

6 mg/m3

85 mg/kg

bw/d

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°	Edited by	Approved by	Filed by	Page
83/09	11.04.2022	6	RLAB	DG	RLAB	6 di 12

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance Colour Odour Odour threshold Melting point / freezing point Initial boiling point Flammability Lower explosive limit Upper explosive limit Flash point Auto-ignition temperature	Value solidInformationsolidInformationwhite with blue dotsInformationFloral fragranceInformationNot determinedInformationNot availableInformationNot availableInformationInf
pH	10,3 - 11,3
Kinematic viscosity	Not available
Solubility	Not available
Partition coefficient: n-octanol/water	Not applicable
Vapour pressure	Not available
Density and/or relative density	0,900 +/- 0,050 g/cm3
Relative vapour density	Not available
Particle characteristics	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties Oxidising properties Not explosive No oxidising properties

SECTION 10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

10.4. Conditions to avoid

NEW FADOR	MATERIA		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°	Edited by	Approved by	Filed by	Page
83/09	11.04.2022	6	RLAB	DG	RLAB	7 di 12

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other info Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from Information not available Interactive effects Information not available	
ACUTE TOXICITY ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	Not classified (no significant component) >2000 mg/kg Not classified (no significant component)
SODIUM CARBONATE LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):	> 2000 mg/kg bw rabbit 2800 mg/kg bw Rat 800 mg/l/2h guinea pig
DISODIUM CARBONATE, COMPOUND WITH HYDROGEN F LD50 (Dermal): LD50 (Oral):	PEROXIDE (2:3) > 2000 mg/kg rabbit 1034 mg/kg rat
SILICIC ACID, SODIUM SALT LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):	> 5000 mg/kg 3400 mg/kg 2,06 mg/l/4h
BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIL LD50 (Dermal): LD50 (Oral):	JM SALTS > 2000 mg/kg rat 1080 mg/kg rat
Alcohols, C12-15, branched and linear, ethoxylated LD50 (Oral):	> 300 mg/kg
SKIN CORROSION / IRRITATION Causes skin irritation SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation RESPIRATORY OR SKIN SENSITISATION Does not meet the classification criteria for this hazard class Respiratory sensitization Information not available Skin sensitization Information not available GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class Adverse effects on sexual function and fertility Information not available Adverse effects on development of the offspring	

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°	Edited by	Approved by	Filed by	Page
83/09	11.04.2022	6	RLAB	DG	RLAB	8 di 12

Information not available Effects on or via lactation Information not available STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class Target organs Information not available Route of exposure Information not available STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class Target organs Information not available Route of exposure Information not available ASPIRATION HAZARD Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

SILICIC ACID, SODIUM SALT LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants	260 mg/l/96h 1700 mg/l/48h 207 mg/l/72h
DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3) LC50 - for Fish EC50 - for Crustacea Chronic NOEC for Crustacea	70,7 mg/l/48h 48h 4,9 mg/l/48h 2 mg/l
SODIUM CARBONATE LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Algae / Aquatic Plants	300 mg/l/96h Lepomis macrochirus 200 mg/l/48h 10 mg/l 560 mg/l 96h 1 mg/l
BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants	1,67 mg/l/96h 2,9 mg/l/48h 0,91 mg/l/72h 0,23 mg/l 72d 0,5 mg/l 7d 0,5 mg/l 96h

12.2. Persistence and degradability

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3) Degradability: information not available

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°	Edited by	Approved by	Filed by	Page
83/09	11.04.2022	6	RLAB	DG	RLAB	9 di 12

SODIUM CARBONATE Solubility in water Degradability: information not available

1000 - 10000 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS Rapidly degradable

12.3. Bioaccumulative potential

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS BCF

159

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name


Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable



14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors Not applicable

3

<u>Substances in Candidate List (Art. 59 REACH)</u> On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004 Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 2: Hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		IEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°	Edited by	Approved by	Filed by	Page
83/09	11.04.2022	6	RLAB	DG	RLAB	11 di 12


Ox. Sol. 3	Oxidising solid, category 3
Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)



- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.