



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

1 of 14

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **F_219**
Product name: **Azulene PRECIUS SURFACES**
UFI: **FC9W-40UY-400Q-E9C5**

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Identified Uses | Industrial | Professional | Consumer |
|-----------------|------------|--------------|----------|
| floor cleaner | - | ✓ | ✓ |

Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name: **NEW FADOR S.r.l.**
Full address: **via Mario Calderara, 31**
District and Country: **25018 Montichiari (BS)**
Italia

Tel. **+39 030961 243**

www.newfador.it

e-mail address of the competent person
responsible for the Safety Data Sheet

info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to

NEW FADOR S.r.l.

+39 030961 243

(08.30 - 17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication: --

2.2. Label elements

Hazard pictograms: --

Signal words: --

Hazard statements:

EUH208 Contains: 1,2-benzisothiazol-3(2H)-one
May produce an allergic reaction.

Precautionary
statements:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

2 of 14

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% Amphoteric surfactants, Non-ionic surfactants

perfumes

Preservation agents: Glutaral, Benzisothiazolinone, 2-Bromo-2-Nitropropane-1,3-Diol

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.
The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

| Identification | x = Conc. % | Classification (EC) 1272/2008 (CLP) |
|-------------------------------------|--------------------|---|
| 1,2-benzisothiazol-3(2H)-one | | |
| INDEX 613-088-00-6 | $0 \leq x < 0,036$ | Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 Skin Sens. 1A H317: $\geq 0,036\%$ |
| EC 220-120-9 | | |
| CAS 2634-33-5 | | LD50 Oral: 450 mg/kg, STA Inhalation mists/powders: 0,051 mg/l |
| OXALIC ACID | | |
| INDEX 607-006-00-8 | $0 \leq x < 0,05$ | Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Dam. 1 H318 LD50 Oral: 375 mg/kg, STA Dermal: 1100 mg/kg |
| EC 205-634-3 | | |
| CAS 144-62-7 | | |
| REACH Reg. 01-2119534576-33 | | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

3 of 14

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

4 of 14

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

| | | |
|-----|-----------------|--|
| AUS | Österreich | Gesamte Rechtsvorschrift für Grenzwertverordnung 2021, Fassung vom 17.06.2021 |
| BEL | Belgique | Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail |
| BGR | България | НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.) |
| CYP | Κύπρος | Οι πεπτι Αζθάλειαρ και Υγείαρ ζηην Δπγαζία (Φημικοί Παπάγονηερ) (Τποποιοηητικοί) Κανονιζμοί ηος 2019. Οι περι Ασφάλειας και Υγείας στην Εργασία (Καρκινογόνοι και Μεταλλαξιογόνοι Παράγοντες) (Τροποποιοηητικοί) Κανονισμοί του 2020 |
| CZE | Česká Republika | Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů |
| DEU | Deutschland | Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56 |
| DNK | Danmark | Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019 |
| ESP | España | Límites de exposición profesional para agentes químicos en España 2021 |
| FRA | France | Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS |
| FIN | Suomi | HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25 |
| GRC | Ελλάδα | Π.Δ. 26/2020 (ΦΕΚ 50/Α' 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία``» |
| HUN | Magyarország | Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai köröki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről |
| HRV | Hrvatska | Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) |
| ITA | Italia | Decreto Legislativo 9 Aprile 2008, n.81 |



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

5 of 14

| | | |
|-----|----------------|--|
| IRL | Éire | 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) |
| LUX | Luxembourg | Règlement grand-ducal du 24 janvier 2020 modifiant le règlement grand-ducal du 14 novembre 2016 concernant la protection des salariés contre les risques liés à l'exposition à des agents cancérigènes ou mutagènes au travail |
| LTU | Lietuva | Jsakymas dėl lietuvos higienos normos hn 23:2011 „cheminių medžiagų profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai“ patvirtinimo |
| LVA | Latvija | Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §) |
| NOR | Norge | Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255 |
| NLD | Nederland | Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit |
| PRT | Portugal | Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos |
| POL | Polska | Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy |
| SWE | Sverige | Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) |
| SVK | Slovensko | NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020) |
| EU | OEL EU | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
| | TLV-ACGIH | ACGIH 2022 |

OXALIC ACID

Threshold Limit Value

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|----------|---------|--------|-----|------------|-------|------------------------|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| MAK | AUS | 1 | | | | |
| VLEP | BEL | 1 | | 2 | | |
| TLV | BGR | 1 | | 2 | | |
| TLV | CYP | 1 | | | | |
| TLV | CZE | 1 | | 5 | SKIN | |
| AGW | DEU | 1 | | 1 | INHAL | |
| AGW | DEU | 1 | | 1 | SKIN | |
| TLV | DNK | 1 | | | | |
| VLA | ESP | 1 | | | | |
| VLEP | FRA | 1 | | | | |
| HTP | FIN | 1 | | 3 | | |
| TLV | GRC | 1 | | | | |
| AK | HUN | 1 | | | | |
| GVI/KGVI | HRV | 1 | | 2 | | |
| VLEP | ITA | 1 | | | | |
| OELV | IRL | 1 | | | | |
| VL | LUX | 1 | | | | |
| RD | LTU | 1 | | | | |
| RV | LVA | 1 | | | | |
| TLV | NOR | 1 | | | | |



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

6 of 14

| | | | |
|-----------|-----|---|---|
| TGG | NLD | 1 | |
| VLE | PRT | 1 | |
| NDS/NDSch | POL | 1 | 2 |
| NGV/KGV | SWE | 1 | 2 |
| NPEL | SVK | 1 | |
| WEL | GBR | 1 | 2 |
| OEL | EU | 1 | |
| TLV-ACGIH | | 1 | 2 |

| Predicted no-effect concentration - PNEC | | |
|--|-------|------|
| Normal value in fresh water | 0,16 | mg/l |
| Normal value in marine water | 0,016 | mg/l |
| Normal value of STP microorganisms | 1550 | mg/l |

| Health - Derived no-effect level - DNEL / DMEL | | | | | | | | |
|--|----------------------|----------------|---------------|------------------|--------------------|----------------|---------------|------------------|
| Route of exposure | Effects on consumers | | | | Effects on workers | | | |
| | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Oral | | | | 0,315 mg/kg bw/d | | | | |
| Inhalation | | | | 0,466 mg/m3 | | | | 3,11 mg/m3 |
| Skin | | | | 0,315 mg/kg bw/d | | | | 0,882 mg/kg bw/d |

Legend:
(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

7 of 14

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Information |
|--|---------------------------|--|
| Appearance | liquid | Method: internal Temperature: 20 °C |
| Colour | light blue | Temperature: 20 °C |
| Odour | characteristic | Method: internal |
| Melting point / freezing point | 0 °C | Method: literature data Substance: WATER |
| Initial boiling point | 100 °C | Method: literature data Substance: WATER |
| Flammability | not available | Reason for missing data: The substance/mixture is not flammable |
| Lower explosive limit | not available | Reason for missing data: The substance/mixture is not explosive |
| Upper explosive limit | not available | Reason for missing data: The substance/mixture is not explosive |
| Flash point | not available | Reason for missing data: The substance/mixture is not flammable |
| Auto-ignition temperature | not available | Reason for missing data: The substance/mixture does not self -have |
| Decomposition temperature | not available | Reason for missing data: It only applies to authoritative substances and mixtures, organic peroxides and other substances and mixtures that they can decompose |
| pH | 5 - 7 | Method: internal method Temperature: 20 °C |
| Kinematic viscosity | < 30 | Method: internal Temperature: 20 °C |
| Solubility | Complete in water | Method: internal Temperature: 20 °C |
| Partition coefficient: n-octanol/water | not available | Reason for missing data: does not apply to inorganic and ionic liquids and, as a rule, it does not apply to blends |
| Vapour pressure | 0,02 Atm | Method: literature data Substance: WATER Temperature: 20 °C |
| Density and/or relative density | 1 g/cm ³ | Method: internal Temperature: 20 °C |
| Relative vapour density | 0,0006 | Method: Literature data Remark: kg/dm ³ Substance: WATER Temperature: 0 °C |
| Particle characteristics | | |
| Median equivalent diameter | | |
| Remark: | It only applies to solids | |
| Size distribution | | |
| Remark: | It only applies to solids | |
| Dustiness | | |
| Remark: | It only applies to solids | |



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

8 of 14

Specific surface area

Remark: It only applies to solids

Shape

Remark: It only applies to solids

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not available

Reason for missing data: Absent chemical groups associated with explosive properties in accordance with the provisions of Annex I, Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008 - CLP

Oxidising properties not available

Reason for missing data: Absent requirements related to the presence of atoms or chemical bonds associated with oxidizing properties in the molecules of the components according to Annex I, Part 2, 2.13.4 Reg. (CE) 1272/2008

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

OXALIC ACID

Decomposes at temperatures above 157°C/315°F.
Saturated aqueous solutions (15%) behave like medium-strong acids.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

OXALIC ACID

May form explosive mixtures with: oxidising substances. Reacts violently developing heat on contact with: alkaline metals, ammonia, mercury, furfuryl alcohol, chlorates, hypochlorites. Risk of explosion on contact with: sodium chlorite, silver.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

OXALIC ACID

Incompatible with: strong oxidants, metals, alkaline metals, furfurylic acid, chlorine compounds.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

9 of 14

10.6. Hazardous decomposition products

OXALIC ACID

May develop: carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

1,2-benzisothiazol-3(2H)-one

LD50 (Oral):

450 mg/kg

LC50 (Inhalation mists/powders):

0,21 mg/l

OXALIC ACID

LD50 (Oral):

375 mg/kg Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

1,2-benzisothiazol-3(2H)-one

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

10 of 14

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

OXALIC ACID

EC50 - for Algae / Aquatic Plants 19,83 mg/l/72h

12.2. Persistence and degradability

OXALIC ACID

Solubility in water > 10000 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

OXALIC ACID

Partition coefficient: n-octanol/water -1,7

12.4. Mobility in soil

OXALIC ACID

Partition coefficient: soil/water 0,8

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

11 of 14

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

12 of 14

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| | |
|--------------------------|--|
| Acute Tox. 2 | Acute toxicity, category 2 |
| Acute Tox. 4 | Acute toxicity, category 4 |
| Eye Dam. 1 | Serious eye damage, category 1 |
| Skin Irrit. 2 | Skin irritation, category 2 |
| Skin Sens. 1A | Skin sensitization, category 1A |
| Aquatic Acute 1 | Hazardous to the aquatic environment, acute toxicity, category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment, chronic toxicity, category 1 |
| H330 | Fatal if inhaled. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H318 | Causes serious eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

13 of 14

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 27/02/2015

Revision n° 4

Rev. Date 26/08/2024

Page

14 of 14

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

23. Delegated Regulation (EU) 2024/197 (XXI Atp. CLP)

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 09 / 10 / 11 / 12 / 15 / 16.