

Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022				
Revision nº 1				
Rev. Date 31/03/2022				
Page				

1 of 15

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Code: TERZI08 Product name TAB 5 Lavastoviglie UFI : PYT5-80PA-H005-GGNS	
Code: TERZI08 Product name TAB 5 Lavastoviglie	
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified Uses Industrial Professional Consumer	
dishwasher detergent -	
Do not use for uses other than those indicated	
1.3. Details of the supplier of the safety data sheet Name Full address District and CountryNEW FADOR S.r.l. via Mario Calderara, 31 25018 Montichiari (BS) ItaliaDistrict and CountryTel. +39 030961 243www.newfador.it	
responsible for the Safety Data Sheet info@newfador.it	
1.4. Emergency telephone number NEW FADOR S.r.I. For urgent inquiries refer to +39 030961 243 (08.30 - 17.30)	
SECTION 2. Hazards identification	
2.1. Classification of the substance or mixture The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amend supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.	ments and
Hazard classification and indication:Eye irritation, category 2H319Causes serious eye irritation.	
2.2. Label elements	
Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.	
Hazard pictograms:	



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision n° 1 Rev. Date 31/03/2022 Page 2 Of 15

Signal words: Warning Hazard statements: H319 Causes serious eye irritation. Precautionary statements: P102 Keep out of reach of children. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P280 Wear eye protection / face protection. P337+P313 If eye irritation persists: Get medical advice / attention. If medical advice is needed, have product container or label at hand. P101 P264 Wash hands thoroughly after handling. Ingredients according to Regulation (EC) No. 648/2004 Less than 5% phosphonates, non-ionic surfactants, polycarboxylates, phosphates 5% or over but less than oxygen-based bleaching agents 15% enzymes perfumes, Limonene 2.3. Other hazards On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%. The product does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$. **SECTION 3. Composition/information on ingredients** 3.1. Substances Information not relevant 3.2. Mixtures Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
SODIUM CARBONATE		
CAS 497-19-8	19 ≤ x < 29	Eye Irrit. 2 H319
EC 207-838-8		
INDEX 011-005-00-2		



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision n° 1 Rev. Date 31/03/2022 Page 3 Of 15

REACH Reg. 01-2119485498-19		
DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3)		
CAS 15630-89-4	5≤x< 15	Ox. Sol. 3 H272, Acute Tox. 4 H302, Eye Dam. 1 H318
EC 239-707-6		Eye Dam. 1 H318: ≥ 25%, Eye Irrit. 2 H319: ≥ 7,5%
INDEX -		LD50 Oral: 893
REACH Reg. 01-2119457268-30		
SILICIC ACID, SODIUM SALT		
CAS 1344-09-8	3≤x< 5	Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335
EC 215-687-4		
INDEX -		
REACH Reg. 01-2119448725-31		
2-PROPYLHEPTANOL ETHOXYLATED, PROPOXYLATED		
CAS 166736-08-9	1≤x< 3	Eye Irrit. 2 H319, Skin Irrit. 2 H315
EC 605-450-7		
INDEX -		
ZINC SULPHATE (HYDROUS) (MONO-, HEXA- AND HEPTA HYDRATE)		
CAS 7733-02-0	0,01 ≤ x < 0,08	Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
EC 231-793-3		LD50 Oral: 920 mg/m3 air 4h
INDEX 030-006-00-9		
REACH Reg. 01-2119474684-27		
SUBTILISIN		
CAS 9014-01-1	0,01 ≤ x < 0,08	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC 232-752-2		LD50 Oral: 1800
INDEX 647-012-00-8		
REACH Reg. 01-2119480434-38		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.



Issued on 31/03/2022			
Revision nº 1			
Rev. Date 31/03/2022			
Page			
4 of 15			

Conforms to Reg. (EU) 878/2020

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision n° 1 Rev. Date 31/03/2022 Page

5 of 15

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

SODIUM CARBONATE

	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			10 mg/m3	·			10 mg/m3	
DISODIUM CARBONAT	E, COMPOUND W	TH HYDROGEN	PEROXIDE (2:	3)				
Predicted no-effect concentr	ation - PNEC							
Normal value in fresh water				0,035	mg	/1		
Normal value in marine wate	ər			0,035	mg	//		
Normal value for water, inter	mittent release			0,035	mg	I/I		
Normal value of STP microo	organisms			16,24	mg	/I		
Health - Derived no-eff	ect level - DNEL / D	MEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation							5 mg/m3	
Skin	6,4 mg/cm2		6,4 mg/cm2		12,8 mg/cm2		12,8 mg/cm2	
SILICIC ACID, SODIUM	SALT							
Predicted no-effect concentre	ation - PNEC							
Normal value in fresh water				7,5	mg	u/I		



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision n° 1

Rev. Date 31/03/2022 Page

6 of 15

Normal value of STP microorgar	nisms			348	mg	/I		
Health - Derived no-effect	level - DNEL / E Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,8 mg/kg bw/d				
Inhalation								5,61 mg/m
Skin				0,8 mg/kg bw/d				1,59 mg/kg bw/d
SUBTILISIN								
Predicted no-effect concentration	n - PNEC							
Normal value in fresh water				0,0017	mg	/I		
Normal value in marine water				0,00017	mg	/I		
Normal value for water, intermitte	ent release			0,0009	mg	/I		
Normal value of STP microorgan	nisms			65	mg	/I		
Normal value for the terrestrial c	ompartment			0,568	mg	/kg		
Health - Derived no-effect	level - DNEL / E Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic
				Systemic		Systemic		systemic
Oral		3,6 mg/kg bw/d		1,8 mg/kg bw/d		Systemic		Systemic
		3,6 mg/kg bw/d	0,000015 mg/m3	1,8 mg/kg		Systemic	0,00006 mg/m3	Systemic
Inhalation	US) (MONO-, HI		mg/m3	1,8 mg/kg		Systemic	,	Systemic
Inhalation			mg/m3	1,8 mg/kg		systemic	,	systemic
Inhalation ZINC SULPHATE (HYDROU Predicted no-effect concentration			mg/m3	1,8 mg/kg	mg	·	,	systemic
Inhalation ZINC SULPHATE (HYDROU			mg/m3	1,8 mg/kg bw/d	mg	/1	,	
Inhalation ZINC SULPHATE (HYDROU Predicted no-effect concentration Normal value in fresh water Normal value in marine water	n - PNEC		mg/m3	1,8 mg/kg bw/d 0,0206		Л	,	
Inhalation ZINC SULPHATE (HYDROU Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec	n - PNEC		mg/m3	1,8 mg/kg bw/d 0,0206 0,0061	mg	Л Л Лkg	,	
Inhalation ZINC SULPHATE (HYDROI Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec Normal value for marine water sec	n - PNEC diment ediment		mg/m3	1,8 mg/kg bw/d 0,0206 0,0061 117,8	mg	Л Л /kg	,	
Inhalation ZINC SULPHATE (HYDROU Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value of STP microorgar	n - PNEC diment ediment nisms		mg/m3	1,8 mg/kg bw/d 0,0206 0,0061 117,8 56,5	mg mg mg	Л Л /kg Л	,	
Inhalation ZINC SULPHATE (HYDROU Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value of STP microorgar	n - PNEC diment ediment nisms ompartment	EXA- AND HEPT/	mg/m3	1,8 mg/kg bw/d 0,0206 0,0061 117,8 56,5 0,1	mg mg mg mg	Л Л /kg Л	,	
Inhalation ZINC SULPHATE (HYDROU Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value for marine water sec Normal value for the terrestrial c Health - Derived no-effect	n - PNEC diment ediment nisms ompartment level - DNEL / [Effects on	EXA- AND HEPT/	mg/m3	1,8 mg/kg bw/d 0,0206 0,0061 117,8 56,5 0,1 35,6 Chronic	mg mg mg mg Effects on	/l /kg /kg /l /kg Acute	,	Chronic
Inhalation ZINC SULPHATE (HYDROU Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value of STP microorgar Normal value of the terrestrial c	n - PNEC diment ediment nisms ompartment level - DNEL / E ffects on consumers	EXA- AND HEPT	mg/m3	1,8 mg/kg bw/d 0,0206 0,0061 117,8 56,5 0,1 35,6 Chronic systemic 0,83 mg/kg	mg mg mg mg mg Effects on workers	Л Л /kg /kg Л /kg	mg/m3	
Inhalation ZINC SULPHATE (HYDROI Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water sec Normal value for marine water sec Normal value for marine water sec Normal value for the terrestrial c Health - Derived no-effect Route of exposure	n - PNEC diment ediment nisms ompartment level - DNEL / E ffects on consumers	EXA- AND HEPT	mg/m3	1,8 mg/kg bw/d 0,0206 0,0061 117,8 56,5 0,1 35,6 Chronic systemic	mg mg mg mg mg Effects on workers	/l /kg /kg /l /kg Acute	mg/m3	Chronic

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022				
Revision nº 1				
Rev. Date 31/03/2022				
Page				
7 of 15				

Personal protective equipment must be CE marked, showing that it complies with applicable standards. Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

I			
	Properties Appearance	Value solid	Information
	Colour	white with yellow dots	
	Odour	lemon	
	Melting point / freezing point	0 °C	
	Initial boiling point	Not applicable	
	Boiling range	Not applicable	
	Flammability	not flammable	
	Lower explosive limit	Not available	
	Upper explosive limit	Not available	
	Flash point	Not available	
	Auto-ignition temperature	Not applicable	
	Decomposition temperature	> 55 °C	
	рН	10,3 - 11,3	
	Kinematic viscosity	Not applicable	
	Dynamic viscosity	Not applicable	
	Solubility	soluble in water	
	Partition coefficient: n-octanol/water	Not available	
	Vapour pressure	Not available	
	Density and/or relative density	1 kg/l	
	Relative vapour density	Not available	
	Particle characteristics	Not available	
1			

9.2. Other information



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision n° 1 Rev. Date 31/03/2022 Page

8 of 15

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties

not classified as explosive, contains no explosive substances according to CLP Art. (14 (2))

Oxidising properties The mixture contains Sodium Percarbonate

SECTION 10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

10.4. Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision nº 1 Rev. Date 31/03/2022 Page 9 of 15

Interactive effects

Information not available ACUTE TOXICITY ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: ATE (Dermal) of the mixture: >2000 mg/kg Not classified (no significant component) SODIUM CARBONATE LD50 (Dermal): > 2000 mg/kg bw rabbit LD50 (Oral): 2800 mg/kg bw Rat LC50 (Inhalation mists/powders): 800 mg/l/2h guinea pig DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3) LD50 (Dermal): > 2000 mg/kg rabbit LD50 (Oral): 893 mg/kg rat SILICIC ACID, SODIUM SALT LD50 (Dermal): > 5000 mg/kg LD50 (Oral): 3400 mg/kg LC50 (Inhalation mists/powders): 2,06 mg/l/4h 2-PROPYLHEPTANOL ETHOXYLATED, PROPOXYLATED LD50 (Oral): > 300 mg/kg rat SUBTILISIN LD50 (Oral): 1800 mg/kg rat ZINC SULPHATE (HYDROUS) (MONO-, HEXA- AND HEPTA HYDRATE) LD50 (Dermal): > 2000 mg/kg bw rat LD50 (Oral): 920 mg/kg bw rat LC50 (Inhalation mists/powders): 4,5 mg/m3 air 4h hamster **SKIN CORROSION / IRRITATION** Does not meet the classification criteria for this hazard class SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation RESPIRATORY ÓR SKIN SENSITISATION Respiratory sensitization Information not available Skin sensitization Information not available GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class Adverse effects on sexual function and fertility Information not available Adverse effects on development of the offspring Information not available Effects on or via lactation Information not available STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class Target organs Information not available Route of exposure Information not available STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class Target organs



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision n° 1 Rev. Date 31/03/2022 Page 10 of 15

Information not available <u>Route of exposure</u> Information not available <u>ASPIRATION HAZARD</u> Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

SILICIC ACID, SODIUM SALT	
LC50 - for Fish	260 mg/l/96h
EC50 - for Crustacea	1700 mg/l/48h
EC50 - for Algae / Aquatic Plants	207 mg/l/72h
DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3)	
LC50 - for Fish	70,7 mg/l/48h 48h
EC50 - for Crustacea	4,9 mg/l/48h
Chronic NOEC for Crustacea	2 mg/l
2-PROPYLHEPTANOL ETHOXYLATED,	
PROPOXYLATED LC50 - for Fish	> 10 mg/l/96h Brachydanio rerio
EC50 - for Crustacea	> 10 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h Scenedesmus subspicatus
SODIUM CARBONATE	
LC50 - for Fish	300 mg/l/96h Lepomis macrochirus
EC50 - for Crustacea	200 mg/l/48h
EC50 - for Algae / Aquatic Plants	10 mg/l
Chronic NOEC for Fish	560 mg/l 96h
Chronic NOEC for Algae / Aquatic Plants	1 mg/l
ZINC SULPHATE (HYDROUS) (MONO-, HEXA- AND HEPTA HYDRATE)	
LC50 - for Fish	0,112 mg/l/96h Thymallus arcticus
EC50 - for Crustacea	0,115 mg/l/48h Ceriodaphnia dubia
SUBTILISIN	
LC50 - for Fish	8,2 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	0,17 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0,29 mg/l/72h Pseudokirchneriella subcapitata
LUSU - IUI AIYAE / Aqualic Fianis	



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022			
Revision nº 1			
Rev. Date 31/03/2022			
Page			
11 of 15			

Chronic NOEC for Fish	0,006 mg/l 33 d
Chronic NOEC for Crustacea	0,0367 mg/l/48 h Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	0,041 mg/l 72h, Pseudokirchneriella subcapitata
12.2. Persistence and degradability	
DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3) Degradability: information not available	
2-PROPYLHEPTANOL ETHOXYLATED, PROPOXYLATED Rapidly degradable	
SODIUM CARBONATE	
Solubility in water	1000 - 10000 mg/l
Degradability: information not available	
ZINC SULPHATE (HYDROUS) (MONO-, HEXA- AND HEPTA HYDRATE) Degradability: information not available	
SUBTILISIN	
Rapidly degradable	
12.3. Bioaccumulative potential	
ZINC SULPHATE (HYDROUS) (MONO-, HEXA- AND HEPTA HYDRATE) BCF	0,002 60 d
12.4. Mobility in soil	
Information not available	

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022
Revision n° 1
Rev. Date 31/03/2022
Page
12 of 15

evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

75

Not applicable



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision n° 1 Rev. Date 31/03/2022 Page

13 of 15

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004 Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 3	Oxidising solid, category 3
Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Resp. Sens. 1	Respiratory sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022 Revision nº 1 Rev. Date 31/03/2022 Page 14 of 15

H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)

- Regulation (EO) 2020/078 (II Annex of REACH Regulation)
 Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website



Conforms to Reg. (EU) 878/2020

Issued on 31/03/2022
Revision n° 1
Rev. Date 31/03/2022
Page
15 of 15

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified: 02 / 03 / 09 / 11 / 12 / 15.