

Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2

Sch. Date 05/2010

Sheet Rev.1

3/09

Date prepared 18.12.2017

N° rev.

Date prepared RLAB

N° rev.

Pate prepared RLAB

N° rev. 1 di 10

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: F_266 - 036_013
Product name SCRIC MULTIUSO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

 Name
 NEW FADOR S.r.l.

 Full address
 Via M. Calderara 31

 District and Country
 25018 Montichiari (BS)

 Tel. +39 030 961243

 Fax +39 030 962500

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to tel. +39 030 961243 (mon-fri 8.30-12.30 13.30-17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments.

Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

--

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants

perfumes

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients



3/09

MATERIAL SAFETY DATA SHEET

RLAB

Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Date prepared N° rev. Date prepared

0

ate prepared N° rev.

RLAB 2 di 10

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

ETHANOL

CAS 64-17-5 $3,5 \le x < 4$ Flam. Liq. 2 H225

18.12.2017

EC 200-578-6 INDEX 603-002-00-5 Reg. no. 01-2119457610-43 **2-BUTOXYETHANOL**

CAS 111-76-2 $1 \le x < 1,5$ Acute Tox. 4 H302,

Acute Tox. 4 H312, Acute Tox. 4 H332, Eye Irrit. 2 H319, Skin Irrit. 2 H315

DG

EC 203-905-0 INDEX 603-014-00-0 Reg. no. 01-2119475108-36

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION



Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n°	Date prepared	in rev.	Date prepared	in rev.	Date prepared	in° rev.
3/09	18.12.2017	0	RLAB	DG	RLAB	3 di 10

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU	Deutschland	MAK-und BAT-Werte-Liste 2012
ESP	España	INSHT - Límites de exposición profesional para agentes químicos en
		España 2015
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18
POL	Polska	ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 16 grudnia 2011r
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas



SVN

ΕU

MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

N° rev.

4 di 10

Sheet Rev.1

3/09 18.12.2017 0 RLAB DG RLAB

em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no trabalho - Diaro da Republica I 26; 2012-02-06

Slovenija Uradni list Republike Slovenije 15. 6. 2007 OEL EU Directive (EU) 2017/164; Directive 2009/16

Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2016

ETHANOL								
Threshold Limit Value	0 /	T) A / A / O I		OTEL (45 :				
Туре	Country	TWA/8h		STEL/15min				
		mg/m3	ppm	mg/m3	ppm			
AGW	DEU	960	500	1920	1000			
MAK	DEU	960	500	1920	1000			
VLA	ESP			1910	1000			
VLEP	FRA	1900	1000	9500	5000			
WEL	GBR	1920	1000					
OEL	NLD	260		1900		SKIN		
NDS	POL	1900						
TLV-ACGIH				1884	1000			
Predicted no-effect concentratio	n - PNEC							
Normal value in fresh water				0,96	mg/l			
Normal value in marine water				0,79	mg/l			
Normal value for fresh water sec	diment			3,6	mg/kg	9		
Normal value for marine water s	ediment			2,9	mg/kg	9		
Normal value for water, intermitt	ent release			2,75	mg/l			
Normal value of STP microorgan	nisms			580	mg/l			
Normal value for the food chain	(secondary poiso	ning)		0,38	mg/kg	9		
Normal value for the terrestrial of	compartment			0,63	mg/kg	9		
Health - Derived no-effect	level - DNEL /	DMEL						
	Effects on				Effects on			
Route of exposure	consumers				workers			
Oral				87 mg/kg				
				bw/d				
Inhalation				114 mg/m3			950 mg/m3	
Skin				206 mg/kg bw/d			343 mg/kg bw/d	

2 PUTOVVETUANOI						
2-BUTOXYETHANOL Threshold Limit Value						
Type	Country	TWA/8h		STEL/15min		
.,,,,,	oou,	mg/m3	ppm	mg/m3	ppm	
AGW	DEU	49	10	196	40	SKIN
MAK	DEU	49	10	98	20	SKIN
VLA	ESP	98	20	245	50	SKIN
VLEP	FRA	49	10	246	50	SKIN
WEL	GBR	123	25	246	50	SKIN
VLEP	ITA	98	20	246	50	SKIN
OEL	NLD	100		246		SKIN
NDS	POL	98		200		
VLE	PRT	98	20	246	50	SKIN
MV	SVN	98	20			SKIN
OEL	EU	98	20	246	50	SKIN
TLV-ACGIH		97	20			
Predicted no-effect concentration	ion - PNEC					
Normal value in fresh water	8,8	m	ıg/l			
Normal value in marine water	0,88	m	ıg/l			
Normal value for fresh water se	ediment			34,6	m	ıg/kg
Normal value for marine water	3,46	m	ıg/kg			



Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

ocument n° Date prepared N° rev. Date prepar

Normal value for water, intermittent release	9,1	mg/l
Normal value of STP microorganisms	463	mg/l
Normal value for the food chain (secondary poisoning)	20	mg/kg
Normal value for the terrestrial compartment	2,33	mg/kg

Normal value for the terrestrial co	mparament		2,55	"";	g/Ng	
Health - Derived no-effect le	evel - DNEL / D Effects on consumers	DMEL		Effects on workers		
Route of exposure						
Oral		26,7 mg/kg bw/d	6,3 mg/kg bw/d			
Inhalation	147 mg/m3	426 mg/m3	59 mg/m3	246 mg/m3	1091 mg/m3	98 mg/m3
Skin		89 mg/kg bw/d	75 mg/kg bw/d			125 mg/kg bw/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid light blue Colour Odour characteristic Odour threshold Not available $6,5 \pm 1$ pН Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point Not available Evaporation rate Not available Flammability (solid, gas) not applicable Lower flammability limit Not available Upper flammability limit Not available



Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n°Date preparedN° rev.Date preparedN° rev.Date preparedN° rev.3/0918.12.20170RLABDGRLAB6 di 10

Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Vapour density Not available Relative density 0.988 ± 0.01 Solubility soluble in water Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity

Explosive properties not classified as explosive, contains no explosive substances according to CLP Art. (14 (2))

Oxidising properties the product is not an oxidizing substance

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BUTOXYETHANOL

Decomposes under the effect of heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOL

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide, perchlorates, perchloric acid, perchloronitrile, mercury nitrate, nitric acid, silver, silver nitrate, ammonia, silver oxide, ammonia, strong oxidising agents, nitrogen dioxide. May react dangerously with: bromoacetylene, chlorine acetylene, bromine trifluoride, chromium trioxide, chromyl chloride, fluorine, potassium tert-butoxide, lithium hydride, phosphorus trioxide, black platinum, zirconium (IV) chloride, zirconium (IV) iodide. Forms explosive mixtures with: air.

2-BUTOXYETHANOL

May react dangerously with: aluminium, oxidising agents. Forms peroxides with: air.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOL

Avoid exposure to: sources of heat, naked flames.

2-BUTOXYETHANOL

Avoid exposure to: sources of heat, naked flames.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

2-BUTOXYETHANOL May develop: hydrogen.

SECTION 11. Toxicological information



Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:> 20 mg/l

LD50 (Oral) of the mixture:>2000 mg/kg

LD50 (Dermal) of the mixture:>2000 mg/kg

2-BUTOXYETHANOL

LD50 (Oral) 615 mg/kg Rat

LD50 (Dermal) 405 mg/kg Rabbit

LC50 (Inhalation)

ETHANOL

LD50 (Oral) > 5000 mg/kg Rat

LC50 (Inhalation)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class $\underline{\mathsf{GERM}}$ $\underline{\mathsf{CELL}}$ $\underline{\mathsf{MUTAGENICITY}}$

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

12.1. Toxicity

2-BUTOXYETHANOL

 LC50 - for Fish
 1250 mg/l/96h

 EC50 - for Crustacea
 > 1000 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 911 mg/l/72h

 Chronic NOEC for Crustacea
 > 500 mg/l 48h

 Chronic NOEC for Algae / Aquatic Plants
 88 mg/l 72h

ETHANOL

LC50 - for Fish 14200 mg/l/96h
EC50 - for Crustacea 454 mg/l/48h
EC50 - for Algae / Aquatic Plants 275 mg/l/72h
Chronic NOEC for Fish 250 mg/l
Chronic NOEC for Crustacea 96 mg/l
Chronic NOEC for Algae / Aquatic Plants 11,5 mg/l

12.2. Persistence and degradability

2-BUTOXYETHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable



Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2

Sch. Date 05/2010

Sheet Rev.1

Document n°	Date prepared	N° rev.	Date prepared	N° rev.	Date prepared	N° rev.
3/09	18.12.2017	0	RLAB	DG	RLAB	8 di 10

ETHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

2-BUTOXYETHANOL

Partition coefficient: n-octanol/water 0,81

ETHANOL

Partition coefficient: n-octanol/water -0,35

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable



3/09

MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

7						
nt n°	Date prepared	N° rev.	Date prepared	N° rev.	Date prepared	N° rev.
)	18.12.2017	0	RLAB	DG	RLAB	9 di 10

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

German regulation on the classification of substances hazardous to water (VwVwS 2005) WGK 1: Low hazard to waters

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2 Acute Tox. 4 Acute toxicity, category 4 Eve Irrit. 2 Eye irritation, category 2 Skin Irrit. 2 Skin irritation, category 2

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H319 Causes serious eye irritation. H315 Causes skin irritation.



Conforming to Reg. (EU) 830/2015

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Date prepared Date prepared N° rev. N° rev. N° rev. Date prepared Document no 18.12.2017 **RLAB** 10 di 10 3/09 0 RLAB DG

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labelling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament

- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

Provide appointed staff with adequate training on how to use chemical products.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.