



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

1 of 13

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Code: F\_384  
Product name: BLEACH Spray  
UFI: VY11-90GP-T00H-PU7N

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
hard surface cleaner	-	✓	✓
Whitener and bleach	-	✓	✓

#### Uses Advised Against

Do not use for uses other than those indicated

### 1.3. Details of the supplier of the safety data sheet

Name: NEW FADOR S.r.l.  
Full address: via Mario Calderara, 31  
District and Country: 25018 Montichiari (BS)  
Italia  
Tel. +39 030961 243  
www.newfador.it

e-mail address of the competent person responsible for the Safety Data Sheet: info@newfador.it

### 1.4. Emergency telephone number

For urgent inquiries refer to: NEW FADOR S.r.l.  
+39 030961 243  
(08.30 - 17.30)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

#### Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

2 of 13

Hazard pictograms:



Signal words: Danger

Hazard statements:

**H318** Causes serious eye damage.  
**H315** Causes skin irritation.  
**H412** Harmful to aquatic life with long lasting effects.  
**EUH206** Warning! Do not use together with other products. May release dangerous gases (chlorine).

Precautionary statements:

**P101** If medical advice is needed, have product container or label at hand.  
**P102** Keep out of reach of children.  
**P280** Wear protective gloves / eye protection / face protection.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P310** Immediately call a POISON CENTER.  
**P501** Dispose of contents/container in accordance to current regulation.

**Contains:** SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS  
SODIUM HYPOCHLORITE, SOLUTION 1,8% CI ACTIVE

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants, chlorine-based bleaching agents, soap

perfumes

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

### 3.1. Substances

Information not relevant

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS		



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

3 of 13

CAS 97489-15-1                      2,5 ≤ x < 3                      Acute Tox. 4 H302,  
Eye Dam. 1 H318,  
Skin Irrit. 2 H315,  
Aquatic Chronic 3 H412  
LD50 Oral: >500 mg/kg

EC 307-055-2

INDEX -

REACH Reg. 01-2119489924-20

**SODIUM HYPOCHLORITE,  
SOLUTION 1,8% CI ACTIVE**

CAS 7681-52-9                      1,5 ≤ x < 2                      Met. Corr. 1 H290,  
Skin Corr. 1B H314,  
Eye Dam. 1 H318,  
Aquatic Acute 1 H400 M=10,  
Aquatic Chronic 1 H410 M=1,  
EUH031,  
Classification note according to Annex VI to the CLP Regulation: B

EC 231-668-3

INDEX 017-011-00-1

REACH Reg. 01-2119488154-34

**Fatty acids, coco, potassium salts**

CAS 61789-30-8                      1 ≤ x < 1,5                      Eye Irrit. 2 H319,  
Skin Irrit. 2 H315

EC 263-049-9

INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

#### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

4 of 13

## 5.2. Special hazards arising from the substance or mixture

### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

## 5.3. Advice for firefighters

### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

5 of 13

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

#### SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,04	mg/l
Normal value in marine water	0,004	mg/l
Normal value for fresh water sediment	9,4	mg/kg
Normal value for marine water sediment	0,94	mg/kg
Normal value for water, intermittent release	0,06	mg/l
Normal value of STP microorganisms	600	mg/l
Normal value for the food chain (secondary poisoning)	53,3	mg/kg
Normal value for the terrestrial compartment	9,4	mg/kg

#### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				7,1 mg/kg bw/d				
Inhalation				12,4 mg/m3				35 mg/m3
Skin	2,8 mg/kg bw/d		2,8 mg/kg bw/d	3,57 mg/kg bw/d	2,8 mg/kg bw/d		2,8 mg/kg bw/d	5 mg/kg bw/d

#### SODIUM HYPOCHLORITE, SOLUTION 1,8% CI ACTIVE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,00021	mg/l
Normal value in marine water	0,000042	mg/l
Normal value for water, intermittent release	0,00026	mg/l
Normal value of STP microorganisms	4,69	mg/l
Normal value for the food chain (secondary poisoning)	11,1	mg/kg

#### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,26 mg/kg/d				
Inhalation	3,1 mg/m3	3,1 mg/m3	1,55 mg/m3	1,55 mg/m3	3,1 mg/m3	3,1 mg/m3	1,55 mg/m3	1,55 mg/m3

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

6 of 13

## HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

## SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

## EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

## RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

## ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	straw yellow	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	not available	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	11.0 ± 0.4	
Kinematic viscosity	not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

7 of 13

Particle characteristics not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Information not available

### 9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0,04 %

Explosive properties not classified as explosive,  
contains no explosive  
substances according to CLP  
Art. (14 (2))

Oxidising properties the product is not an oxidizing  
substance

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

Information not available

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

8 of 13

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

### Information on likely routes of exposure

Information not available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

### Interactive effects

Information not available

### ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

### SULFONIC ACIDS, C14-17-SEC-ALKANE, SODIUM SALTS

LD50 (Dermal):

> 2000 mg/kg Mouse

LD50 (Oral):

> 500 mg/kg Rat

### SODIUM HYPOCHLORITE, SOLUTION 1,8% CI ACTIVE

LD50 (Dermal):

> 10000 mg/kg rabbit

LD50 (Oral):

1100 mg/kg rat

LC50 (Inhalation vapours):

> 10,5 mg/l/1h rat

### SKIN CORROSION / IRRITATION

Causes skin irritation

### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

### Respiratory sensitization

Information not available

### Skin sensitization

Information not available

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### Adverse effects on sexual function and fertility

Information not available

### Adverse effects on development of the offspring

Information not available

### Effects on or via lactation

Information not available

### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

### Target organs

Information not available

### Route of exposure

Information not available

### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### Target organs

Information not available

### Route of exposure

Information not available

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 11.2. Information on other hazards





# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

9 of 13

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

### 12.1. Toxicity

SODIUM HYPOCHLORITE, SOLUTION  
1,8% CI ACTIVE  
LC50 - for Fish 0,059 mg/l/96h *Oncorhynchus mykiss*  
EC50 - for Crustacea 0,04 mg/l/48h *Daphnia magna*  
EC50 - for Algae / Aquatic Plants 46 mg/l/72h *Gracilaria tenuistipitata*

SULFONIC ACIDS, C14-17-SEC-ALKANE,  
SODIUM SALTS  
LC50 - for Fish > 1 mg/l/96h  
EC50 - for Crustacea 9,81 mg/l/48h  
EC50 - for Algae / Aquatic Plants > 61 mg/l/72h  
Chronic NOEC for Fish 0,85 mg/l  
Chronic NOEC for Crustacea 0,36 mg/l

### 12.2. Persistence and degradability

SODIUM HYPOCHLORITE, SOLUTION  
1,8% CI ACTIVE  
Solubility in water 1000 - 10000 mg/l  
Degradability: information not available

SULFONIC ACIDS, C14-17-SEC-ALKANE,  
SODIUM SALTS  
Rapidly degradable

### 12.3. Bioaccumulative potential

SODIUM HYPOCHLORITE, SOLUTION  
1,8% CI ACTIVE  
Partition coefficient: n-octanol/water -3,42

### 12.4. Mobility in soil

SODIUM HYPOCHLORITE, SOLUTION  
1,8% CI ACTIVE  
Partition coefficient: soil/water -2,9686

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

### 12.6. Endocrine disrupting properties



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

10 of 13

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

## 12.7. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

not applicable

### 14.2. UN proper shipping name

not applicable

### 14.3. Transport hazard class(es)

not applicable

### 14.4. Packing group

not applicable

### 14.5. Environmental hazards

not applicable

### 14.6. Special precautions for user

not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

11 of 13

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors  
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

12 of 13

<b>Met. Corr. 1</b>	Substance or mixture corrosive to metals, category 1
<b>Acute Tox. 4</b>	Acute toxicity, category 4
<b>Skin Corr. 1B</b>	Skin corrosion, category 1B
<b>Eye Dam. 1</b>	Serious eye damage, category 1
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>Aquatic Acute 1</b>	Hazardous to the aquatic environment, acute toxicity, category 1
<b>Aquatic Chronic 1</b>	Hazardous to the aquatic environment, chronic toxicity, category 1
<b>Aquatic Chronic 3</b>	Hazardous to the aquatic environment, chronic toxicity, category 3
<b>H290</b>	May be corrosive to metals.
<b>H302</b>	Harmful if swallowed.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H318</b>	Causes serious eye damage.
<b>H315</b>	Causes skin irritation.
<b>H400</b>	Very toxic to aquatic life.
<b>H410</b>	Very toxic to aquatic life with long lasting effects.
<b>H412</b>	Harmful to aquatic life with long lasting effects.
<b>EUH031</b>	Contact with acids liberates toxic gas.
<b>EUH206</b>	Warning! Do not use together with other products. May release dangerous gases (chlorine).

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/12/2018

Revision n° 5

Rev. Date 16/08/2022

Page

13 of 13

3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

- The Merck Index. - 10th Edition

- Handling Chemical Safety

- INRS - Fiche Toxicologique (toxicological sheet)

- Patty - Industrial Hygiene and Toxicology

- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

#### Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.