

Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

1 of 20

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **F_298**

Product name Detergente Parquet e Superfici Pregiate

UFI: 19C6-10KH-100R-S7K4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Industrial Professional Consumer floor cleaner

Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name NEW FADOR S.r.I.
Full address via Mario Calderara, 31
District and Country 25018 Montichiari (BS)

Italia

Tel. +39 030961 243

www.newfador.it

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to **NEW FADOR S.r.I.**

+39 030961 243

(08.30 - 17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Hazard statements: Warning

H319 Causes serious eye irritation.

EUH208 Contains: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

2 of 20

benzisothiazol-3(2H)-one May produce an allergic reaction.

Precautionary statements:

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

P264 Wash your hands thoroughly after use.

Ingredients (Regulation 648/2004)

Less than 5% Non-ionic surfactants, Soap, Polycarboxylates

Perfumes, Hexamethylindanopyran, Tetramethyl acetyloctahydronaphthalenes

Preservation agents: Methylchloroisothiazolinone, Methylisothiazolinone, BENZISOTHIAZOLINONE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

ETHANOL

INDEX 603-002-00-5 3,5 ≤ x < 4 Flam. Liq. 2 H225, Eye Irrit. 2 H319 EC 200-578-6 Eye Irrit. 2 H319: ≥ 50%

EC 200-578-6 CAS 64-17-5

REACH Reg. 01-2119457610-43

D-GLUCOPYRANOSE, OLIGOMERS, DECYL OCTYL

GLYCOSIDES

INDEX - $1,5 \le x < 2$ Eye Dam. 1 H318

EC 500-220-1 CAS 68515-73-1

REACH Reg. 01-2119488530-36 **ALCOHOLS, C12-13, BRANCHED**

AND LINEAR, ETHOXYLATED

INDEX - 1.5 ≤ x < 2 Acute Tox. 4 H302.



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

3 of 20

Eye Dam. 1 H318, Aquatic Chronic 3 H412 EC 931-954-4 Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 1% - < 10% CAS 160901-19-9

LD50 Oral: >300 mg/kg

REACH Reg. 01-2119490233-42

propan-2-ol

INDEX 603-117-00-0 $1 \le x < 1,5$ Flam. Liq. 2 H225,

Eye Irrit. 2 H319, STOT SE 3 H336

EC 200-661-7 CAS 67-63-0

REACH Reg. 01-2119457558-25

ALPHA-CEDRENE

INDEX -0 < x < 0.025Asp. Tox. 1 H304,

Skin Irrit. 2 H315,

Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10

EC 207-418-4 CAS 469-61-4

1,2-benzisothiazol-3(2H)-one

INDEX 613-088-00-6 0 < x < 0.036Acute Tox. 2 H330,

Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1. Aquatic Chronic 1 H410 M=1

EC 220-120-9 Skin Sens. 1A H317: ≥ 0,036%

CAS 2634-33-5 LD50 Oral: 450 mg/kg, ATE Inhalation mists/powders: 0,051 mg/l

reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2methyl-2H-isothiazol-3-one (3:1)

INDEX 613-167-00-5 0 < x < 0,0015Acute Tox. 2 H310, Acute Tox. 2 H330,

Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317,

Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100,

EUH071, Classification note according to Annex VI to the CLP Regulation: B

Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0,06% - < 0,6%, Skin Sens. 1A H317: ≥ 0,0015%, Eve Dam. 1 H318: ≥ 0,6%, Eye Irrit. 2 H319: ≥ 0,06% - < 0,6%

CAS 55965-84-9 LD50 Oral: 64 mg/kg bw, LD50 Dermal: 87,12 mg/kg bw,

LC50 Inhalation mists/powders: 0,31 mg/l/4h

MORPHOLINE

EC 611-341-5

INDEX 613-028-00-9 0 < x < 0.05Flam. Liq. 3 H226,

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318

EC 203-815-1 LD50 Oral: 1050 mg/kg, ATE Dermal: 1100 mg/kg,

LC50 Inhalation vapours: 35,1 mg/l/1h



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019
Revision n° 3

Rev. Date 16/01/2025

Page

4 of 20

CAS 110-91-8

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice / attention.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019
Revision n° 3

Rev. Date 16/01/2025

Page

5 of 20

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Page 6 of 20

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

BGR HAPEЛБA № 13 OT 30 ЛЕКЕМВРИ 2003 Г. 3A 3AIIIИTA HA PAБOTEIIIИTE OT PUCKOBE България СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари CZE Česká Republika NAŘÍZENÍ VLÁDY ze dne 10. května 2021, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci DEU Deutschland Forschungsgemeinschaft MAK- und BAT-Werte-Liste 2022 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe Mitteilung 58 DNK Danmark Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019 **FSP** España Límites de exposición profesional para agentes químicos en España 2023 Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 FRA France décembre 2021 FIN Suomi HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25 GRC Ελλάδα Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``» Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők HUN Magyarország hatásának kitett munkavállalók egészségének és biztonságának védelméről HRV Hrvatska Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) Italia Decreto Legislativo 9 Aprile 2008, n.81 Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i NOR Norge arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255 Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste NLD Nederland lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes PRT Portugal químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie POI Polska w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy ROU România Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006 SWE Sverige . Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády SVK Slovensko Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list SVN Slovenija RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) **GBR** United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

F	ΤН	Δ	N	0	

ΕU

OEL EU

TI V-ACGIH

Threshold Limit Value								
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations		
		mg/m3	ppm	mg/m3	ppm			
TLV	BGR	1000						
TLV	CZE	1000		3000				
AGW	DEU	960	500	1920	1000			
MAK	DEU	960	500	1920	1000			
TLV	DNK	1900	1000					
VLA	ESP			1910	1000			

ACGIH 2023

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983;

2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019
Revision n° 3
Rev. Date 16/01/2025
Page
7 of 20

VLEP	FRA	1900		1000	9500	5000			
HTP	FIN	1900		1000	2500	1300			
TLV	GRC	1900		1000					
AK	HUN	1900			7600				
GVI/KGVI	HRV	1900		1000					
TLV	NOR	950		500					
TGG	NLD	260			1900				
NDS/NDSCh	POL	1900							
NGV/KGV	SWE	1000		500	1900	1000			
NPEL	SVK	960		500	1920				
WEL	GBR	1920		1000					
TLV-ACGIH		.020			1884	1000			
Predicted no-effect of	concentration - PNF	EC:			1001				
Normal value in fresh					0,96	mg	1/1		
Normal value in mari					0,79	mg			
Normal value for fres					3,6		y/kg		
Normal value for ma		nt			2,9		y/kg y/kg		
					2,75	mg			
Normal value for water, intermittent release						mg			
Jormal value of STD	microorganieme								
	-	dany poisoni	ng)		580		•		
Normal value for the	food chain (second	tment			0,38	mg	g/kg g/kg		
Normal value for the Normal value for the Health - Derived	food chain (secon terrestrial compart no-effect level - Effe con	tment - DNEL / D ects on asumers	MEL		0,38	mg mg Effects on workers	ŋ/kg ŋ/kg		
Normal value for the Normal value for the Health - Derived	food chain (secon terrestrial compart no-effect level - Effe con	tment - DNEL / D ects on		Chronic local	0,38	mg mg	g/kg	Chronic local	Chronic systemic
Normal value for the Normal value for the Health - Derived Route of exposure	food chain (secon terrestrial compart no-effect level - Effe con	tment - DNEL / D ects on asumers	MEL	Chronic local	0,38 0,63 Chronic systemic 87 mg/kg	mg mg Effects on workers	y/kg y/kg Acute	Chronic local	
Normal value for the Normal value for the Health - Derived Route of exposure	food chain (secon terrestrial compart no-effect level - Effe con	tment - DNEL / D ects on asumers	MEL	Chronic local	0,38 0,63 Chronic systemic	mg mg Effects on workers	y/kg y/kg Acute	Chronic local	systemic
Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation	food chain (secon terrestrial compart no-effect level - Effe con	tment - DNEL / D ects on asumers	MEL	Chronic local	0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg	mg mg Effects on workers	y/kg y/kg Acute	Chronic local	950 mg/m3
Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation Skin D-GLUCOPYRAN	food chain (secon- terrestrial compart no-effect level - Effe con Acu	tment - DNEL / D ects on issumers ute local	MEL Acute systemic		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3	mg mg Effects on workers	y/kg y/kg Acute	Chronic local	systemic 950 mg/m3
Normal value for the Normal value for the Health - Derived Route of exposure Oral Inhalation Skin D-GLUCOPYRAN	food chain (secon- terrestrial compart no-effect level - Effe con Acu	tment - DNEL / D ects on issumers ute local	MEL Acute systemic		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg	mg mg Effects on workers	y/kg y/kg Acute	Chronic local	950 mg/m3
Normal value for the Normal value for the Health - Derived Route of exposure Dral nhalation Skin D-GLUCOPYRAN Predicted no-effect of	food chain (secon- terrestrial compart no-effect level - Effe con Acu	tment - DNEL / D ects on issumers ute local	MEL Acute systemic		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg	mg mg Effects on workers	g/kg g/kg Acute systemic	Chronic local	systemic 950 mg/m 343 mg/kg
Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in fresh	food chain (secon- terrestrial compart no-effect level - Effe con Act NOSE, OLIGOMI concentration - PNE	tment - DNEL / D ects on issumers ute local	MEL Acute systemic		O,38 O,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d	mg mg Effects on workers Acute local	Acute systemic	Chronic local	systemic 950 mg/m 343 mg/kg
Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest	food chain (secon- terrestrial compart no-effect level - Effect con Acu NOSE, OLIGOMI concentration - PNE h water ine water	tment - DNEL / D ects on issumers ute local	MEL Acute systemic		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176	mg mg Effects on workers Acute local	Acute systemic	Chronic local	systemic 950 mg/m 343 mg/kg
Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest	terrestrial compart no-effect level Effe con Acu NOSE, OLIGOMI concentration - PNE h water ine water sh water sediment	tment - DNEL / D ects on issumers ute local ERS, DEC	MEL Acute systemic		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018	mg mg Effects on workers Acute local mg mg	Acute systemic	Chronic local	systemic 950 mg/m 343 mg/kg
Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest Normal value for frest Normal value for man	terrestrial compart no-effect level - Effe con Act NOSE, OLIGOMI concentration - PNE th water sh water sediment rine water sediment	tment - DNEL / D ects on issumers ute local ERS, DEC	MEL Acute systemic		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018 1,516	mg mg Effects on workers Acute local mg mg	Acute systemic	Chronic local	950 mg/m 343 mg/kg
Normal value for the Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest Normal value for mai	rine water sediment ter, intermittent rele	tment - DNEL / D ects on issumers ute local ERS, DEC	MEL Acute systemic		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018 1,516 0,152	mg mg Effects on workers Acute local mg mg mg	Acute systemic g/I g/I g/I g/Kg	Chronic local	950 mg/m 343 mg/kg
Normal value for the Normal value for the Health - Derived Route of exposure Dral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest Normal value for maniformal value for maniformal value for maniformal value for wat Normal value for wat Normal value of STP	HOSE, OLIGOMI concentration - PNE h water sh water sediment rine water sediment ter, intermittent rele	tment - DNEL / Diects on issumers ute local ERS, DEC' EC	MEL Acute systemic YL OCTYL GLYC		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018 1,516 0,152 0,27	mg mg Effects on workers Acute local mg mg mg mg mg mg	Acute systemic g/I g/I g/I g/Kg	Chronic local	950 mg/m 343 mg/kg
Normal value for the Normal value for the Normal value for the Health - Derived Route of exposure Oral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest Normal value for main Normal value for main Normal value for wat Normal value of STP Normal value for the Normal value for the	rood chain (secondary food chain (secondary	tment - DNEL / D ects on issumers ute local ERS, DEC EC attraction	MEL Acute systemic YL OCTYL GLYC		0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018 1,516 0,152 0,27 560	mg mg Effects on workers Acute local mg mg mg mg mg mg mg mg mg	Acute systemic g/l g/l g/l g/kg g/kg g/kg	Chronic local	950 mg/m 343 mg/kg
Normal value for the Normal value for the Health - Derived Route of exposure Oral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest Normal value for man Normal value for wat Normal value of STP Normal value for the Normal value for the	IOSE, OLIGOMI concentration - PNE h water ine water sh water sediment rine water sediment rine water sediment ter, intermittent rele microorganisms food chain (secon- terrestrial compart no-effect level -	ERS, DEC et asse dary poisonint truent - DNEL / Dects on sumers truent	MEL Acute systemic YL OCTYL GLY(0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018 1,516 0,152 0,27 560 111,11	mg mg Effects on workers Acute local mg	Acute systemic Jyli Jyli Jyli Jyli Jylkg Jylkg Jylkg Jylkg Jylkg Jylkg Jylkg Jylkg Jylkg Jylkg	Chronic local	950 mg/m 343 mg/kg
Normal value for the Normal value for the Health - Derived Route of exposure Oral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest Normal value for man Normal value for man Normal value for man Normal value for the Normal value for the Normal value for the Normal value for the	HOSE, OLIGOMI Concentration - PNE th water which water sediment rine water sediment ter, intermittent rele microorganisms food chain (secon- terrestrial compart ro-effect level- Effect	ERS, DEC ERS dary poisoning truent - DNEL / D	MEL Acute systemic YL OCTYL GLY(0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018 1,516 0,152 0,27 560 111,11 0,654 Chronic	mg mg mg Effects on workers Acute local mg	Acute systemic g/l g/l g/kg g/kg g/kg g/kg g/kg g/kg	Chronic local Chronic local	950 mg/mi 343 mg/kg bw/d
Normal value of STP Normal value for the Normal value for the Health - Derived Route of exposure Oral Inhalation Skin D-GLUCOPYRAN Predicted no-effect of Normal value in frest Normal value for frest Normal value for man Normal value for wat Normal value of STP Normal value for the Normal value for the Normal value for the Route of exposure Oral	HOSE, OLIGOMI Concentration - PNE th water which water sediment rine water sediment ter, intermittent rele microorganisms food chain (secon- terrestrial compart ro-effect level- Effect	ERS, DEC et son issumers and in the passe dary poisoning timent - DNEL / Dects on issumers	MEL Acute systemic YL OCTYL GLY(COSIDES	0,38 0,63 Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 0,176 0,018 1,516 0,152 0,27 560 111,11 0,654	mg mg Effects on workers Acute local mg	Acute systemic g/I g/I g/I g/I g/I g/I g/I g/I g/I g/		950 mg/mi 343 mg/kg bw/d



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019 Revision n° 3

Rev. Date 16/01/2025 Page

8 of 20

Skin

357000 mg/kg bw/d 595000 mg/kg bw/d

Туре	Country	TWA/8h		STEL/15min		Remarks / Observation		
		mg/m3	ppm	mg/m3	ppm	Observatio	115	
TLV	BGR	980		1225				
TLV	CZE	500	200	1000	400			
AGW	DEU	500	200	1000	400			
MAK	DEU	500	200	1000	400			
TLV	DNK	490	200					
VLA	ESP	500	200	1000	400			
VLEP	FRA			980	400			
TLV	GRC	980	400	1225	500			
AK	HUN	500		1000		SKIN		
GVI/KGVI	HRV	999	400	1250	500			
TLV	NOR	245	100					
TGG	NLD	650						
NDS/NDSCh	POL	900		1200		SKIN		
TLV	ROU	200	81	500	203			
NGV/KGV	SWE	350	150	600 (C)	250 (C)			
NPEL	SVK	500	200	1000	400			
MV	SVN	500	200	2000	800			
WEL	GBR	999	400	1250	500			
TLV-ACGIH		492	200	983	400			
Predicted no-effect	concentration - PNE	С						
Normal value in fres	sh water			1409	mg	/I		
Normal value in ma	rine water			1409	mg	/I		
Normal value for fre	esh water sediment			552	mg	/kg		
Normal value for ma	arine water sedimen	t		552	mg	/kg		
Normal value for wa	ater, intermittent rele	ase		1409	mg	/I		
Normal value of ST	P microorganisms			2251	mg	/I		
Normal value for the	e food chain (second	lary poisoning)		160	mg	ı/kg		
	e terrestrial comparti			28	mg	/kg		
Health - Derived	no-effect level -	DNEL / DMEL						
		cts on sumers			Effects on workers			
Route of exposure		te local Acute systemi	c Chronic I		Acute local	Acute	Chronic local	Chronic
Oral		51 mg/kg bw/d	Line Line Line Line Line Line Line Line	systemic 26 mg/kg		systemic		systemic
Inhalation		178 mg/m3		bw/d 89 mg/m3		1000 mg/m3		500 mg/m3
Skin				319 mg/kg				888 mg/kg
J1				bw/d				bw/d



Normal value of STP microorganisms

Normal value for the terrestrial compartment

MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Revision n° 3
Rev. Date 16/01/2025
Page

9 of 20

Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
MAK	DEU	0,2		0,4		INHAL	
Predicted no-effect con-	centration - PNEC						
Normal value in fresh w	ater			3,39	μg/L		
Normal value in marine	water			3,39	μg/L		
Normal value for fresh	water sediment			0,027	mg/kg		
Normal value for marine	e water sediment			0,027	mg/kg		

0,23

0,01

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral		0,11 mg/kg		0,09 mg/kg				
		bw/d		bw/d				
Inhalation	0,04 mg/m3		0,02 mg/m3		0,04 mg/m3		0,02 mg/m3	

Туре	Country	TWA/8h		STEL/15min		Remarks / Observation	ns	
		mg/m3	ppm	mg/m3	ppm			
TLV	BGR	36	10	72	20			
TLV	CZE	35	9,66	70	19,32			
AGW	DEU	36	10	72	20	SKIN		
MAK	DEU	36	10	72	20			
TLV	DNK	36	10			SKIN	E	
VLA	ESP	36	10	72	20			
VLEP	FRA	36	10	72	20			
HTP	FIN	36	10	72	20	SKIN		
TLV	GRC	36	10	72	20			
AK	HUN	36		72				
VLEP	ITA	36	10	72	20	SKIN		
TLV	NOR	36	10			SKIN		
TGG	NLD	36		72		SKIN		
VLE	PRT	36	10	72	20			
NDS/NDSCh	POL	36		72		SKIN		
TLV	ROU	36	10	72	20			
NGV/KGV	SWE	35	10	72	20			
NPEL	SVK	36	10	72	20			
MV	SVN	36	10	72	20	SKIN		
WEL	GBR	36	10	72	20	SKIN		
OEL	EU	36	10	72	20			
TLV-ACGIH		71	20			SKIN		



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

10 of 20

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED =

medium hazard; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Properties

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid	Temperature: 20 °C
Colour	amber	Temperature: 20 °C
Odour	characteristic	Method: internal
Melting point / freezing point	0 °C	Method: literature data
		Substance: WATER
Initial boiling point	100 °C	Method: literature data
		Substance: WATER
		Initial boiling point: 100 °C
Flammability	not available	Method: ADR Test L.2
•		Reason for missing data: The
		substance/mixture is not flammable
Lower explosive limit	not available	Reason for missing data: This property is not relevant to the safety and classification of this

Value

product.

Information



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

11 of 20

Upper explosive limit not available Reason for missing data: This property is not

relevant to the safety and classification of this

product.

Flash point 50 < T < 52 °C Method: ASTM D93-18

 8.5 ± 1.0

Concentration: 100 %

Auto-ignition temperature not available Reason for missing data: This property is not

relevant to the safety and classification of this

product.

Decomposition temperature not available Reason for missing data: It only applies to

authoritative substances and mixtures, organic peroxides and other substances and

mixtures that they can decompose

Method: Internal method

not available Reason for missing data: This property is not

relevant to the safety and classification of this

product.

Solubility soluble in water Reason for missing data: not determined Partition coefficient: n-octanol/water not available Reason for missing data: does not apply to

Reason for missing data: does not apply to inorganic and ionic liquids and, as a rule, it

does not apply to blends

Method: literature data Substance: WATER

Vapour pressure: 17,5 mmHg

Temperature: 20 °C

Density and/or relative density not available Method: internal Relative vapour density 0,0006 Method: Literature data Substance: WATER

0.02

Temperature: 0 °C

Particle characteristics

Kinematic viscosity

Vapour pressure

Median equivalent diameter

Remark: It only applies to solids

Size distribution

Remark: It only applies to solids

Dustiness

Remark: It only applies to solids

Specific surface area

Remark: It only applies to solids

Shape

Remark: It only applies to solids

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not available Reason for missing data: Absent chemical

groups associated with explosive properties in accordance with the provisions of Annex I, Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008

- CLP

Oxidising properties not available Reason for missing data: Absent

requirements related to the presence of atoms or chemical bonds associated with oxidizing properties in the molecules of the components according to Annex I, Part 2,



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

12 of 20

2.13.4 Reg. (CE) 1272/2008

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

ETHANOL

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide, perchlorates, perchloric acid, perchloronitrile, mercury nitrate, nitric acid, silver, silver nitrate, ammonia, silver oxide, ammonia, strong oxidising agents, nitrogen dioxide. May react dangerously with: bromoacetylene, chlorine acetylene, bromine trifluoride, chromium trioxide, chromyl chloride, fluorine, potassium tert-butoxide, lithium hydride, phosphorus trioxide, black platinum, zirconium (IV) chloride, zirconium (IV) iodide. Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

ETHANOL

Avoid exposure to: sources of heat, naked flames.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

13 of 20

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

ETHANOL

LD50 (Oral): > 5000 mg/kg Rat

LC50 (Inhalation vapours): 120 mg/l/4h Pimephales promelas

D-GLUCOPYRANOSE, OLIGOMERS, DECYL OCTYL GLYCOSIDES

LD50 (Dermal): > 2000 mg/kg rabbit LD50 (Oral): > 2000 mg/kg rat

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Dermal): > 2000 mg/kg rabbit LD50 (Oral): > 300 mg/kg rat

propan-2-ol

 LD50 (Dermal):
 13900 mg/kg bw Rat

 LD50 (Oral):
 5840 mg/kg Rat

 LC50 (Inhalation vapours):
 25 mg/l/4h Rat

1,2-benzisothiazol-3(2H)-one

LD50 (Oral): 450 mg/kg LC50 (Inhalation mists/powders): 0,21 mg/l

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

 LD50 (Dermal):
 87,12 mg/kg bw rat

 LD50 (Oral):
 64 mg/kg bw rat

 LC50 (Inhalation mists/powders):
 0,31 mg/l/4h rat

MORPHOLINE

LD50 (Dermal): 500 mg/kg Rabbit

ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): 1050 mg/kg Rat LC50 (Inhalation vapours): 35,1 mg/l/1h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

1,2-benzisothiazol-3(2H)-one

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

14 of 20

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h Desmodesmus subspicatus

EC10 for Crustacea > 0,1 mg/l Daphnia magna

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-

3-one (3:1)

LC50 - for Fish 0,58 mg/l/96h Danio rerio
EC50 - for Crustacea 1,02 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,379 mg/l/72h IC50, Pseudokirchneriella subcapitata

Chronic NOEC for Fish 0,007 mg/l Salvelinus fontinalis, 30d

Chronic NOEC for Crustacea 0,013 mg/l Dafnia

ETHANOL

LC50 - for Fish 14200 mg/l/96h
EC50 - for Crustacea 454 mg/l/48h
EC50 - for Algae / Aquatic Plants 275 mg/l/72h
Chronic NOEC for Fish 250 mg/l
Chronic NOEC for Crustacea 96 mg/l
Chronic NOEC for Algae / Aquatic Plants 11,5 mg/l

propan-2-ol

LC50 - for Fish 9640 mg/l/96h
EC50 - for Crustacea > 100 mg/l/48h

D-GLUCOPYRANOSE, OLIGOMERS,

DECYL OCTYL GLYCOSIDES

 LC50 - for Fish
 96,64 mg/l/96h

 EC50 - for Crustacea
 31,62 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 12,43 mg/l/72h



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

15 of 20

Chronic NOEC for Fish 1 mg/l 28d Danio rerio

Chronic NOEC for Crustacea 1 mg/l 21d
Chronic NOEC for Algae / Aquatic Plants 6 mg/l

12.2. Persistence and degradability

MORPHOLINE

Solubility in water 1000 - 10000 mg/l

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED
Rapidly degradable
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
NOT rapidly degradable

ETHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable propan-2-ol

Rapidly degradable D-GLUCOPYRANOSE, OLIGOMERS, DECYL OCTYL GLYCOSIDES Rapidly degradable

12.3. Bioaccumulative potential

MORPHOLINE

Partition coefficient: n-octanol/water -2,55 BCF <0,65

ETHANOL

Partition coefficient: n-octanol/water -0,35

propan-2-ol

Partition coefficient: n-octanol/water 0,05

12.4. Mobility in soil

MORPHOLINE

Partition coefficient: soil/water -0,6196

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

D-GLUCOPYRANOSE, OLIGOMERS,

DECYL OCTYL GLYCOSIDES

Partition coefficient: soil/water 1,7



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

16 of 20

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

17 of 20

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

18 of 20

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2 Flam. Liq. 3 Flammable liquid, category 3 Acute Tox. 2 Acute toxicity, category 2 Acute Tox. 3 Acute toxicity, category 3 Acute Tox. 4 Acute toxicity, category 4 Asp. Tox. 1 Aspiration hazard, category 1 Skin Corr. 1B Skin corrosion, category 1B Skin Corr. 1C Skin corrosion, category 1C Eye Dam. 1 Serious eye damage, category 1 Eye Irrit. 2 Eye irritation, category 2

Skin Irrit. 2 Eye Irritation, category 2
Skin Irrit. 2 Skin irritation, category 2
Skin Sens. 1A Skin sensitization, category 1A

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H310 Fatal in contact with skin.

H330 Fatal if inhaled.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways.H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

LEGEND:



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

19 of 20

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008 DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP) 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP) 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP) 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website



Conforms to Reg. (EU) 878/2020

Issued on 04/07/2019

Revision n° 3

Rev. Date 16/01/2025

Page

20 of 20

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02 / 03 / 04 / 08 / 09 / 11 / 12 / 13 / 15 / 16.