NEW FADOR	MATERI		FETY [to Reg. (EU) 8		HEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Revision date	Rev. n°			
01/21	9.11.2022	1 di 12				

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Code:	F_378
Product name	PIATTI Menta e Bicarbonato PRIM
UFI :	5F11-80C9-Y00J-QSR8

Identified Uses	Industrial	Professional	Consumer	
Dish detergent	-	✓	~	
Uses Advised Against				
Do not use for uses other than those indicated				
1.3. Details of the supplier of the safety data				
Name	NEW FADOR S.r.I.			
Full address	via Mario Calderara, 31			
District and Country	25018 Montichiari (BS) Italia			
	Tel. +39 030961 243			
	101. +55 050501 245			
	www.newfador.it			
e-mail address of the competent person				
responsible for the Safety Data Sheet	info@newfador.it			
1.4. Emergency telephone number				
For urgent inquiries refer to	NEW FADOR S.r.I.			
	+39 030961 243			
	(08.30 - 17.30)			

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

H319

Ranked in accordance with the ICE-PH-15/0338 report

Hazard classification and indication:	
Eye irritation, category 2	

Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



.

Signal words:

Warning

Hazard statements:

H319

Causes serious eye irritation.

Precautionary statements:

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		HEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date Rev. n° Revision date Rev. n° Revision date					Rev. n°
01/21	9.11.2022 1 RLAB DG RLAB				2 di 12	

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
	rinsing.
P337+P313	If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants, amphoteric surfactants, anionic surfactants, amphoteric surfactants

perfumes, Limonene, perfumes, Limonene

Preservation agents: 2-BROMO-2-NITROPROPANE-1,3-DIOL, GLUTARAL, BENZISOTHIAZOLINONE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification BENZENESULFONIC ACID, C10- 13-ALKYL DERIVS., SODIUM	x = Conc. %	Classification (EC) 1272/2008 (CLP)
SALTS CAS 68411-30-3	2,5 ≤ x < 3	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
EC 270-115-0 INDEX -		LD50 Oral: 1080 mg/kg
REACH Reg. 01-2119489428-22 ALCOHOLS, C12-14,		
ETHOXYLATED, SULFATES, SODIUM SALTS		
CAS 68891-38-3	1,5≤x< 2	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
EC 500-234-8 INDEX -		Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 5%
REACH Reg. 01-2119488639-16		
2-BROMO-2-NITROPROPAN-1,3- DIOL		
CAS 52-51-7	0 ≤ x < 0,05	Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Acute 1 H400 M=10, Aquatic Chronic 2 H411
EC 200-143-0 INDEX 603-085-00-8 REACH Reg. 01-2119980938-15		STA Oral: 500 mg/kg, STA Dermal: 1100 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		HEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°	Revision date	Rev. n°	Revision date	Rev. n°
01/21	9.11.2022 1 RLAB DG RLAB				3 di 12	

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with selfcontained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

NEW FADOR	MATERI		FETY D to Reg. (EU) 8		HEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1	
Document n°	Revision date	Revision date Rev. n° Revision date Rev. n° Revision date					
01/21	9.11.2022 1 RLAB DG RLAB					4 di 12	

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on workers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Acute local Acute Chronic local Chronic local Dral 0,425 mg/kg bw/d 0,425 mg/kg 6 6 mm Skin 42,5 mg/kg 85 m									
Normal value for fresh water sediment 8,1 mg/kg Normal value for marine water sediment 6,8 mg/kg Normal value for marine water sediment 6,8 mg/kg Normal value for water, intermittent release 0,017 mg/l Normal value for the terrestrial compartment 35 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on workers Chronic local Acute Acute Chronic local Chronic local Acute Systemic	mal value in marine water				0,268	mg	g/l		
Aormal value for marine water sediment 6,8 mg/kg Aormal value for marine water sediment 6,8 mg/kg Aormal value for water, intermittent release 0,017 mg/l Aormal value of STP microorganisms 3,43 mg/l Aormal value for the terrestrial compartment 35 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on workers Effects on workers Chronic local Acute Route of exposure Acute local Acute systemic Chronic local Chronic systemic	rmal value for fresh water sediment				0,027	mg	g/l		
Normal value for water, intermittent release 0,017 mg/l Normal value of STP microorganisms 3,43 mg/l Normal value of STP microorganisms 3,43 mg/l Normal value for the terrestrial compartment 35 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on consumers Effects on workers Effects on workers Chronic local Acute Chronic local Chronic systemic Systemi	mal value for fresh water sedime	ient			8,1	mg	g/kg		
Normal value of STP microorganisms 3,43 mg/l Normal value for the terrestrial compartment 35 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on consumers Effects on vorkers Route of exposure Acute local Acute systemic Chronic local Chronic Acute local Acute systemic	mal value for marine water sedir	iment			6,8	mg	g/kg		
Normal value for the terrestrial compartment 35 mg/kg Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on consumers Effects on workers Route of exposure Acute local Acute systemic Chronic local Chronic systemic Acute local Acute Systemic	mal value for water, intermittent	t release			0,017	mg	g/I		
Acute local Acute systemic Chronic local Chronic local Chronic systemic Syste	mal value of STP microorganism	ms			3,43	mg	g/l		
Effects on consumers Effects on workers Route of exposure Acute local Acute systemic Chronic local Systemic Systemi	Normal value for the terrestrial compartment			35	mg	g/kg			
systemic systemic systemic systemic Dral 0,425 mg/kg bw/d 0,425 mg/kg bw/d nhalation 1,5 1,5 mg/m3 6 6 mg/g Skin 42,5 mg/kg bw/d 85 m 85 m bw/d 85 m ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS bw/d bw/d bw/d Predicted no-effect concentration - PNEC 0,24 mg/l c Normal value in fresh water 0,024 mg/l c Normal value for fresh water sediment 0,917 mg/kg c Normal value for marine water sediment 0,092 mg/kg c		Effects on consumers				workers			
bw/d bw/d nhalation 1,5 1,5 mg/m3 6 6 mg/m3 Skin 42,5 mg/kg 85 mg/kg 85 mg/m3 85 mg/m3 ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS 9 9 9 Predicted no-effect concentration - PNEC 0,24 mg/l 9 Normal value in fresh water 0,024 mg/l 9 Normal value for fresh water sediment 0,917 mg/kg 9 Normal value for marine water sediment 0,092 mg/kg 1	ite of exposure	Acute local	Acute systemic	Chronic local		Acute local		Chronic local	Chronic systemic
Skin 42,5 mg/kg bw/d 85 m ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS 5 Predicted no-effect concentration - PNEC 7 Normal value in fresh water 0,24 mg/l Normal value in marine water 0,024 mg/l Normal value for fresh water sediment 0,917 mg/kg Normal value for marine water sediment 0,092 mg/kg	I				bw/d		•		•
ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS Predicted no-effect concentration - PNEC Vormal value in fresh water Vormal value in marine water Vormal value in marine water Vormal value for fresh water sediment Vormal value for marine water sed	alation			1,5	1,5 mg/m3			6	6 mg/m3
Predicted no-effect concentration - PNEC Normal value in fresh water 0,24 mg/l Normal value in marine water 0,024 mg/l Normal value for fresh water sediment 0,917 mg/kg Normal value for marine water sediment 0,092 mg/kg)								85 mg/kg bw/d
Normal value in marine water 0,024 mg/l Normal value for fresh water sediment 0,917 mg/kg Normal value for marine water sediment 0,092 mg/kg		VIATED CI							
Normal value for fresh water sediment 0,917 mg/kg Normal value for marine water sediment 0,092 mg/kg	· · ·		FATES, SODIU	M SALTS					
Normal value for marine water sediment 0,092 mg/kg	dicted no-effect concentration -		<u>FATES, SODIUN</u>	M SALTS	0,24	mg	g/l		
	dicted no-effect concentration - mal value in fresh water		<u>FATES, SODIUN</u>	M SALTS	,		·		
Normal value for water, intermittent release 0,071 mg/l	dicted no-effect concentration - mal value in fresh water mal value in marine water	PNEC	FATES, SODIUN	M SALTS	0,024	mg	g/l		
	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedime	PNEC	FATES, SODIU	M SALTS	0,024 0,917	mg mg	g/l g/kg		
Normal value of STP microorganisms 10 g/l	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedim mal value for marine water sedim	PNEC	FATES, SODIU	M SALTS	0,024 0,917 0,092	mg mg mg	g/l g/kg g/kg		
Normal value for the terrestrial compartment 7,5 mg/kg	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedim mal value for marine water sedi mal value for water, intermittent	PNEC	FATES, SODIU	M SALTS	0,024 0,917 0,092 0,071	م سو سو سو	y/l y/kg y/kg		
Health - Derived no-effect level - DNEL / DMEL Effects on Effects on consumers workers	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedim mal value for marine water sedi mal value for water, intermittent mal value of STP microorganism	PNEC	FATES, SODIU	M SALTS	0,024 0,917 0,092 0,071 10	mg mg mg mg g/l	g/l g/kg g/kg		
systemic systemic systemic	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedim mal value for marine water sedi mal value for water, intermittent mal value of STP microorganism mal value for the terrestrial com	PNEC iment t release ms inpartment vel - DNEL / D Effects on		M SALTS	0,024 0,917 0,092 0,071 10	mg mg mg g/l g/l Effects on	g/l g/kg g/kg		
Dral 15 mg/kg bw/d	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedim mal value for marine water sedin mal value for water, intermittent mal value of STP microorganism mal value for the terrestrial com alth - Derived no-effect lev	PNEC iment t release ms apartment vel - DNEL / D Effects on consumers	MEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic	mg mg mg g/l g/l Effects on workers	y/l y/kg y/kg y/l y/kg Acute	Chronic local	Chronic
nhalation 52 mg/m3 175	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedim mal value for marine water sedim mal value for water, intermittent mal value of STP microorganism mal value of STP microorganism mal value for the terrestrial com alth - Derived no-effect lev ite of exposure	PNEC iment t release ms apartment vel - DNEL / D Effects on consumers	MEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d	mg mg mg g/l g/l Effects on workers	y/l y/kg y/kg y/l y/kg Acute	Chronic local	systemic
	dicted no-effect concentration - mal value in fresh water mal value in marine water mal value for fresh water sedim mal value for marine water sedim mal value for water, intermittent mal value of STP microorganism mal value of STP microorganism mal value for the terrestrial com alth - Derived no-effect lev ite of exposure	PNEC iment t release ms apartment vel - DNEL / D Effects on consumers	MEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d	mg mg mg g/l g/l Effects on workers	y/l y/kg y/kg y/l y/kg Acute	Chronic local	

Board Code S-P4/2-2 MATERIAL SAFETY DATA SHEET Board Date 05/2010 Conforms to Reg. (EU) 878/2020 Board Rev. 1 Revision date Rev. n° Rev. n° Revision date Revision date Document n° Rev. n° 01/21RLAB 5 di 12 9.11.2022 1 RLAB DG

2-BROMO-2-NITROPROPAN-1,3-DIOL

Predicted no-effect concen								
Normal value in fresh wate	۲.			0,01	mg	g/l		
Normal value in marine wa	ter			0,001	mg	g/l		
Normal value for fresh wate	er sediment			0,041	mg/kg			
Normal value for marine water sediment					mg/kg			
Normal value for water, intermittent release					mg	mg/l		
Normal value of STP microorganisms					mg/l			
Normal value for the terres	0,5	mg	j/kg					
Health - Derived no-ef	fect level - DNEL / DM Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,1 mg/kg bw/d		0,35 mg/kg bw/d				
Inhalation	1,3 mg/m3	3,7 mg/m3	1,3 mg/m3	1,2 mg/m3	4,2 mg/m3	12,3 mg/m3	4,2 mg/m3	4,1 mg/m3
Skin	0,008 mg/cm2	4,2 mg/kg bw/d	0,008 mg/cm2	1,4 mg/kg bw/d	0,013 mg/cm2	7 mg/kg bw/d	0,013 mg/cm2	2,3 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties
Appearance
Colour

Value liquid blue Information

NEW FADOR	MATERI	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1				
Document n°	Revision date	Rev. n°	Revision date	Rev. n°	Revision date	Rev. n°
01/21	9.11.2022	1	RLAB	DG	RLAB	6 di 12

Odour	characteristic
Melting point / freezing point	not available
Initial boiling point	not available
Flammability	not available
Lower explosive limit	not available
Upper explosive limit	not available
Flash point	not available
Auto-ignition temperature	not available
Decomposition temperature	not available
рН	5,5
Kinematic viscosity	not available
Dynamic viscosity	500 ± 150 mPa*s (25 °C;
	rotore 2; velocità 30)
Solubility	soluble in water
Partition coefficient: n-octanol/water	not available
Vapour pressure	not available
Density and/or relative density	1,008
Relative vapour density	not available
Particle characteristics	not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids Explosive properties

Oxidising properties

0 % not classified as explosive, contains no explosive substances according to CLP Art. (14 (2)) the product is not an oxidizing substance

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BROMO-2-NITROPROPAN-1,3-DIOL Decomposes on contact with: water, metals, strong bases.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-BROMO-2-NITROPROPAN-1,3-DIOL Avoid exposure to: light, UV rays, moisture.

10.5. Incompatible materials

Information not available


NEW FADOR	MATERI	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1				
Document n°	Revision date	Rev. n°	Revision date	Rev. n°	Revision date	Rev. n°
01/21	9.11.2022	1	RLAB	DG	RLAB	7 di 12

10.6. Hazardous decomposition products

2-BROMO-2-NITROPROPAN-1,3-DIOL May develop: nitric oxide, carbon oxides, hydrobromic acid.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation	on (EC) No 1272/2008
Metabolism, toxicokinetics, mechanism of action and other info Information not available Information on likely routes of exposure Information not available	rmation
Delayed and immediate effects as well as chronic effects from a Information not available	short and long-term exposure
Interactive effects Information not available	
ACUTE TOXICITY ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	>2000 mg/kg Not classified (no significant component)
BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIU LD50 (Dermal):	M SALTS > 2000 mg/kg rat
LD50 (Oral):	1080 mg/kg rat
ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM LD50 (Dermal):	> 2000 mg/kg rat
LD50 (Oral):	> 2000 mg/kg rat
2-BROMO-2-NITROPROPAN-1,3-DIOL LD50 (Dermal):	64 mg/kg rat
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): LC50 (Inhalation mists/powders):	254 mg/kg rat 0,588 mg/l/4h rat
SKIN CORROSION / IRRITATION Does not meet the classification criteria for this hazard class	
SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation	
RESPIRATORY OR SKIN SENSITISATION Does not meet the classification criteria for this hazard class	
Respiratory sensitization Information not available	
Skin sensitization Information not available	
GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY	
Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY	
Does not meet the classification criteria for this hazard class Adverse effects on sexual function and fertility	
Information not available Adverse effects on development of the offspring	
Information not available Effects on or via lactation	
Information not available <u>STOT - SINGLE EXPOSURE</u>	
Does not meet the classification criteria for this hazard class <u>Target organs</u>	
Information not available Route of exposure	
Information not available <u>STOT - REPEATED EXPOSURE</u> Deep not meet the close if action or there for this hereard close	
Does not meet the classification criteria for this hazard class	



<u>Target organs</u> Information not available <u>Route of exposure</u> Information not available <u>ASPIRATION HAZARD</u> Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

2-BROMO-2-NITROPROPAN-1,3-DIOL LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Algae / Aquatic Plants

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants

12.2. Persistence and degradability

2-BROMO-2-NITROPROPAN-1,3-DIOL Solubility in water Rapidly degradable BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS Rapidly degradable ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS Rapidly degradable 12.3. Bioaccumulative potential 2-BROMO-2-NITROPROPAN-1,3-DIOL Partition coefficient: n-octanol/water BCF BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS BCF

20 mg/l/96h Oncorhynchus mykiss 1,6 mg/l/48h Daphnia magna 0,25 mg/l/72h 0,08 mg/l

1,67 mg/l/96h 2,9 mg/l/48h 0,91 mg/l/72h 0,23 mg/l 72d 0,5 mg/l 7d 0,5 mg/l 96h

> 1 mg/l/96h Danio rerio
7,2 mg/l/48h Daphnia magna
27 mg/l/72h Desmodesmus subspicatus
0,14 mg/l 28d Oncorhynchus mykiss
0,18 mg/l 21d Daphnia magna
0,93 mg/l Desmodesmus subspicatus

286000 mg/l

159

0,22

3,16

NEW FAC	OR	MATERI	_	FETY [to Reg. (EU) 8	_	HEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1	
Documer	it n°	Revision date	Revision date Rev. n° Revision date Rev. n° Revision date					
01/2	1	9.11.2022	1	RLAB	DG	RLAB	9 di 12	

12.4. Mobility in soil

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS Partition coefficient: soil/water

0,34

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

NEW FADOR	MATERI	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1				
Document n°	Revision date	Rev. n°	Revision date	Rev. n°	Revision date	Rev. n°
01/21	9.11.2022	1	RLAB	DG	RLAB	10 di 12

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point	3 - 40					
Contained substance Point	75					
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable						
<u>Substances in Candidate List (Art. 59 REACH)</u> GLUTARALDEIDE REACH Reg.: 01-2119455549-26						
Substances subject to sutherization (Ar						

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004 Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.

NEW FADOR	MATERI		FETY [to Reg. (EU) 8		HEET	Board Code S-P4/2-2 Board Date 05/2010 Board Rev. 1
Document n°	Revision date	Rev. n°				
01/21	9.11.2022	1	RLAB	DG	RLAB	11 di 12

H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website - ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and

NEW FADOR		MATERIAL SAFETY DATA SHEET Conforms to Reg. (EU) 878/2020					
Document n°	Revision date	Revision date Rev. n° Revision date Rev. n° Revision date					
01/21	9.11.2022	1	RLAB	DG	RLAB	12 di 12	

thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified:

01/02/03/08/09/11/12/15/16.