

Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

1 of 15

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **F\_123** 

Product name Ecolabel FLOOR DETERGENT UFI: FE33-A0K2-5008-H3VA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Industrial Professional Consumer floor cleaner - Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name NEW FADOR S.r.I.
Full address via Mario Calderara, 31
District and Country 25018 Montichiari (BS)

Italia

Tel. +39 030961 243

www.newfador.it

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to **NEW FADOR S.r.I.** 

+39 030961 243 (08.30 - 17.30)

### **SECTION 2. Hazards identification**

## 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

2 of 15



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P264 Wash your hands thoroughly after use.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

P337+P313 If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants, non-ionic surfactants, soap

perfumes

Preservation agents: Phenoxyethanol

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

## **SECTION 3. Composition/information on ingredients**

### 3.1. Substances

Information not relevant

### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

ISOTRIDECANOL, ETHOXYLATED

Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 1%

INDEX - STA Oral: 500 mg/kg

**ETHANOL** 

EC 931-138-8



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

3 of 15

CAS 64-17-5

 $2.5 \le x < 3$ 

Flam. Liq. 2 H225, Eye Irrit. 2 H319

EC 200-578-6

INDEX 603-002-00-5

REACH Reg. 01-2119457610-43

PROPAN-2-OL

CAS 67-63-0

 $1 \le x < 1,5$ 

Flam. Liq. 2 H225,

Eye Irrit. 2 H319, STOT SE 3 H336

EC 200-661-7

INDEX 603-117-00-0

REACH Reg. 01-2119457558-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### **SECTION 5. Firefighting measures**

## 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

## 5.2. Special hazards arising from the substance or mixture

### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019
Revision n° 3

Rev. Date 11/10/2022

Page

4 of 15

wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

## 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Store in a cool and well-ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

## 7.3. Specific end use(s)

Information not available

#### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters



# **MATERIAL SAFETY DATA SHEET**

Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019 Revision n° 3

Rev. Date 11/10/2022

Page

5 of 15

#### Regulatory References:

SVN

GBR

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ,
DOIL	Выпарил	СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари
		2020r.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se
	'	stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) – Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.
		MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher
		Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer – BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 – INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών
		2017/2398/EE, 2019/130/EE και 2019/983/EE «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με
		την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή
		μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők
		hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu,
		graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste
		lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie
		w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w
		środowisku pracy
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády

NARIADENIE V LADY Slovenskej republiky z 1z. augusta 2020, konym sa mem a dopina nanadenie viady Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

ACGIH 2021

ISOTRIDECANOL, ETHOXYLATED
----------------------------

TLV-ACGIH

Slovenija

Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,074	mg/l	
Normal value in marine water	0,007	mg/l	
Normal value for fresh water sediment	0,604	mg/kg	
Normal value for marine water sediment	0,06	mg/kg	
Normal value for water, intermittent release	0,015	mg/l	
Normal value of STP microorganisms	1,4	mg/l	
Normal value for the terrestrial compartment	0,1	mg/kg	

Health - Derived no-effe	ect level - DNEL / D Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				25 mg/kg bw/d				
Inhalation				87 mg/m3				294 mg/m3
Skin				1250 mg/kg bw/d				2080 mg/kg bw/d

HANOL
-------

Threshold Limit Valu	ne						
Туре	Country	TWA/8h		STEL/15min		Remarks /	
						Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	1000					
TLV	CZE	1000		3000			



Conforms to Reg. (EU) 878/2020

Revision n° 3
Rev. Date 11/10/2022
Page

6 of 15

AGW	DEU	960	500	1920	1000			
MAK	DEU	960	500	1920	1000			
TLV	DNK	1900	1000					
VLA	ESP			1910	1000			
VLEP	FRA	1900	1000	9500	5000			
TLV	GRC	1900	1000					
AK	HUN	1900		7600				
GVI/KGVI	HRV	1900	1000					
TGG	NLD	260		1900				
NDS/NDSCh	POL	1900						
NPEL	SVK	960	500	1920				
WEL	GBR	1920	1000					
TLV-ACGIH				1884	1000			
Predicted no-effect concent	ration - PNEC							
Normal value in fresh water				0,96	m	g/l		
Normal value in marine water	er			0,79	m	g/l		
Normal value for fresh wate	r sediment			3,6	m	g/kg		
Normal value for marine wa	ter sediment			2,9	m	g/kg		
		m	α/I					
Normal value for water, inte	rmittent release			2,75	1119	9/1		
Normal value for water, inte				2,75 580	mį	_		
<u> </u>	organisms	ing)			mį	_		
Normal value of STP microo	organisms hain (secondary poison	ing)		580	m(	g/l		
Normal value of STP microconnormal value for the food ch	organisms hain (secondary poison rial compartment			580 0,38	m(	g/l g/kg		
Normal value of STP microconnormal value for the food of Normal value for the terrest	organisms hain (secondary poison rial compartment fect level - DNEL / E  Effects on			580 0,38	me me Effects on	g/l g/kg		
Normal value of STP microcon Normal value for the food of Normal value for the terrest Health - Derived no-eff	organisms hain (secondary poison rial compartment fect level - DNEL / I		Chronic local	580 0,38 0,63 Chronic	m(	g/l g/kg g/kg Acute	Chronic local	Chronic
Normal value of STP microconnormal value for the food of Normal value for the terrest	organisms hain (secondary poison rial compartment iect level - DNEL / E Effects on consumers	DMEL	Chronic local	580 0,38 0,63  Chronic systemic 87 mg/kg	me me Effects on workers	g/l g/kg g/kg	Chronic local	Chronic systemic
Normal value of STP microc Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure	organisms hain (secondary poison rial compartment iect level - DNEL / E Effects on consumers	DMEL	Chronic local	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d	me me Effects on workers	g/l g/kg g/kg Acute	Chronic local	systemic
Normal value of STP microc Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure Oral Inhalation	organisms hain (secondary poison rial compartment iect level - DNEL / E Effects on consumers	DMEL	Chronic local	Chronic systemic 87 mg/kg bw/d 114 mg/m3	me me Effects on workers	g/l g/kg g/kg Acute	Chronic local	systemic 950 mg/m3
Normal value of STP microcon Normal value for the food of Normal value for the terrest.  Health - Derived no-eff  Route of exposure  Oral	organisms hain (secondary poison rial compartment iect level - DNEL / E Effects on consumers	DMEL	Chronic local	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d	me me Effects on workers	g/l g/kg g/kg Acute	Chronic local	
Normal value of STP microc Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure Oral Inhalation Skin	organisms hain (secondary poison rial compartment iect level - DNEL / E Effects on consumers	DMEL	Chronic local	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg	me me Effects on workers	g/l g/kg g/kg Acute	Chronic local	systemic  950 mg/m3  343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest.  Health - Derived no-eff  Route of exposure  Oral  Inhalation  Skin  PROPAN-2-OL	organisms hain (secondary poison rial compartment fect level - DNEL / E Effects on consumers Acute local	Acute systemic	Chronic local	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d	me me Effects on workers	g/l g/kg g/kg Acute systemic		systemic  950 mg/m3  343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure  Oral Inhalation  Skin PROPAN-2-OL	organisms hain (secondary poison rial compartment iect level - DNEL / E Effects on consumers	DMEL	Chronic local	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg	me me Effects on workers	g/l g/kg g/kg Acute systemic	31	systemic  950 mg/m3  343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure  Oral Inhalation  Skin PROPAN-2-OL Threshold Limit Value	organisms hain (secondary poison rial compartment fect level - DNEL / E Effects on consumers Acute local	Acute systemic	Chronic local	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d	me me Effects on workers	g/l g/kg g/kg Acute systemic	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure  Oral Inhalation  Skin PROPAN-2-OL Threshold Limit Value Type	organisms hain (secondary poison rial compartment fect level - DNEL / E Effects on consumers Acute local	Acute systemic  TWA/8h		580  0,38  0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3  206 mg/kg bw/d  STEL/15min	me me Effects on workers Acute local	g/l g/kg g/kg Acute systemic	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrestriction. Normal value of exposure. Oral Inhalation. Skin.  PROPAN-2-OL Threshold Limit Value. Type.	organisms hain (secondary poison rial compartment rect level - DNEL / I Effects on consumers Acute local  Country	Acute systemic  TWA/8h  mg/m3		580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d STEL/15min mg/m3	me me Effects on workers Acute local	g/l g/kg g/kg Acute systemic	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest.  Health - Derived no-eff Route of exposure  Oral Inhalation Skin  PROPAN-2-OL Threshold Limit Value Type  TLV TLV	conganisms hain (secondary poison rial compartment fect level - DNEL / Effects on consumers Acute local  Country  BGR	Acute systemic  TWA/8h mg/m3 980		580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d STEL/15min mg/m3	me me Effects on workers Acute local	g/kg g/kg Acute systemic  Remarks Observar	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrestriction. Normal value of exposure. Oral Inhalation. Skin.  PROPAN-2-OL Threshold Limit Value. Type.  TLV TLV AGW	conganisms hain (secondary poison rial compartment rial consumers ria	Acute systemic  TWA/8h  mg/m3  980  500	ppm	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d  STEL/15min mg/m3 1225 1000	Effects on workers Acute local	g/kg g/kg Acute systemic  Remarks Observar	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest.  Health - Derived no-eff Route of exposure  Oral Inhalation Skin  PROPAN-2-OL Threshold Limit Value Type  TLV  TLV  AGW  MAK	conganisms hain (secondary poison rial compartment fect level - DNEL / Effects on consumers Acute local  Country  BGR CZE DEU	TWA/8h mg/m3 980 500	ppm 200	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 5TEL/15min mg/m3 1225 1000 1000	Effects on workers Acute local	g/kg g/kg Acute systemic  Remarks Observar	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure  Oral Inhalation Skin  PROPAN-2-OL Threshold Limit Value Type  TLV  TLV  AGW  MAK  TLV	Country  BGR CZE DEU DEU	TWA/8h mg/m3 980 500 500	ppm 200 200	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 5TEL/15min mg/m3 1225 1000 1000	Effects on workers Acute local	g/kg g/kg Acute systemic  Remarks Observar	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest Health - Derived no-eff Route of exposure  Oral Inhalation  Skin PROPAN-2-OL Threshold Limit Value Type	Country  BGR CZE DEU DNK	TWA/8h mg/m3 980 500 500 490	ppm 200 200 200	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 5TEL/15min mg/m3 1225 1000 1000	ppm  400 400	g/kg g/kg Acute systemic  Remarks Observar	31	systemic 950 mg/m3 343 mg/kg
Normal value of STP microcon Normal value for the food of Normal value for the terrest.  Health - Derived no-eff Route of exposure Oral Inhalation Skin  PROPAN-2-OL Threshold Limit Value Type  TLV TLV AGW MAK TLV VLA	Country  BGR CZE DEU DNK ESP	TWA/8h mg/m3 980 500 500 490	ppm 200 200 200	580 0,38 0,63  Chronic systemic 87 mg/kg bw/d 114 mg/m3 206 mg/kg bw/d 5TEL/15min mg/m3 1225 1000 1000	ppm  400 400	g/kg g/kg Acute systemic  Remarks Observar	31	systemic 950 mg/m3 343 mg/kg



Conforms to Reg. (EU) 878/2020

Revision n° 3
Rev. Date 11/10/2022
Page

7 of 15

GVI/KGVI	HRV	999	400	1250	500		
TGG	NLD	650					-
NDS/NDSCh	POL	900		1200			-
NPEL	SVK	500	200	1000			
MV	SVN	500	200				
WEL	GBR	999	400	1250	500		
TLV-ACGIH		492	200	983	400		
Predicted no-effect conc	centration - PNEC						
Normal value in fresh wa	ater			140,9		mg/l	
Normal value in marine	water			140,9		mg/l	
Normal value for fresh w	ater sediment			552		mg/kg/d	
Normal value for marine	water sediment			552		mg/kg/d	
Normal value for water, i	intermittent release			140,9		mg/l	
Normal value of STP mid	croorganisms			2251		mg/l	
Normal value for the foo	d chain (secondary pois	soning)		160		mg/kg food	
Normal value for the terr	restrial compartment			28		mg/kg/d	

Health - Derived no-ef	fect level - DNEL / [	OMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				26 mg/kg bw/d				
Inhalation				89 mg/m3				500 mg/m3
Skin				319 mg/kg				888 mg/kg
				bw/d				bw/d

#### egend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified; LOW = low hazard; MED = medium hazard; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

### RESPIRATORY PROTECTION



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

8 of 15

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Properties** Value Appearance liquid Colour colourless characteristic Odour not available Melting point / freezing point Initial boiling point not available Flammability not available Lower explosive limit not available Upper explosive limit not available Flash point > 100 °C Auto-ignition temperature not available Decomposition temperature not available  $8.5 \pm 0.5$ Kinematic viscosity not available Solubility soluble in water not available Partition coefficient: n-octanol/water not available Vapour pressure Density and/or relative density not available Relative vapour density not available Particle characteristics not applicable

## Information

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 4,34 %

Explosive properties not classified as explosive,

contains no explosive substances according to CLP



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022 Page

9 of 15

Oxidising properties

Art. (14 (2)) the product is not an oxidizing substance

### **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

#### ETHANOL

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide, perchlorates, perchloric acid, perchloronitrile, mercury nitrate, nitric acid, silver, silver nitrate, ammonia, silver oxide, ammonia, strong oxidising agents, nitrogen dioxide. May react dangerously with: bromoacetylene, chlorine acetylene, bromine trifluoride, chromium trioxide, chromyl chloride, fluorine, potassium tert-butoxide, lithium hydride, phosphorus trioxide, black platinum, zirconium (IV) chloride, zirconium (IV) iodide. Forms explosive mixtures with: air.

#### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

### ETHANOL

Avoid exposure to: sources of heat, naked flames.

#### 10.5. Incompatible materials

Information not available

## 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

10 of 15

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

Not classified (no significant component)

>2000 mg/kg

Not classified (no significant component)

ISOTRIDECANOL, ETHOXYLATED

LD50 (Dermal): LD50 (Oral): STA (Oral): > 2000 mg/kg rabbit > 2000 mg/kg rat

500 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

ETHANOL

LD50 (Oral):

LC50 (Inhalation vapours):

> 5000 mg/kg Rat

120 mg/l/4h Pimephales promelas

PROPAN-2-OL

LD50 (Dermal):

LD50 (Oral):

LC50 (Inhalation vapours):

16,4 ml/kg Rat 5840 mg/kg bw Rat

> 10000 ppm/6h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

11 of 15

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

**ETHANOL** 

LC50 - for Fish 14200 mg/l/96h
EC50 - for Crustacea 454 mg/l/48h
EC50 - for Algae / Aquatic Plants 275 mg/l/72h
Chronic NOEC for Fish 250 mg/l
Chronic NOEC for Crustacea 96 mg/l
Chronic NOEC for Algae / Aquatic Plants 11,5 mg/l

PROPAN-2-OL

LC50 - for Fish 8970 mg/l/96h Leuciscus idus melanotus

EC50 - for Crustacea 9714 mg/l/24h Daphnia magna

ISOTRIDECANOL, ETHOXYLATED

LC50 - for Fish > 1 mg/l/96h Cyprinus carpio EC50 - for Crustacea > 1 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h Desmodesmus subspicatus

### 12.2. Persistence and degradability

**ETHANOL** 

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

PROPAN-2-OL Rapidly degradable

ISOTRIDECANOL, ETHOXYLATED

Rapidly degradable

#### 12.3. Bioaccumulative potential

**ETHANOL** 

Partition coefficient: n-octanol/water -0,35

PROPAN-2-OL

Partition coefficient: n-octanol/water 0,05



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

12 of 15

#### 12.4. Mobility in soil

ISOTRIDECANOL, ETHOXYLATED

Partition coefficient: soil/water 3,69

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 14.1. UN number or ID number

not applicable

#### 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

#### 14.4. Packing group

not applicable

## 14.5. Environmental hazards



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

13 of 15

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)



Conforms to Reg. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

14 of 15

WGK 1: Low hazard to waters

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Acute Tox. 4 Acute toxicity, category 4

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament



Conforms to Rea. (EU) 878/2020

Issued on 02/08/2019

Revision n° 3

Rev. Date 11/10/2022

Page

15 of 15

- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 05 / 07 / 08 / 09 / 10 / 11 / 12 / 15 / 16.