

Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

1 of 17

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

District and Country

Code: **F_192**

Product name LAVATRICE CLASSICO 8% UFI: KC93-806F-900D-5P2S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Industrial Professional Consumer
Laundry detergent Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name NEW FADOR S.r.I.
Full address via Mario Calderara, 31

25018 Montichiari (BS)

Italia

Tel. +39 030961 243

www.newfador.it

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to **NEW FADOR S.r.I.**

+39 030961 243

(08.30 - 17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

Classified on the basis of the results of the ICE-PH-15/0339 study

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

2 of 17



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

insing

P337+P313 If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% Non-ionic surfactants, Soap 5% or over but less than Anionic surfactants

ろ% OI (150/

Perfumes

Preservation agents: Glutaral, Benzisothiazolinone, 2-Bromo-2-Nitropropane-1,3-Diol

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM

SALTS

INDEX - $4 \le x < 4,5$ Acute Tox. 4 H302,

Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412 LD50 Oral: 1080 mg/kg

EC 270-115-0 CAS 68411-30-3

REACH Reg. 01-2119489428-22



Conforms to Rea. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

3 of 17

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

INDEX - $1.5 \le x < 2$ Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412 Eve Dam. 1 H318: ≥ 10%. Eve Irrit. 2 H319: ≥ 1%

CAS 160901-19-9

EC 931-954-4

LD50 Oral: >300 mg/kg

Eye Dam. 1 H318,

REACH Reg. 01-2119490233-42

ALCOHOLS, C12-14,

ETHOXYLATED, SULFATES, SODIUM SALTS

INDEX - $1 \le x < 1.5$

Skin Irrit. 2 H315, Aquatic Chronic 3 H412 Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 5%

EC 500-234-8 CAS 68891-38-3

REACH Reg. 01-2119488639-16

bronopol (INN)

INDEX 603-085-00-8 $0 \le x < 0.05$ Acute Tox. 4 H302,

Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315,

STOT SE 3 H335, Aquatic Acute 1 H400 M=10,

Aquatic Chronic 2 H411 EC 200-143-0 STA Oral: 500 mg/kg, STA Dermal: 1100 mg/kg

CAS 52-51-7

REACH Reg. 01-2119980938-15

MORPHOLINE

INDEX 613-028-00-9 $0 \le x < 0.05$ Flam. Liq. 3 H226, Acute Tox. 4 H302,

Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318 LD50 Oral: 1050 mg/kg,

EC 203-815-1 STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l

CAS 110-91-8

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018
Revision n° 3

Rev. Date 7/11/2023

Page

4 of 17

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018 Revision n° 3

Rev. Date 7/11/2023

Page 5 of 17

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

AUS	Österreich	Gesamte Rechtsvorschrift für Grenzwerteverordnung 2021, Fassung vom 17.06.2021
BEL	Belgique	Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail
BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ,
		СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари
		2020r.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se
		stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.
		MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher
		Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH
		HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών
		2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με
		την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή
HUN	Magyararás	μεταλλαξιγόνους παράγοντες κατά την εργασία``» Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők
HUIN	Magyarország	hatásának kitett munkavállalók egészségének és biztonságának védelméről
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
IRL	Éire	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-
	2.110	2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)
LUX	Luxembourg	Règlement grand-ducal du 24 janvier 2020 modifiant le règlement grand-ducal du 14 novembre 2016
	g	concernant la protection des salariés contre les risques liés à l'exposition à des agents cancérigènes ou
		mutagènes au travail
LTU	Lietuva	Jsakymas dėl lietuvos higienos normos hn 23:2011 "cheminių medžiagų profesinio poveikio ribiniai dydžiai.
		Matavimo ir poveikio vertinimo bendrieji reikalavimai"patvirtinimo
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības
		saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)
MLT	Malta	PROTECTION OF THE HEALTH AND SAFETY OF WORKERS FROM THE RISKS RELATED TO
		CHEMICAL AGENTS AT WORK REGULATIONS (S.L.424.24). PROTECTION OF WORKERS FROM THE
		RISKS RELATED TO EXPOSURE TO CARCINOGENS OR MUTAGENS AT WORK REGULATIONS
		(S.L.424.22)
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i
		arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21.
NLD	Nederland	august 2018 nr. 1255
INLU	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes
1 101	i ortugai	químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à
		exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie
102	1 oloka	w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w
		środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii quvernului nr. 1.218/2006, precum și pentru modificarea
		și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS
	-	2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády
		Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s
1		



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018 Revision n° 3 Rev. Date 7/11/2023 Page

6 of 17

SVN Slovenija

United Kingdom GBR EU.

OEL EU

TLV-ACGIH

expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

Predicted no-effect concentra	ation - PNEC							
Normal value in fresh water				0,268	mg	/I		
Normal value in marine wate	er			0,027	mg	/I		
Normal value for fresh water	sediment			8,1	mg	/kg		
Normal value for marine wat	er sediment			6,8	mg	/kg		
Normal value for water, intermittent release					mg	/I		
Normal value of STP microorganisms					mg/l			
Normal value for the terrestri	ial compartment			35	mg	ı/kg		
Health - Derived no-effe	ect level - DNEL / [OMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,425 mg/kg bw/d		•		
Inhalation			1,5	1,5 mg/m3			6	6 mg/m3
Skin				42,5 mg/kg bw/d				85 mg/kg bw/d
		LFATES, SODIUM	WISALIS					
	ation - PNEC	LFATES, SODIO	WISALIS	0.24	mo	ı/I		
Normal value in fresh water	ation - PNEC	EPATES, SODIO	WIGALIS	0,24	mg ma			
Normal value in fresh water Normal value in marine wate	ation - PNEC	EPATES, SODIO	WI GALIS	0,024	mg	/I		
Normal value in fresh water Normal value in marine wate Normal value for fresh water	ation - PNEC er sediment	EPATES, SODIO	W SALIS		mg mg	ı/l ı/kg		
Normal value in fresh water Normal value in marine wate Normal value for fresh water Normal value for marine wat	er sediment	EPATES, SODIO	WISALIS	0,024 0,917	mg mg	ı/l ı/kg ı/kg		
Normal value in fresh water Normal value in marine wate Normal value for fresh water Normal value for marine wat Normal value for water, inter	er sediment er sediment mittent release	LPATES, SODIO	WISALIS	0,024 0,917 0,092	mg mg	ı/l ı/kg ı/kg		
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wate Normal value for water, inter Normal value of STP microo	er sediment er sediment mittent release rganisms	LPATES, SODIO	WISALIS	0,024 0,917 0,092 0,071	mg mg mg g/l	ı/l ı/kg ı/kg		
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo	er sediment er sediment mittent release rganisms		WISALIS	0,024 0,917 0,092 0,071	mg mg mg g/l	y/l //kg //kg //l		
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I		WISALIS	0,024 0,917 0,092 0,071	mg mg g/l mg	y/l //kg //kg //l		
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wate Normal value for water, inter Normal value of STP microo Normal value for the terrestri Health - Derived no-effe	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I		Chronic local	0,024 0,917 0,092 0,071 10 7,5	mg mg mg g/l	//l //kg //kg //kg //kg //kg Acute	Chronic local	Chronic
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestri Health - Derived no-effe	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I Effects on consumers	DMEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg	mg mg mg g/I mg Effects on workers	y/l //kg //kg //l	Chronic local	Chronic
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestri Health - Derived no-effe	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I Effects on consumers	DMEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic	mg mg mg g/I mg Effects on workers	//l //kg //kg //kg //kg //kg Acute	Chronic local	systemic
Predicted no-effect concentration. Normal value in fresh water. Normal value in marine water. Normal value for fresh water. Normal value for marine wat. Normal value for water, inter. Normal value of STP microo. Normal value for the terrestrict the terrestrict. Health - Derived no-effect. Route of exposure. Oral Inhalation.	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I Effects on consumers	DMEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d	mg mg mg g/I mg Effects on workers	//l //kg //kg //kg //kg //kg Acute	Chronic local	
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestri Health - Derived no-effet Route of exposure Oral Inhalation Skin	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I Effects on consumers	DMEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	mg mg mg g/I mg Effects on workers	//l //kg //kg //kg //kg //kg Acute	Chronic local	175 mg/m3 2750 mg/kg
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for water, inter Normal value of STP microo Normal value for the terrestri Health - Derived no-effet Route of exposure Oral Inhalation Skin	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I Effects on consumers Acute local	DMEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	mg mg mg g/I mg Effects on workers	//l //kg //kg //kg //kg //kg Acute	Chronic local	175 mg/m3 2750 mg/kg
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for water, inter Normal value of STP microo Normal value for the terrestri Health - Derived no-effect Route of exposure Oral Inhalation Skin bronopol (INN) Predicted no-effect concentri	er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I Effects on consumers Acute local	DMEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg	mg mg mg g/I mg Effects on workers	//l //kg //kg //kg //kg //kg Acute systemic	Chronic local	175 mg/m3 2750 mg/kg
Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestri Health - Derived no-effet Route of exposure Oral Inhalation	ation - PNEC er sediment er sediment mittent release rganisms ial compartment ect level - DNEL / I Effects on consumers Acute local	DMEL		0,024 0,917 0,092 0,071 10 7,5 Chronic systemic 15 mg/kg bw/d 52 mg/m3 1650 mg/kg bw/d	mg mg mg g/I mg Effects on workers Acute local	//l //kg //kg //kg //kg //kg //kg //kg /	Chronic local	175 mg/m3 2750 mg/kg



Conforms to Reg. (EU) 878/2020

Revision n° 3
Rev. Date 7/11/2023
Page

7 of 17

Normal value for marine water sediment	0,003	mg/kg/d
Normal value for water, intermittent release	0,003	mg/l
Normal value of STP microorganisms	0,43	mg/l
Normal value for the terrestrial compartment	0.5	ma/ka/d

Health - Derived no-eff		MEL			F" ·			
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral		1,1 mg/kg bw/d		0,35 mg/kg bw/d				
				DW/U				
Inhalation	1,3 mg/m3	3,7 mg/m3	1,3 mg/m3	1,2 mg/m3	4,2 mg/m3	12,3 mg/m3	4,2 mg/m3	4,1 mg/m3

Туре	Country	TWA/8h		STEL/15min	STEL/15min		
		mg/m3	ppm	mg/m3	ppm	Observations	
MAK	AUS	36	10	36	10		Häufigkeit pro Schicht:4x
VLEP	BEL	36	10	72	20	SKIN	
TLV	BGR	36	10	72	20		
TLV	CZE	35	9,66	70	19,32		
AGW	DEU	36	10	72	20	SKIN	
MAK	DEU	36	10	72	20		
TLV	DNK	36	10			SKIN	E
VLA	ESP	36	10	72	20		
VLEP	FRA	36	10	72	20		
HTP	FIN	36	10	72	20	SKIN	
TLV	GRC	36	10	72	20		
AK	HUN	36		72			
VLEP	ITA	36	10	72	20	SKIN	
OELV	IRL	36	10	72	20	SKIN	
VL	LUX	36	10	72	20		
RD	LTU	36	10	72	20		
RV	LVA	36	10	72	20		
TLV	MLT	36	10	72	20		
TLV	NOR	36	10			SKIN	
TGG	NLD	36		72		SKIN	
VLE	PRT	36	10	72	20		
NDS/NDSCh	POL	36		72		SKIN	
TLV	ROU	36	10	72	20		
NGV/KGV	SWE	35	10	72	20		
NPEL	SVK	36	10	72	20		
MV	SVN	36	10	72	20	SKIN	
WEL	GBR	36	10	72	20	SKIN	
OEL	EU	36	10	72	20		



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018
Revision n° 3

Rev. Date 7/11/2023

Page **8 of 17**

TLV-ACGIH 71 20 SKIN

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified; LOW = low hazard; MED = medium hazard: HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value liquid	Information
Colour	blue	
Odour Melting point / freezing point	characteristic 0 °C	Method: olfactory Method: literature data Substance: WATER
Initial boiling point	not available	
Flammability	not available	Reason for missing data: The substance/mixture is not flammable



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

9 of 17

Lower explosive limit not available

Upper explosive limit not available

Flash point not available

Auto-ignition temperature not available

Decomposition temperature not available

2 composition potataro

pH 8.5 ± 0.5 Kinematic viscosity 150 ± 50 Solubility soluble in water

Partition coefficient: n-octanol/water not available

Dispersion stability not available

Vapour pressure 0,02 Atm Density and/or relative density 1,01

Relative vapour density 0,0006

Reason for missing data: The substance/mixture is not explosive Reason for missing data: The substance/mixture is not explosive Reason for missing data: The substance/mixture is not flammable Reason for missing data: The substance/mixture does not self -have Reason for missing data: It only applies to authoritative substances and mixtures, organic peroxides and other substances and mixtures that they can decompose

Method: pHmeter Method: viscosimetro

Reason for missing data: does not apply to

inorganic and ionic liquids and, as a rule, it

does not apply to blends

Reason for missing data: The mixture does

not contain nanoform

Reason for missing data: not determined Method: scaled scale and cylinder

Nethod: Scaled Scale and Cylli

Remark: kg/dm3 Substance: WATER Temperature: 0 °C

Particle characteristics

Median equivalent diameter

Remark: It only applies to solids

Size distribution

Remark: It only applies to solids

Dustiness

Remark: It only applies to solids

Specific surface area

Remark: It only applies to solids

Shape

Remark: It only applies to solids

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not available Reason for missing data: Absent chemical

groups associated with explosive properties in accordance with the provisions of Annex I, Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008

- CLP

Oxidising properties not available Reason for missing data: Absent

requirements related to the presence of atoms or chemical bonds associated with oxidizing properties in the molecules of the components according to Annex I, Part 2,

2.13.4 Reg. (CE) 1272/2008

SECTION 10. Stability and reactivity



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

10 of 17

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

bronopol (INN)

Decomposes on contact with: water, metals, strong bases.

MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected. bronopol (INN)

Avoid exposure to: light,UV rays,moisture.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

bronopol (INN)

May develop: nitric oxide, carbon oxides, hydrobromic acid.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LD50 (Dermal): > 2000 mg/kg rat LD50 (Oral): 1080 mg/kg rat

ALCOHÒLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

11 of 17

LD50 (Dermal): > 2000 mg/kg rabbit LD50 (Oral): > 300 mg/kg rat

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LD50 (Dermal): > 2000 mg/kg rat LD50 (Oral): > 2000 mg/kg rat

bronopol (INN)

LD50 (Dermal): > 2000 mg/kg bw rat

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): 254 mg/kg Male Rat

LC50 (Inhalation mists/powders): > 0,588 mg/l air/4h rat

MORPHOLINE

LD50 (Dermal): 500 mg/kg Rabbit

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): 1050 mg/kg Rat LC50 (Inhalation vapours): 35,1 mg/l/1h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY ÓR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h Desmodesmus subspicatus

> 0,1 mg/l Daphnia magna EC10 for Crustacea

bronopol (INN)

LC50 - for Fish 35,7 mg/l/96 d Lepomis macrochirus



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

12 of 17

EC50 - for Crustacea 0,27 mg/l/21 d Daphnia magna

EC50 - for Algae / Aquatic Plants 0,25 mg/l/72h Skeletonema costatum

Chronic NOEC for Fish > 20 mg/l/96 h Lepomis macrochirus

Chronic NOEC for Crustacea 0,27 mg/l/21 d Daphnia magna

Chronic NOEC for Algae / Aquatic Plants 0,08 mg/l/72 h Skeletonema costatum

BENZENESULFONIC ACID, C10-13-ALKYL

DERIVS., SODIUM SALTS

 LC50 - for Fish
 1,67 mg/l/96h

 EC50 - for Crustacea
 2,9 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 0,91 mg/l/72h

 Chronic NOEC for Fish
 0,23 mg/l 72d

 Chronic NOEC for Crustacea
 0,5 mg/l 7d

 Chronic NOEC for Algae / Aquatic Plants
 0,5 mg/l 96h

ALCOHOLS, C12-14, ETHOXYLATED,

SULFATES, SODIUM SALTS

LC50 - for Fish > 1 mg/l/96h Danio rerio
EC50 - for Crustacea 7,2 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 27 mg/l/72h Desmodesmus subspicatus
Chronic NOEC for Fish 0,14 mg/l 28d Oncorhynchus mykiss
Chronic NOEC for Crustacea 0,18 mg/l 21d Daphnia magna

Chronic NOEC for Algae / Aquatic Plants 0,93 mg/l Desmodesmus subspicatus

12.2. Persistence and degradability

MORPHOLINE

Solubility in water 1000 - 10000 mg/l

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED Rapidly degradable bronopol (INN)

Solubility in water 286000 mg/l

Rapidly degradable BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS Rapidly degradable ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS Rapidly degradable

12.3. Bioaccumulative potential

MORPHOLINE

Partition coefficient: n-octanol/water -2,55
BCF < 0,65

bronopol (INN)

Partition coefficient: n-octanol/water 0,22 BCF 3,16



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

13 of 17

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS BCF

159

0,34

12.4. Mobility in soil

MORPHOLINE

Partition coefficient: soil/water -0,6196

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

bronopol (INN)

Partition coefficient: soil/water 1,56 Soil 4: clay loam

ALCOHOLS, C12-14, ETHOXYLATED,

SULFATES, SODIUM SALTS
Partition coefficient: soil/water

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page 14 of 17

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

15 of 17

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation



Conforms to Rea. (EU) 878/2020

Issued on 04/10//2018

Revision n° 3

Rev. Date 7/11/2023

Page

16 of 17

- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP) 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.



Conforms to Reg. (EU) 878/2020

Issued on 04/10//2018
Revision n° 3

Rev. Date 7/11/2023 Page

17 of 17

Changes to previous review: The following sections were modified: 02 / 03 / 08 / 09 / 11 / 12 / 15.