

Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2

Sch. Date 05/2010

Sheet Rev.1 Page

Document n° Date prepared 9/16 15.03.2021

N° rev. 1

Compiled by RLAB

Approved by DG

Filed by RLAB

1 of 13

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name DEXAL LAVATRICE Tabacco e Vaniglia 51 **UFI** Code ESW0-G0P7-T009-83PG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Industrial Professional Consumer laundry detergent

Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

NEW FADOR S.r.I. Name Full address Via M. Calderara 31 District and Country 25018 Montichiari (BS) Tel. +39 030 961243 Fax +39 030 962500

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

Tel. +39 030 961243 (office hours) For urgent inquiries refer to

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1 H318 Causes serious eye damage.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON CENTER.

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS Contains:

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Document n°

9/16

MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 830/2015

RLAB

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Compiled by Filed by Approved by Page DG **RLAB** 2 of 13

Ingredients according to Regulation (EC) No. 648/2004

non-ionic surfactants, soap Less than 5% 5% or over but less than anionic surfactants

15%

perfumes

preservation agents: 2-Bromo-2-Nitropropane-1,3-Diol, Glutaral, Benzisothiazolinone

Date prepared

15.03.2021

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

N° rev.

1

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS	x = Conc. %	Classification 1272/2008 (CLP)		
CAS 68891-38-3	5 ≤ x < 6	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412		
EC 500-234-8		Aquatic Officiale 3 FI412		
INDEX - Reg. no. 01-2119488639-16				
BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS				
CAS 68411-30-3	3 ≤ x < 3,5	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412		
EC 270-115-0		Aquatio official of TTT2		
INDEX -				
Reg. no. 01-2119489428-22				
ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED CAS 160901-19-9	2 ≤ x < 2,5	Acute Tox. 4 H302,		
	_ = % _ ,0	Eye Dam. 1 H318, Aquatic Chronic 3 H412		
EC 931-954-4		Aquatic Chronic 3 H412		
INDEX -				
Reg. no. 01-2119490233-42				
2-BROMO-2-NITROPROPAN-1,3-DIOL CAS 52-51-7	0 ≤ x < 0,05	Acute Tox. 4 H302,		
ONG 32317	0 = X × 0,00	Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Acute 1 H400 M=10, Aquatic Chronic 2 H411		
EC 200-143-0		·		
INDEX 603-085-00-8				
Reg. no. 01-2119980938-15 MORPHOLINE				
CAS 110-91-8	0 ≤ x < 0,05	Flam. Liq. 3 H226, Acute Tox. 3 H311, Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Corr. 1B H314,		
EC 203-815-1		Eye Dam. 1 H318		

INDEX 613-028-00-9 Reg. no. 01-2119496057-30



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page

9/16 15.03.2021 1 RLAB DG RLAB 3 of 13

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1
Page

Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
9/16	15.03.2021	1	RLAB	DG	RLAB	4 of 13

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА МИНИСТЕРСТВО НА
075	× 14 5 12	ЗДРАВЕОПАЗВАНЕТО НАРЕДБА No 13 от 30 декември 2003 г (4 Септември 2018г)
CZE	Česká Republika	Nařízení vlády č. 246/2018 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se
		stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	TRGS 900 (Fassung 31.1.2018 ber.) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	ΕΦΗΜΕΡΙΔ Α ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ - ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 152 - 21 Αυγούστου 2018
HRV	Hrvatska	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti
		i biološkim graničnim vrijednostima (NN 91/18)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Regeling van de Staatssecretaris van Sociale Zaken en Werkgelegenheid van 13 juli 2018, 2018-
		0000118517 tot wijziging van de Arbeidsomstandighedenregeling in verband met de implementatie van
		Richtlijn 2017/164 in Bijlage XIII
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos
	. o.taga.	trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no
		trabalho - Diário da República, 1.ª série - N.º 111 - 11 de junho de 2018
POL	Polska	ROZPORZADZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
SVK	Slovensko	Nariadenie vlády č. 33/2018 Z. z. Nariadenie vlády Slovenskej republiky, ktorým sa mení a dopĺňa
SVK	Sioverisko	
		nariadenie vlády Slovenskej republiky č. 355/2006 Z. z. o ochrane zamestnancov pred rizikami súvisiacimi
ODD	11.76 1125 1	s expozíciou chemickým faktorom pri práci v znení neskorších predpisov
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition, published 2018)
EU	OEL EU	Direttiva (UE) 2019/1831; Direttiva (UE) 2019/130; Direttiva (UE) 2019/983; Direttiva (UE) 2017/2398;
		Direttiva (UE) 2017/164; Direttiva 2009/161/UE; Direttiva 2006/15/CE; Direttiva 2004/37/CE; Direttiva
		2000/39/CE; Direttiva 98/24/CE; Direttiva 91/322/CEE.
	TLV-ACGIH	ACGIH 2020

ALCOHOLS, C12-14, ETHOXILATED, SOLFATES, SODI	JINI SALIS		
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,24	mg/l	
Normal value in marine water	0,024	mg/l	
Normal value for fresh water sediment	0,917	mg/kg	
Normal value for marine water sediment	0,092	mg/kg	
Normal value for water, intermittent release	0,071	mg/l	
Normal value of STP microorganisms	10	g/l	
Normal value for the terrestrial compartment	7,5	mg/kg	
II M D : I M (I I DNEI / DAEI			

Normal value for the terrest	inai compartment			7,5	1110	y/Ny		
Health - Derived no-eff	ect level - DNEL / D	OMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				15 mg/kg bw/d				-
Inhalation				52 mg/m3				175 mg/m3
Skin				1650 ma/ka				2750 ma/ka



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

ocument n° Date prepared N° rev. Compiled by Approved by Filed by Page 9/16 15.03.2021 1 RLAB DG RLAB 5 of 13

Normal value in fresh water 0,268 mg/l	Predicted no-effect concentration - PNEC Normal value in fresh water Normal value in marine water				bw/d				bw/d
Newtood or effect concontration - PNEC	Predicted no-effect concentration - PNEC Normal value in fresh water Normal value in marine water		ERIVS., SODI	UM SALTS					
Commain value for freely water sediment	Normal value in marine water								
Normal value for fresh water sedement					0,268	mg	/I		
Normal value for matrine water intermittent release 0,017 mg/	Mormal value for fresh water sediment								
Name Value Forward recommend Name					•	mg	/kg		
Normal value of STP microorganisms	Normal value for marine water sediment				6,8	mg	/kg		
Normal value for the terrestrial compartment Section		se				mg	/I		
Health - Derived no-effect level - DNEL DNEL						mg	/I		
Effects on consumers Chronic local Chron	Normal value for the terrestrial compartme	ent			35	mg	/kg		
Name Pack	Effect	ts on	iL						
Content			Acute systemic	Chronic local				Chronic local	
1.5 1.5 mg/m3 6 6 mg/m3 88 mg/kg 5	Oral				0,425 mg/kg		Systemic		Systemic
ERRONO-2-NITROPROPAN-1,3-DIOL	nhalation			1,5				6	6 mg/m3
Septembor Sept	Skin								
Normal value in fresh water									
Normal value in fresh water 0.001 mg/l									
Normal value in marine water					0.01		.//		
Normal value for fresh water sediment 0.041 mg/kg									
Normal value for marine water sediment									
Normal value for water, intermittent release 0.003 mg/l									
Normal value of STP microorganisms									
Normal value for the terrestrial compartment 0,5 mg/kg	·	se				mg	/I		
Feelth - Derived no-effect level - DNEL / DNEL Effects on consumers Chronic local Chronic local Chronic local Chronic systemic Sy						mg	/I		
Effects on consumers	Normal value for the terrestrial compartme	ent			0,5	mg	/kg		
Acute local Acute local Acute systemic Chronic local Chronic local Systemic	Effect	ts on	iL						
1,1 mg/kg bw/d			Acute systemic	Chronic local				Chronic local	
Inhalation			1,1 mg/kg bw/d				Зубютно		Systemic
MORPHOLINE Threshold Limit Value TWA/8h STEL/15min Remarks / Observations TRV	Oral								
Threshold Limit Value	nhalation 1,3 m	ng/m3 3			bw/d 1,2 mg/m3				
Type	nhalation 1,3 m	ng/m3 3			bw/d 1,2 mg/m3 1,4 mg/kg	0,013		0,013	2,3 mg/kg
Mg/m3 ppm	nhalation 1,3 mg Skin 0,008	ng/m3 3			bw/d 1,2 mg/m3 1,4 mg/kg	0,013		0,013	2,3 mg/kg
SKIN	nhalation 1,3 mg Skin 0,008 WORPHOLINE Threshold Limit Value	ng/m3 3 3 mg/cm2 4	4,2 mg/kg bw/d		bw/d 1,2 mg/m3 1,4 mg/kg bw/d	0,013	7 mg/kg bw/d	0,013	2,3 mg/kg
TLV CZE 35 70 SKIN AGW DEU 36 10 72 20 SKIN MAK DEU 36 10 72 20 TLV DNK 36 10 72 20 TLV DNK 36 10 72 20 TLV GRC 36 10 72 20 SKIN TLEP ITA 36 10 72 20 SKIN TGG NLD 36 10 72 20 SKIN TGG SKIN TGG NLD 36 10 72 20 SKIN TGG SKIN TGG NLD 36 10 72 20 SKIN TGG SKI	nhalation 1,3 mg Skin 0,008 MORPHOLINE Fhreshold Limit Value	ng/m3 3 8 mg/cm2 4	1,2 mg/kg bw/d		bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min	0,013	7 mg/kg bw/d Remarks /	0,013 mg/cm2	2,3 mg/kg
AGW DEU 36 10 72 20 SKIN MAK DEU 36 10 72 20 SKIN MAK DEU 36 10 72 20 SKIN MAK BEP 5RA 36 10 72 50 SKIN MAK BEP 5RA 36 10 72 50 SKIN	MORPHOLINE Threshold Limit Value Type Count	ng/m3 3 8 mg/cm2 4	4,2 mg/kg bw/d FWA/8h mg/m3	0,008 mg/cm2	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min	0,013 mg/cm2	7 mg/kg bw/d Remarks / Observatio	0,013 mg/cm2	2,3 mg/kg
MAK DEU 36 10 72 20 TLV DNK 36 10 72 20 VLEP FRA 36 10 72 20 TLV GRC 36 10 72 20 SKIN TLV GRC 36 10 72 20 SVIKGVI HRV 36 10 72 20 SKIN VLEP ITA 36 10 72 20 SKIN TGG NLD 36 10 72 20 SKIN TGG NLD 36 10 72 20 SKIN NDS / NDSCh POL 36 72 VLE PRT 36 10 72 20 SKIN NDS / NDSCh POL 36 72 VLE GRC 36 10 72 SCIN NDS / NDSCh POL 36 SKIN NDS / ND	nhalation 1,3 m. Skin 0,008 MORPHOLINE Threshold Limit Value Type Count	ng/m3 3 8 mg/cm2 4	1,2 mg/kg bw/d FWA/8h mg/m3 20	0,008 mg/cm2	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3	0,013 mg/cm2	7 mg/kg bw/d Remarks / Observatio	0,013 mg/cm2	2,3 mg/kg
DNK 36 10 72 20 74 72 74 75 75 75 75 75 75 75	1,3 m	ng/m3 3 8 mg/cm2 4	FWA/8h mg/m3 20 35	0,008 mg/cm2	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3	0,013 mg/cm2	7 mg/kg bw/d Remarks / Observatio SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
VLA ESP 36 10 72 20 VLEP FRA 36 10 72 20 TLV GRC 36 10 72 20 GVIKGVI HRV 36 10 72 20 SKIN VLEP ITA 36 10 72 20 SKIN TGG NLD 36 10 72 20 SKIN NDS / NDSCh POL 36 72 VLE PRT 36 10 72 20 SKIN NPEL SVK 36 10 72 20 SKIN NDS / NDS Ch PRT 36 10 72 20 SKIN NDS / NDS Ch PRT 36 10 72 20 SKIN NDS / NDS Ch PRT 36 10 72 20 SKIN	1,3 m	ng/m3 3 8 mg/cm2 2	FWA/8h mg/m3 20 35	0,008 mg/cm2 ppm	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3	0,013 mg/cm2	7 mg/kg bw/d Remarks / Observatio SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
VLEP FRA 36 10 72 20 TLV GRC 36 10 72 20 GVI/KGVI HRV 36 10 72 20 SKIN VLEP ITA 36 10 72 20 SKIN FGG NLD 36 10 72 20 SKIN NDS / NDSCh POL 36 72 20 SKIN VLE PRT 36 10 72 20 VPEL SVK 36 10 72 20 SKIN	1,3 m	ng/m3 3 8 mg/cm2 4	FWA/8h mg/m3 20 35 36	0,008 mg/cm2 ppm	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3	0,013 mg/cm2	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
FLV GRC 36 10 72 20 GVI/KGVI HRV 36 10 72 20 SKIN VLEP ITA 36 10 72 20 SKIN TGG NLD 36 10 72 20 SKIN NDS / NDSCh POL 36 72 72 VLE PRT 36 10 72 20 NPEL SVK 36 10 72 20 SKIN	1,3 m	ng/m3 3 8 mg/cm2 4	TWA/8h mg/m3 20 35 36	0,008 mg/cm2 ppm 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3	0,013 mg/cm2	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
GVI/KGVI HRV 36 10 72 20 SKIN VLEP ITA 36 10 72 20 SKIN TGG NLD 36 10 72 20 SKIN NDS / NDSCh POL 36 72 72 VLE PRT 36 10 72 20 NPEL SVK 36 10 72 20 SKIN	1,3 m 0,008	ng/m3 3 8 mg/cm2 4	FWA/8h mg/m3 20 35 36 36 36	0,008 mg/cm2 ppm 10 10 10	bw/d 1.2 mg/m3 1.4 mg/kg bw/d STEL/15min mg/m3 70 72 72	0,013 mg/cm2 ppm 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
VLEP ITA 36 10 72 20 SKIN TGG NLD 36 10 72 20 SKIN NDS / NDSCh POL 36 72 72 72 VLE PRT 36 10 72 20 NPEL SVK 36 10 72 20 SKIN WEL GBR 36 10 72 20 SKIN	1,3 m	ng/m3 3 8 mg/cm2 4	TWA/8h mg/m3 20 35 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72	0,013 mg/cm2 ppm 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
FIGG NLD 36 10 72 20 SKIN NDS / NDSCh POL 36 72 /LE PRT 36 10 72 20 NPEL SVK 36 10 72 VE WEL GBR 36 10 72 20 SKIN	MORPHOLINE Threshold Limit Value TLV BGR TLV CZE AGW DEU MAK DEU TLV DNK TLV DNK TLV DNK TLV FRA	ng/m3 3 8 mg/cm2 2	FWA/8h mg/m3 20 35 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72	0,013 mg/cm2 ppm 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
NDS / NDSCh POL 36 72 /LE PRT 36 10 72 20 NPEL SVK 36 10 72 WEL GBR 36 10 72 20 SKIN	1,3 m	ng/m3 3 8 mg/cm2 2	FWA/8h mg/m3 20 35 36 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72 72 72	0,013 mg/cm2 ppm 20 20 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
NDS / NDSCh POL 36 72 VLE PRT 36 10 72 20 NPEL SVK 36 10 72 WEL GBR 36 10 72 20 SKIN	Name	ng/m3 3 8 mg/cm2 2	TWA/8h mg/m3 20 35 36 36 36 36 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72 72 72 72 72 72	0,013 mg/cm2 ppm 20 20 20 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
VLE PRT 36 10 72 20 NPEL SVK 36 10 72 WEL GBR 36 10 72 20 SKIN	MORPHOLINE Threshold Limit Value Type Count TLV BGR TLV CZE AGW DEU MAK DEU TLV DNK VLA ESP VLEP FRA TLV GRC GVI/KGVI HRV VLEP ITA	ng/m3 3 8 mg/cm2 2	TWA/8h mg/m3 20 35 36 36 36 36 36 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10 10 10 10 10	bw/d 1.2 mg/m3 1.4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72 72 72 72 72 72 72	0,013 mg/cm2 ppm 20 20 20 20 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
NPEL SVK 36 10 72 WEL GBR 36 10 72 20 SKIN	MORPHOLINE Threshold Limit Value Type Count TLV BGR TLV CZE AGW DEU MAK DEU TLV VLA ESP VLEP FRA TLV GRC GVI/KGVI HRV VLEP ITA TGG NLD	ng/m3 3 8 mg/cm2 2	FWA/8h mg/m3 20 35 36 36 36 36 36 36 36 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72 72 72 72 72 72 72 72 72 72 72	0,013 mg/cm2 ppm 20 20 20 20 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
WEL GBR 36 10 72 20 SKIN	MORPHOLINE Threshold Limit Value Type Count TLV BGR TLV CZE AGW DEU MAK DEU TLV DNK VLA ESP VLEP FRA TLV GRC GVI/KGVI HRV VLEP ITA TGG NLD NDS / NDSCh POL	ng/m3 3 8 mg/cm2 2	FWA/8h mg/m3 20 35 36 36 36 36 36 36 36 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72 72 72 72 72 72 72 72 72 72 72	0,013 mg/cm2 ppm 20 20 20 20 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
	MORPHOLINE Threshold Limit Value TLV BGR TLV CZE AGW DEU MAK DEU TLV DNK VLA ESP VLEP FRA TLV GRC GVI/KGVI HRV VLEP ITA TGG NLD NDS / NDSCh POL VLE PRT	ng/m3 3 8 mg/cm2 2	TWA/8h mg/m3 20 35 36 36 36 36 36 36 36 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10 10 10 10 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72 72 72 72 72 72 72 72 72 72 72	0,013 mg/cm2 ppm 20 20 20 20 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN SKIN SKIN	0,013 mg/cm2	2,3 mg/kg
	MORPHOLINE Threshold Limit Value Type Count TLV BGR TLV CZE AGW DEU MAK DEU TLV DNK VLA ESP VLEP FRA TLV GRC GVI/KGVI HRV VLEP ITA TGG NLD NDS / NDSCh POL VLE NPEL SVK	ng/m3 3 8 mg/cm2 4	4,2 mg/kg bw/d FWA/8h mg/m3 20 35 36 36 36 36 36 36 36 36 36 36 36 36 36	0,008 mg/cm2 ppm 10 10 10 10 10 10 10 10 10 10 10 10 10	bw/d 1,2 mg/m3 1,4 mg/kg bw/d STEL/15min mg/m3 70 72 72 72 72 72 72 72 72 72 72 72 72 72	0,013 mg/cm2 ppm 20 20 20 20 20 20 20 20	7 mg/kg bw/d Remarks / Observatio SKIN SKIN SKIN SKIN SKIN SKIN SKIN SKI	0,013 mg/cm2	2,3 mg/kg



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 9/16 15.03.2021 1 RLAB DG RLAB 6 of 13

TLV-ACGIH 7	1 2	20	SKIN
-------------	-----	----	------

Predicted no-effect concentration - PNEC			
Valore di riferimento in acqua dolce	0,1	mg/l	
Valore di riferimento in acqua marina	0,01	mg/l	
Valore di riferimento per sedimenti in acqua dolce	0,01	mg/kg	
Valore di riferimento per sedimenti in acqua marina	1,49	mg/kg	
Valore di riferimento per l'acqua, rilascio intermittente	0,28	mg/l	
Valore di riferimento per i microorganismi STP	10	mg/l	
Valore di riferimento per il compartimento terrestre	0,239	mg/kg	

Health - Derived no-ef	fect level - DNEL / [OMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral		38 mg/kg bw/d		6,3 mg/kg				
				bw/d				
Inhalation	18 mg/m3		3,2 mg/m3	45 mg/m3			36 mg/m3	91 mg/m3
Skin				0,52 mg/kg				1,04 mg/kg
				bw/d				bw/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid
Colour white
Odour characteristic
Odour threshold Not available
pH 8,5 - 9,5



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 9/16 15.03.2021 1 RLAB DG RLAB 7 of 13

Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point Not available Evaporation rate Not available Flammability (solid, gas) Not available Not available Lower inflammability limit Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Vapour density Not available Relative density 1,007 g/ml soluble in water Solubility Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Not available Decomposition temperature Viscosity 200 - 300 mPa*s

Explosive properties not classified as explosive, contains no explosive substances according to CLP Art. (14 (2))

Oxidising properties the product is not an oxidizing substance

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Decomposes on contact with: water, metals, strong bases.

MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Avoid exposure to: light, UV rays, moisture.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

2-BROMO-2-NITROPROPAN-1,3-DIOL

May develop: nitric oxide, carbon oxides, hydrobromic acid.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Jon. Date 00/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 9/16 15.03.2021 1 RLAB DG RLAB 8 of 13

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:

Not classified (no significant component)

LD50 (Oral) of the mixture:

>2000 mg/kg

LD50 (Dermal) of the mixture:

Not classified (no significant component)

MORPHOLINE

LD50 (Oral) 1050 mg/kg Rat

LD50 (Dermal) 500 mg/kg Rabbit

LC50 (Inhalation) 35,1 mg/l/1h Rat

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Oral) > 300 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rabbit

2-BROMO-2-NITROPROPAN-1,3-DIOL

LD50 (Oral) 254 mg/kg rat

LD50 (Dermal) 64 mg/kg rat

LC50 (Inhalation) 0,588 mg/l/4h rat

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LD50 (Oral) 1080 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rat

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LD50 (Oral) > 2000 mg/kg rat

LD50 (Dermal) > 2000 mg/kg rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

MORPHOLINE



9/16

MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 830/2015

Compiled by

RLAB

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Approved by Filed by Page
DG RLAB 9 of 13

 LC50 - for Fish
 179 mg/l/96h

 EC50 - for Crustacea
 45 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 51 mg/l/72h

 Chronic NOEC for Algae / Aquatic Plants
 31 mg/l 72h

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Date prepared

15.03.2021

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h Desmodesmus subspicatus

EC10 for Crustacea > 0,1 mg/l Daphnia magna

N° rev.

1

2-BROMO-2-NITROPROPAN-1,3-DIOL

LC50 - for Fish 20 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 1,6 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,25 mg/l/72h Chronic NOEC for Algae / Aquatic Plants 0,08 mg/l

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

 LC50 - for Fish
 1,67 mg/l/96h

 EC50 - for Crustacea
 2,9 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 0,91 mg/l/72h

 Chronic NOEC for Fish
 0,23 mg/l 72d

Chronic NOEC for Fish 0,23 mg/l 72c
Chronic NOEC for Crustacea 0,5 mg/l 7d
Chronic NOEC for Algae / Aquatic Plants 0,5 mg/l 96h

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LC50 - for Fish > 1 mg/l/96h Danio rerio EC50 - for Crustacea 7,2 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 27 mg/l/72h Desmodesmus subspicatus
Chronic NOEC for Fish 0,14 mg/l 28d Oncorhynchus mykiss
Chronic NOEC for Crustacea 0,18 mg/l 21d Daphnia magna
Chronic NOEC for Algae / Aquatic Plants 0,93 mg/l Desmodesmus subspicatus

12.2. Persistence and degradability

MORPHOLINE

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Rapidly degradable

2-BROMO-2-NITROPROPAN-1,3-DIOL

Solubility in water 286000 mg/l

Rapidly degradable

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Rapidly degradable

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Rapidly degradable

12.3. Bioaccumulative potential

MORPHOLINE

Partition coefficient: n-octanol/water -2,55
BCF -2,55

2-BROMO-2-NITROPROPAN-1,3-DIOL

Partition coefficient: n-octanol/water 0,22 BCF 3,16



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page

9/16 15.03.2021 1 RLAB DG RLAB 10 of 13

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

BCF 159

12.4. Mobility in soil

MORPHOLINE

Partition coefficient: soil/water -0,6196

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Partition coefficient: soil/water 0,34

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Page 11 of 13

Document n° 9/16

Date prepared	N° rev
15.03.2021	1

Compiled by RLAB

DG

Approved by Filed by RLAB

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

<u>Product</u>

3 - 40 Point

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3 Acute Tox. 3 Acute toxicity, category 3 Acute Tox. 4 Acute toxicity, category 4 Skin Corr. 1B Skin corrosion, category 1B Eve Dam. 1 Serious eye damage, category 1 Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3 **Aquatic Acute 1** Hazardous to the aquatic environment, acute toxicity, category 1 **Aquatic Chronic 2** Hazardous to the aquatic environment, chronic toxicity, category 2 **Aquatic Chronic 3** Hazardous to the aquatic environment, chronic toxicity, category 3

H226 Flammable liquid and vapour. H311 Toxic in contact with skin. H302 Harmful if swallowed. H312 Harmful in contact with skin

H332 Harmful if inhaled.



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
9/16	15.03.2021	1	RLAB	DG	RLAB	12 of 13

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train - TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 9/16 15.03.2021 1 RLAB DG RLAB 13 of 13

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.