

Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1 Page

Document n° 01/21

Date prepared N° rev. 21.01.2022

Compiled by RLAB

Approved by DG

Filed by RLAB

1 of 14

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: F\_226

Product name DEXAL Detersivo per lana, seta e capi delicati classico 1,5 I UFI:

18D3-F0NX-Q007-N8VY

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified Uses** Industrial Professional Consumer laundry detergent **Uses Advised Against** 

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

**NEW FADOR S.r.I.** Name Full address via Mario Calderara, 31 25018 Montichiari (BS) District and Country Italia

> Tel. +39 030961 243 www.newfador.it

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

**NEW FADOR S.r.I.** For urgent inquiries refer to

+39 030961 243

(08.30 - 17.30)

# **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

H319 Eye irritation, category 2 Causes serious eve irritation.

Hazardous to the aquatic environment, chronic toxicity, H412 Harmful to aquatic life with long lasting effects.

category 3

Classified based on DetNet Logging Number 1758 documents

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eve irritation.

H412 Harmful to aquatic life with long lasting effects.



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2

Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 01/21 21.01.2022 1 RLAB DG RLAB 2 of 14

**EUH208** Contains: 2-OCTYL-2HISOTHIAZOL-3-ONE, 1,2-BENZISOTHIAZOLIN-3-ONE

May produce an allergic reaction.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 Wear eve protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337+P313 If eye irritation persists: Get medical advice / attention.

P501 Dispose of contents/container in accordance to current regulation.

#### Ingredients according to Regulation (EC) No. 648/2004

phosphonates, non-ionic surfactants, soap Less than 5%

5% or over but less than anionic surfactants

15%

enzymes

perfumes, Citronellol

Preservation agents: BENZISOTHIAZOLINONE, OCTYLISOTHIAZOLINONE

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration >= 0.1%.

# **SECTION 3. Composition/information on ingredients**

# 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification Classification 1272/2008 (CLP) x = Conc. %

**BENZENESULFONIC ACID, C10-**13-ALKYL DERIVS., SODIUM

SALTS

CAS 68411-30-3  $5 \le x < 6$ Acute Tox. 4 H302,

Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412 LD50 Oral: 1080 mg/kg

EC 270-115-0 INDEX -

REACH Reg. 01-2119489428-22

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, **SODIUM SALTS** 

CAS 68891-38-3  $5 \le x < 6$ Eye Dam. 1 H318, Skin Irrit. 2 H315,

Aquatic Chronic 3 H412

EC 500-234-8 Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 5% INDEX -

REACH Reg. 01-2119488639-16 ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

CAS 160901-19-9 Acute Tox. 4 H302  $1.5 \le x < 2$ 



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2

Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 01/21 21.01.2022 1 RLAB RLAB 3 of 14 DG

> Eye Dam. 1 H318, Aquatic Chronic 3 H412

Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 1%

LD50 Oral: >300 mg/kg

REACH Reg. 01-2119490233-42 1,2-benzisothiazolin-3-one

EC 931-954-4

INDFX -

CAS 2634-33-5  $0 \le x < 0.05$ Acute Tox. 1 H330,

Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317 Aquatic Acute 1 H400 M=1,

Aquatic Chronic 2 H411 EC 220-120-9 Skin Sens. 1 H317: ≥ 0,05%

INDEX 613-088-00-6 STA Oral: 500 mg/kg, STA Inhalation vapours: 0,05 mg/l, STA Inhalation

mists/powders: 0,005 mg/l, STA Inhalation gas: 10 ppm

REACH Reg. 01-2120761540-60 2-octyl-2Hisothiazol-3-one

CAS 26530-20-1  $0 \le x < 0.0015$ Acute Tox. 2 H330,

Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1 H314. Eye Dam. 1 H318, Skin Sens. 1A H317,

Aguatic Acute 1 H400 M=100.

Aquatic Chronic 1 H410 M=100, EUH071

Skin Sens. 1A H317: ≥ 0,0015%

LD50 Oral: 125 mg/kg, LD50 Dermal: 311 mg/kg, LC50 Inhalation

mists/powders: 0,27 mg/L

**MORPHOLINE** 

EC 247-761-7

INDEX 613-112-00-5

 $0 \le x < 0.05$ CAS 110-91-8 Flam. Liq. 3 H226

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318

EC 203-815-1 LD50 Oral: 1050 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours:

11 mg/l

INDEX 613-028-00-9

REACH Reg. 01-2119496057-30

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

# 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

# 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### **SECTION 5. Firefighting measures**



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 01/21 21.01.2022 1 RLAB DG RLAB 4 of 14

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

# 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

# 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

### **SECTION 8. Exposure controls/personal protection**



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 01/21 21.01.2022 1 RLAB DG RLAB 5 of 14

# Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.  MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με
		την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Αz innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők
HUN	Magyarorszag	hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
SVK	Slovensko	NARIADENÍE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC: Directive 98/24/EC: Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2020

TLV-ACG	SIH	ACGIH 2020	,					
BENZENESULFONIC /	ACID, C10-13-ALKY	L DERIVS., SODI	IUM SALTS					
Predicted no-effect concen								
Normal value in fresh wate	r			0,268	mç	g/l		
Normal value in marine water					mç	g/l		
Normal value for fresh water sediment				8,1	mç	g/kg		
Normal value for marine wa	6,8	mg/kg						
Normal value for water, inte	ermittent release			0,017	mg/l			
Normal value of STP micro	organisms			3,43	mg/l			
Normal value for the terres	trial compartment			35	mg/kg			
Health - Derived no-ef	fect level - DNEL / D	MEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,425 mg/kg bw/d				
Inhalation			1,5	1,5 mg/m3			6	6 mg/m3
Skin				42,5 mg/kg bw/d				85 mg/kg bw/d

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SOD	IUM SALTS		
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,24	mg/l	
Normal value in marine water	0,024	mg/l	
Normal value for fresh water sediment	0,917	mg/kg	
Normal value for marine water sediment	0,092	mg/kg	
Normal value for water, intermittent release	0,071	mg/l	
Normal value of STP microorganisms	10	g/l	
Normal value for the terrestrial compartment	7,5	mg/kg	

Effects on consumers

Effects on



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1 Page

Document n° 01/21

Date prepared N° rev. 21.01.2022

1

Compiled by **RLAB** 

Approved by DG

Filed by **RLAB** 

6 of 14

Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				15 mg/kg bw/d				
Inhalation				52 mg/m3				175 mg/m3
Skin				1650 mg/kg bw/d				2750 mg/kg bw/d

Threshold Limit Value	Country	TWA/8h		STEL/15min		Remarks /	
Турс	Country	1 777/011		OTEL/13IIIII		Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	20				SKIN	
TLV	CZE	35		70		SKIN	
AGW	DEU	36	10	72	20	SKIN	
MAK	DEU	36	10	72	20		
TLV	DNK	36	10			SKIN	
VLA	ESP	36	10	72	20		
VLEP	FRA	36	10	72	20		
TLV	GRC	36	10	72	20		
AK	HUN	70		70		SKIN	
GVI/KGVI	HRV	36	10	72	20	SKIN	
VLEP	ITA	36	10	72	20	SKIN	
TGG	NLD	36	10	72	20	SKIN	
VLE	PRT	36	10	72	20		
NDS/NDSCh	POL	36		72			
NPEL	SVK	36	10	72			
WEL	GBR	36	10	72	20	SKIN	
OEL	EU	36	10	72	20		
TLV-ACGIH		71	20			SKIN	
Predicted no-effect conce	entration - PNEC						
Normal value in fresh wa	ter			0,1		mg/l	
Normal value in marine w	vater			0,01		mg/l	
Normal value for fresh water sediment				0,01		mg/kg	
Normal value for marine water sediment				1,49		mg/kg	
Normal value for water, intermittent release				0,28		mg/l	
Normal value of STP mic			10		mg/l		
Normal value for the terre			0,239		mg/kg		

Normal value for the terrestr		0,239	mg/kg					
Health - Derived no-effe	ect level - DNEL / D	OMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		38 mg/kg bw/d		6,3 mg/kg bw/d				
Inhalation	18 mg/m3		3,2 mg/m3	45 mg/m3			36 mg/m3	91 mg/m3
Skin				0,52 mg/kg bw/d				1,04 mg/kg bw/d

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

# HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1 Page

Document n° 01/21

Date prepared 21.01.2022 Compiled by RLAB

Approved by DG

Filed by RLAB

7 of 14

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

N° rev.

1

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

# SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### **EYE PROTECTION**

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

# **SECTION 9. Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Properties Appearance	<b>Value</b> liquid	Information
Colour	pink	
Odour	characteristic	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Flammability	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Flash point	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
рН	$8.5 \pm 0.5$	
Kinematic viscosity	Not available	
Dynamic viscosity	1500 ± 300 mPa*s	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	Not available	
Vapour pressure	Not available	
Density and/or relative density	1.03 ± 0.01	
Relative vapour density	Not available	
Particle characteristics	Not applicable	

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EC)

0.05 %

Explosive properties not classified as explosive,

contains no explosive



Conforming to Reg. (EU) 830/2015

Compiled by

Cod. Sch. S-P4/2-2

Sch. Date 05/2010

Sheet Rev.1 Page

Document n° 01/21

Date prepared 21.01.2022

RLAB

N° rev.

1

Approved by DG

Filed by RLAB

8 of 14

Oxidising properties

substances according to CLP Art. (14 (2)) the product is not an oxidizing substance

# **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

# 10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

# **ACUTE TOXICITY**

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LD50 (Oral): 1080 mg/kg rat LD50 (Dermal): > 2000 mg/kg rat

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LD50 (Oral): > 2000 mg/kg rat LD50 (Dermal): > 2000 mg/kg rat

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Oral): > 300 mg/kg rat LD50 (Dermal): > 2000 mg/kg rabbit



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 01/21 21.01.2022 1 RLAB DG RLAB 9 of 14

STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

STA (Inhalation mists/powders): 0,005 mg/l estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

STA (Inhalation vapours): 0,05 mg/l estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

10 ppm estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

2-octyl-2Hisothiazol-3-one

STA (Inhalation gas):

 LD50 (Oral):
 125 mg/kg

 LD50 (Dermal):
 311 mg/kg

 LC50 (Inhalation mists/powders):
 0,27 mg/l

**MORPHOLINE** 

LD50 (Oral): 1050 mg/kg Rat LD50 (Dermal): 500 mg/kg Rabbit

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation vapours): 35,1 mg/l/1h Rat

STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

**RESPIRATORY OR SKIN SENSITISATION** 

Contains: 2-OCTYL-2HISOTHIAZOL-3-ONE, 1,2-BENZISOTHIAZOLIN-3-ONE. May produce an allergic reaction.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

**ASPIRATION HAZARD** 

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

# **SECTION 12. Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

#### 12.1. Toxicity

MORPHOLINE

LC50 - for Fish179 mg/l/96hEC50 - for Crustacea45 mg/l/48hEC50 - for Algae / Aquatic Plants51 mg/l/72hChronic NOEC for Algae / Aquatic Plants31 mg/l 72h

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h Desmodesmus subspicatus

EC10 for Crustacea > 0,1 mg/l Daphnia magna

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 01/21 21.01.2022 1 RLAB DG RLAB 10 of 14

 LC50 - for Fish
 1,67 mg/l/96h

 EC50 - for Crustacea
 2,9 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 0,91 mg/l/72h

 Chronic NOEC for Fish
 0,23 mg/l 72d

 Chronic NOEC for Crustacea
 0,5 mg/l 7d

 Chronic NOEC for Algae / Aquatic Plants
 0,5 mg/l 96h

ALCOHOLS, C12-14, ETHOXYLATED,

SULFATES, SODIUM SALTS

EC50 - for Algae / Aquatic Plants 27 mg/l/72h Desmodesmus subspicatus
Chronic NOEC for Fish 0,14 mg/l 28d Oncorhynchus mykiss
Chronic NOEC for Crustacea 0,18 mg/l 21d Daphnia magna
Chronic NOEC for Algae / Aquatic Plants 0,93 mg/l Desmodesmus subspicatus

#### 12.2. Persistence and degradability

**MORPHOLINE** 

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED Rapidly degradable

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS Rapidly degradable

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS Rapidly degradable

#### 12.3. Bioaccumulative potential

**MORPHOLINE** 

Partition coefficient: n-octanol/water -2,55
BCF <2,8

BENZENESULFONIC ACID, C10-13-ALKYL

DERIVS., SODIUM SALTS

BCF 159

# 12.4. Mobility in soil

MORPHOLINE

Partition coefficient: soil/water -0,6196

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

ALCOHOLS, C12-14, ETHOXYLATED,

SULFATES, SODIUM SALTS

Partition coefficient: soil/water 0,34

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine



01/21

# MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 21.01.2022 1 RLAB DG **RLAB** 11 of 14

disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

Not applicable

### 14.2. UN proper shipping name

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

# 14.4. Packing group

Not applicable

# 14.5. Environmental hazards

Not applicable

# 14.6. Special precautions for user

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

### **SECTION 15. Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

**Product** 

3 - 40 Point

Contained substance

75 Point



01/21

# **MATERIAL SAFETY DATA SHEET**

Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

on. Date 00/2010

Compiled by Approved by Filed by Page

RLAB DG RLAB 12 of 14

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors Not applicable

### Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

N° rev.

1

#### Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

Date prepared

21.01.2022

None

#### Substances subject to the Rotterdam Convention:

None

#### Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

#### Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3 Acute Tox. 1 Acute toxicity, category 1 Acute Tox. 2 Acute toxicity, category 2 Acute Tox. 3 Acute toxicity, category 3 Acute Tox. 4 Acute toxicity, category 4 Skin Corr. 1B Skin corrosion, category 1B Skin Corr. 1 Skin corrosion, category 1 Eve Dam. 1 Serious eye damage, category 1 Eye Irrit. 2 Eye irritation, category 2 Skin Irrit. 2 Skin irritation, category 2 Skin Sens. 1 Skin sensitization, category 1 Skin Sens. 1A Skin sensitization, category 1A

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H226 Flammable liquid and vapour.

H330 Fatal if inhaled.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

						•
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
01/21	21.01.2022	1	RLAB	DG	RLAB	13 of 14

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website



Conforming to Reg. (EU) 830/2015

Cod. Sch. S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 01/21 21.01.2022 1 RLAB DG RLAB 14 of 14

- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 08 / 09 / 11 / 12 / 15 / 16.