#### Sheet Code S-P4/2-2 MATERIAL SAFETY DATA SHEET **I.C**., Sch. Date 05/2010 Conforming to Reg. (EU) 878/2020 Sheet Rev.1 Date prepared Document n° Date prepared N° rev. Date prepared N° rev. N° rev. 24/1427.12.2022 4 RLAB DG RLAB 1 di 11

# **SECTION 1.** Identification of the substance/mixture and of the company/undertaking

 1.1. Product identifier
 F\_208

 Code:
 F\_208

 Product name
 DEXAL AMMORBIDENTE Fantasie di Lavanda 2I

 UFI :
 AVJ0-700T-W00E-8RP9

Identified Uses	Industrial	Professional	Consumer	
Laundry softener	-	✓	~	
Uses Advised Against				
Do not use for uses other than those indicated				
1.3. Details of the supplier of the safety data	sheet			
Name	NEW FADOR S.r.I.			
Full address	via Mario Calderara, 31			
District and Country	25018 Montichiari (BS) Italia			
	Tel. +39 030961 243			
	www.newfador.it			
e-mail address of the competent person				
responsible for the Safety Data Sheet	info@newfador.it			
<b>1.4. Emergency telephone number</b> For urgent inquiries refer to	NEW FADOR S.r.I.			
с .				
	+39 030961 243			
	(08.30 - 17.30)			

# **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878. Hazard classification and indication:

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:	
Signal words:	
Hazard statements:	
Precautionary statements:	

# Ingredients according to Regulation (EC) No. 648/2004

Less than 5% cationic surfactants

perfumes, Benzyl Salicylate

Preservation agents: 2-Bromo-2-Nitropropane-1,3-Diol

Società italiana chimica	MATERI/ c	Sheet Code S-P4/2-2 Sch. Date 05/2010 Sheet Rev.1					
Document n°	Date prepared	Date prepared N° rev. Date prepared N° rev. Date prepared					
24/14	27.12.2022	4	RLAB	DG	RLAB	2 di 11	

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\ge 0.1\%$ .

# **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification         x = Conc. %         Classification (EC) 1272/2008 (CLP)           WATER         CAS 7732-18-5         94 ≤ x < 98           EC 231-791-2         INDEX -         DIHYDROGENATED           PALMOYLETHYL         HYDROXYETHYLMONIUM         HYDROXYETHYLMONIUM           METHOSULFATE & DIPALMOYLETHYL         UNDEX -         UNDEX -			
CAS       7732-18-5       94 ≤ x < 98	Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
EC 231-791-2 INDEX - DIHYDROGENATED PALMOYLETHYL HYDROXYETHYLMONIUM METHOSULFATE & DIPALMOYLETHYL	WATER		
INDEX - DIHYDROGENATED PALMOYLETHYL HYDROXYETHYLMONIUM METHOSULFATE & DIPALMOYLETHYL	CAS 7732-18-5	94 ≤ x < 98	
DIHYDROGENATED PALMOYLETHYL HYDROXYETHYLMONIUM METHOSULFATE & DIPALMOYLETHYL	EC 231-791-2		
PALMOYLETHYL HYDROXYETHYLMONIUM METHOSULFATE & DIPALMOYLETHYL	INDEX -		
DIPALMOYLETHYL	PALMOYLETHYL HYDROXYETHYLMONIUM		
HYDROXYETHYLMONIUM	HYDROXYETHYLMONIUM		
METHOSULFATE			
CAS 91995-81-2 1 ≤ x < 1,5 Eye Irrit. 2 H319, Skin Irrit. 2 H315	CAS 91995-81-2	1 ≤ x < 1,5	
EC 295-344-3	EC 295-344-3		
INDEX -	INDEX -		
MORPHOLINE	MORPHOLINE		
CAS 110-91-8 0 ≤ x < 0,05 Flam. Liq. 3 H226, Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318	CAS 110-91-8	0 ≤ x < 0,05	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314,
EVE Dam. 1 H316 EC 203-815-1 LD50 Oral: 1050 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l	EC 203-815-1		LD50 Oral: 1050 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours:
INDEX 613-028-00-9	INDEX 613-028-00-9		······
REACH Reg. 01-2119496057-30	REACH Reg. 01-2119496057-30		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Società italiana chimica	MATERI/ c	Sheet Code S-P4/2-2 Sch. Date 05/2010 Sheet Rev.1						
Document n°	Date prepared	Date prepared N° rev. Date prepared N° rev. Date prepared						
24/14	27.12.2022	4	RLAB	DG	RLAB	3 di 11		

Information not available

# **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with selfcontained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6.** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

	MATERIAL SAFETY DATA SHEET						
S.I.C <sub>srl</sub>		Sch. Date 05/2010					
Società italiana chimica	C	Sheet Rev.1					
Document n°	Date prepared	Date prepared N° rev. Date prepared N° rev. Date prepared					
24/14	27.12.2022	4	RLAB	DG	RLAB	4 di 11	

Information not available

# **SECTION 8. Exposure controls/personal protection**

# 8.1. Control parameters

# Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők
HRV	Hrvatska	hatásának kitett munkavállalók egészségének és biztonságának védelméről Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
GBR EU	United Kingdom OEL EU	EH40/2005 Workplace exposure limits (Fourth Edition 2020) Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

# MORPHOLINE

Threshold Limit Val				STEL/15min			
Туре	Country	TWA/8h	TWA/8h			Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	20				SKIN	
TLV	CZE	35		70		SKIN	
AGW	DEU	36	10	72	20	SKIN	
MAK	DEU	36	10	72	20		
TLV	DNK	36	10			SKIN	
VLA	ESP	36	10	72	20		
VLEP	FRA	36	10	72	20		
TLV	GRC	36	10	72	20		
AK	HUN	70		70		SKIN	
GVI/KGVI	HRV	36	10	72	20	SKIN	
VLEP	ITA	36	10	72	20	SKIN	
TGG	NLD	36	10	72	20	SKIN	
VLE	PRT	36	10	72	20		
NDS/NDSCh	POL	36		72			
NPEL	SVK	36	10	72			
WEL	GBR	36	10	72	20	SKIN	
OEL	EU	36	10	72	20		

Società italiana chimica		MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 878/2020						
Document n°	Date prepared	N° rev.	N° rev.					
24/14	27.12.2022	4	RLAB	DG	RLAB	5 di 11		

TLV-ACGIH		71	20	SKIN				
Predicted no-effect concent	tration - PNEC							
Normal value in fresh water	r			0,1	mg	ı/l		
Normal value in marine wat	ter			0,01	mg	ı/I		
Normal value for fresh wate	er sediment			0,01	mg	ı/kg		
Normal value for marine wa	ater sediment			1,49	mg	ı/kg		
Normal value for water, intermittent release				0,28	mg/l			
Normal value of STP microorganisms			10	mg/l				
Normal value for the terrest	trial compartment			0,239	mg	ı/kg		
Health - Derived no-ef	fect level - DNEL / Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		38 mg/kg bw/d		6,3 mg/kg bw/d				
Inhalation	18 mg/m3		3,2 mg/m3	45 mg/m3			36 mg/m3	91 mg/m3
Skin				0,52 mg/kg bw/d				1,04 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9.** Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value
Appearance	liquid
Colour	violet

Information

Società italiana chimica		Sheet Code S-P4/2-2 Sch. Date 05/2010 Sheet Rev.1				
Document n°	Date prepared	epared N° rev. Date prepared N° rev. Date prepared				
24/14	27.12.2022	4	RLAB	DG	RLAB	6 di 11

Odour	characteristic
Melting point / freezing point	not available
Initial boiling point	not available
Flammability	not available
Lower explosive limit	not available
Upper explosive limit	not available
Flash point	not available
Auto-ignition temperature	not available
Decomposition temperature	not available
рН	$3.0 \pm 0.5$
Kinematic viscosity	not available
Dynamic viscosity	50 ± 20 mPa*s
Solubility	soluble in water
Partition coefficient: n-octanol/water	not available
Vapour pressure	not available
Density and/or relative density	not available
Relative vapour density	not available
Particle characteristics	not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties

Oxidising properties

not classified as explosive, contains no explosive substances according to CLP Art. (14 (2)) No oxidizing properties

# **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### MORPHOLINE On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

#### Sheet Code S-P4/2-2 MATERIAL SAFETY DATA SHEET **I.C**., Sch. Date 05/2010 Conforming to Reg. (EU) 878/2020 Sheet Rev.1 Document n° Date prepared N° rev. Date prepared N° rev. Date prepared N° rev. 24/1427.12.2022 4 RLAB DG RLAB 7 di 11

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects Information not available ACUTE TOXICITY ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: Not classified (no significant component) Not classified (no significant component) ATE (Dermal) of the mixture: MORPHOLINE LD50 (Dermal): 500 mg/kg Rabbit 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP STA (Dermal): (figure used for calculation of the acute toxicity estimate of the mixture) LD50 (Oral): 1050 mg/kg Rat LC50 (Inhalation vapours): 35,1 mg/l/1h Rat SKIN CORROSION / IRRITATION Does not meet the classification criteria for this hazard class SERIOUS EYE DAMAGE / IRRITATION Does not meet the classification criteria for this hazard class **RESPIRATORY OR SKIN SENSITISATION** Does not meet the classification criteria for this hazard class Respiratory sensitization Information not available Skin sensitization Information not available GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class CARCINOGENICITY Does not meet the classification criteria for this hazard class REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class Adverse effects on sexual function and fertility Information not available Adverse effects on development of the offspring Information not available Effects on or via lactation Information not available STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class Target organs Information not available Route of exposure Information not available STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class Target organs Information not available Route of exposure Information not available **ASPIRATION HAZARD** Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine

Società italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 878/2020					Sheet Code S-P4/2-2 Sch. Date 05/2010 Sheet Rev.1
Document n°	Date prepared	N° rev.				
24/14	27.12.2022	4	RLAB	DG	RLAB	8 di 11

disruptors with human health effects under evaluation.

# **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

MORPHOLINE LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Algae / Aquatic Plants	179 mg/l/96h 45 mg/l/48h 51 mg/l/72h 31 mg/l 72h
12.2. Persistence and degradability	
MORPHOLINE Solubility in water Rapidly degradable	1000 - 10000 mg/l
12.3. Bioaccumulative potential	
MORPHOLINE Partition coefficient: n-octanol/water BCF	-2,55 < 2,8
12.4. Mobility in soil	
MORPHOLINE Partition coefficient: soil/water	-0,6196

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### **SECTION 13.** Disposal considerations

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

Società italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 878/2020					Sheet Code S-P4/2-2 Sch. Date 05/2010 Sheet Rev.1
Document n°	Date prepared	N° rev.	Date prepared	N° rev.	Date prepared	N° rev.
24/14	27.12.2022	4	RLAB	DG	RLAB	9 di 11

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

## 14.4. Packing group

not applicable

### 14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

# **SECTION 15. Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point	40				
Contained substance Point	75				
Regulation (EU) 2019/1148 - on the manual not applicable	arketing and use of explosives precursors				
Substances in Candidate List (Art. 59 F On the basis of available data, the proc	REACH) luct does not contain any SVHC in percentage ≥ than 0,1%.				
Substances subject to authorisation (Annex XIV REACH) None					
Substances subject to exportation repo	rting pursuant to Regulation (EU) 649/2012:				
Substances subject to the Rotterdam C None	Convention:				
Substances subject to the Stockholm C None	Convention:				
Healthcare controls Information not available					

Regulation (EC) No. 648/2004 Ingredients according to Regulation (EC) No. 648/2004

Società italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 878/2020					Sheet Code S-P4/2-2 Sch. Date 05/2010 Sheet Rev.1
Document n°	Date prepared	N° rev.				
24/14	27.12.2022	4	RLAB	DG	RLAB	10 di 11

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

# SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Irrit. 2	Eye irritation, category 2
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

# GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
   Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
   Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament

Società italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 878/2020					Sheet Code S-P4/2-2 Sch. Date 05/2010 Sheet Rev.1
Document n°	Date prepared	N° rev.				
24/14	27.12.2022	4	RLAB	DG	RLAB	11 di 11

9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament

11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament

12. Regulation (EU) 2016/1179 (IX Atp. CLP)

13. Regulation (EU) 2017/776 (X Atp. CLP)

14. Regulation (EU) 2018/669 (XI Atp. CLP)

15. Regulation (EU) 2019/521 (XII Atp. CLP)

16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)

17. Regulation (EU) 2019/1148

Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)

21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP) - The Merck Index. - 10th Edition

- Handling Chemical Safety

- INRS - Fiche Toxicologique (toxicological sheet)

- Patty - Industrial Hygiene and Toxicology

- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01/02/03/08/09/10/11/12/15/16.