



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

1 of 15

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code:	F_102
Product name	Candeggina Classica 3.5%
Chemical name and synonym	IPOCLORITO DI SODIO SOLUZIONE 3,5% CI ATTIVO
INDEX number	017-011-00-1
EC number	231-668-3
CAS number	7681-52-9
Registration Number	01-2119488154-34
UFI:	MS80-JOUR-E00Y-4JWF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
Whitener and bleach	-	✓	✓

Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name	NEW FADOR S.r.l.
Full address	via Mario Calderara, 31
District and Country	25018 Montichiari (BS) Italia
	Tel. +39 030961 243
	www.newfador.it

e-mail address of the competent person
responsible for the Safety Data Sheet

info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to	NEW FADOR S.r.l.
	+39 030961 243
	(08.30 - 17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Substance or mixture corrosive to metals, category 1	H290	May be corrosive to metals.
Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment, acute toxicity, category 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

Classification note
according to Annex
VI to the CLP



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

2 of 15

Regulation: B

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

- H290** May be corrosive to metals.
- H314** Causes severe skin burns and eye damage.
- H400** Very toxic to aquatic life.
- H411** Toxic to aquatic life with long lasting effects.
- EUH206** Warning! Do not use together with other products. May release dangerous gases (chlorine).

Precautionary statements:

- P101** If medical advice is needed, have product container or label at hand.
- P102** Keep out of reach of children.
- P280** Wear protective gloves/ protective clothing / eye protection / face protection.
- P301+P330+P331** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310** Immediately call a POISON CENTER/doctor
- P501** Dispose of contents / container in accordance with current regulations.

Contains: sodium hypochlorite, solution 3,5 % Cl active

INDEX 017-011-00-1

The product is classified both in acute and long-term aquatic hazard categories: it is possible to use only hazard statement H410 on the label.

Ingredients according to Regulation (EC) No. 648/2004



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

3 of 15

Less than 5% chlorine-based bleaching agents

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
sodium hypochlorite, solution 15 % Cl active		
INDEX 017-011-00-1	$23,3 \leq x < 24,5$	Met. Corr. 1 H290, Skin Corr. 1B H314, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1, EUH031, Classification note according to Annex VI to the CLP Regulation: B EUH031: $\geq 5\%$
EC 231-668-3		
CAS 7681-52-9		
REACH Reg. 01-2119488154-34		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

3.2. Mixtures

Information not relevant

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

sodium hypochlorite, solution 15 % Cl active



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

4 of 15

In case of contact with the skin:

Immediately remove contaminated clothing and eliminate them safely.

Wash immediately with water.

Consult a doctor immediately.

In case of persistent skin irritation, consult a doctor.

In case of contact with the eyes:

In case of contact with the eyes, rinse them with water for an adequate time interval and keeping the eyelids open, then

immediately consult an ophthalmologist.

Protect the angry eye.

Consult a doctor immediately.

In case of ingestion:

Consult a doctor immediately.

In case of inhalation: bring the injured person to the open air and keep it in the heat and rest.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

sodium hypochlorite, solution 15 % Cl active

Damage to the eyes, skin irritation, erythema

4.3. Indication of any immediate medical attention and special treatment needed

If symptoms occur, whether acute or delayed, consult a doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

sodium hypochlorite, solution 15 % Cl active

In the event of an accident or malaise, consult a doctor immediately (if possible to show the instructions for use or the safety card).

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

5 of 15

wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal firefighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany):

8A

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

6 of 15

sodium hypochlorite, solution 15 % Cl active

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,00021	mg/l
Normal value in marine water	0,000042	mg/l
Normal value for water, intermittent release	0,00026	mg/l
Normal value of STP microorganisms	4,69	mg/l
Normal value for the food chain (secondary poisoning)	11,1	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,26 mg/kg bw/d				
Inhalation	3,1 mg/m3	3,1 mg/m3	1,55 mg/m3	1,55 mg/m3	3,1 mg/m3	3,1 mg/m3	1,55 mg/m3	1,55 mg/m3
Skin			5000 ppm				5000 ppm	

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with wastewater or by dumping in waterways.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

7 of 15

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	Temperature: 20 °C
Colour	straw yellow	Remark: internal method Temperature: 20 °C
Odour	characteristic	Method: internal
Melting point / freezing point	0 °C	Method: literature data Substance: WATER
Initial boiling point	100 °C	Method: literature data Substance: WATER Initial boiling point: 100 °C
Flammability	not available	Reason for missing data: The substance/mixture is not flammable
Lower explosive limit	not available	Reason for missing data: This property is not relevant to the safety and classification of this product.
Upper explosive limit	not available	Reason for missing data: This property is not relevant to the safety and classification of this product.
Flash point	not available	Reason for missing data: The substance/mixture is not flammable
Auto-ignition temperature	not available	Reason for missing data: This property is not relevant to the safety and classification of this product.
Decomposition temperature	not available	Reason for missing data: It only applies to authoritative substances and mixtures, organic peroxides and other substances and mixtures that they can decompose
pH	>11,5	Method: internal method Concentration: 100 % Temperature: 20 °C
Kinematic viscosity	< 30 mm ² /sec	Method: internal Temperature: 20 °C
Solubility	not available	Method: internal Concentration: 100 % Temperature: 20 °C
Partition coefficient: n-octanol/water	-3,42	Method: literature data Substance: sodium hypochlorite, solution 15 % Cl active
Vapour pressure	not available	Reason for missing data: This property is not relevant to the safety and classification of this product.
Density and/or relative density	1,047	Method: internal Temperature: 20 °C
Relative vapour density	not available	Reason for missing data: This property is not relevant to the safety and classification of this product.

Particle characteristics

Median equivalent diameter

Remark: It only applies to solids

Size distribution

Remark: It only applies to solids

Dustiness

Remark: It only applies to solids



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

8 of 15

Specific surface area

Remark: It only applies to solids

Shape

Remark: It only applies to solids

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Corrosive to metals

Corrosive to metals

Remark: The substance/mixture can be corrosive for metals: iron, stainless steel, copper and copper alloys, aluminium, unprotected metals

9.2.2. Other safety characteristics

Acid/alkaline reserve not available

Miscibility not available

Corrosiveness not available

Explosive properties not available

Oxidising properties not available

Remark: Tests on the buffer capacity of the substance/mixture was not performed.

Remark: See section 9.1 Solubility

Remark: Classification pursuant to Reg. (EC) 1272/2008 as a corrosive based on extreme pH.

Reason for missing data: Absent chemical groups associated with explosive properties in accordance with the provisions of Annex I, Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008 - CLP

Reason for missing data: Absent requirements related to the presence of atoms or chemical bonds associated with oxidizing properties in the molecules of the components according to Annex I, Part 2, 2.13.4 Reg. (CE) 1272/2008

SECTION 10. Stability and reactivity

10.1. Reactivity

sodium hypochlorite, solution 15 % Cl active

In contact with very toxic gases frees acids. (Chlorine). Chlorine is an oxidizing agent. Corrosive for metals.

10.2. Chemical stability

sodium hypochlorite, solution 15 % Cl active

Stable in normal conditions. The stability of the solution decreases with the action of heat and light and with contact with acids and some metals.

10.3. Possibility of hazardous reactions

Contact with strong acids causes the development of toxic gases.

sodium hypochlorite, solution 15 % Cl active

In contact with very toxic gases frees acids. (Chlorine). Chlorine is an oxidizing agent.

It reacts with ammonia in solution and amines forming compounds that can be explosive.

It can react violently in contact with methanol, reaction accelerated by light and heat, and also in contact with many metals, in particular: copper, nickel, iron.



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

9 of 15

10.4. Conditions to avoid

sodium hypochlorite, solution 15 % Cl active
Keep shelter from heat and direct sunlight.

10.5. Incompatible materials

sodium hypochlorite, solution 15 % Cl active
Incompatible products: acids, ammonia, combustible materials
Products to avoid: iron, stainless steel, copper and copper alloys, aluminium, unprotected metals
Recommended materials: vulcanized steel or coated with rubber, polyethylene, reinforced polyester

10.6. Hazardous decomposition products

sodium hypochlorite, solution 15 % Cl active
In contact with very toxic gaseous acids. (Chlorine). Chlorine is an oxidizing agent.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

sodium hypochlorite, solution 15 % Cl active

LD50 (Dermal):

> 20000 mg/kg rabbit

LD50 (Oral):

1100 mg/kg rat

LC50 (Inhalation vapours):

> 10,5 mg/l/1h rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

Classification according to the experimental pH value

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

10 of 15

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and highly toxic for aquatic organisms.

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

sodium hypochlorite, solution 15 % Cl active

LC50 - for Fish	0,032 mg/l/96h
EC50 - for Crustacea	0,026 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,037 mg/l/72h
Chronic NOEC for Fish	0,04 mg/l
Chronic NOEC for Crustacea	0,007 mg/l
Chronic NOEC for Algae / Aquatic Plants	0,0021 mg/l

12.2. Persistence and degradability

sodium hypochlorite, solution 15 % Cl active

Solubility in water	1000000 mg/l
Degradability: information not available	

12.3. Bioaccumulative potential



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

11 of 15

sodium hypochlorite, solution 15 % Cl active

Partition coefficient: n-octanol/water -3,42

12.4. Mobility in soil

sodium hypochlorite, solution 15 % Cl active

Partition coefficient: soil/water -2,97

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

sodium hypochlorite, solution 15 % Cl active

This material and its container must be disposed of as hazardous waste. Dispose of the product/container in accordance with local/regional/national/international regulation.

Do not throw the residues in the sewers. Do not disperse in the environment.

Handle the packaging contaminated in the same way as the substance itself.

Fully empty packaging can be recycled.

The release of waste in the sewer is strongly not recommended. The disposal of this product, solutions and any by-product must be carried out by always certifying the indications of the law on the protection of the environment and on the disposal of waste and the requirements of each relevant local authority.

Do not get rid of the product and the container except with the necessary precautions. Empty containers can contain product residues. Avoid the dispersion and outflow of material possibly spilled and the contact with soil, waterways, exhausts and sewers.

SECTION 14. Transport information

14.1. UN number or ID number



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

12 of 15

ADR / RID, IMDG, IATA: UN 1791

14.2. UN proper shipping name

ADR / RID: HYPOCHLORITE SOLUTION
IMDG: HYPOCHLORITE SOLUTION
IATA: HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8
IMDG: Class: 8 Label: 8
IATA: Class: 8 Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: Environmentally Hazardous
IMDG: Marine Pollutant
IATA: NO



For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: 521		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

13 of 15

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: 41

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75 sodium hypochlorite, solution 15 % Cl active
REACH Reg.: 01-2119488154-34

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters

Substance listed in Annex 2

15.2. Chemical safety assessment



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

14 of 15

Has not been performed / is not yet available a chemical safety assessment for the substance.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament



MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 26/02/2020

Revision n° 4

Rev. Date 01/08/2025

Page

15 of 15

2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15.